

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BnA	Bennington silt loam, 0 to 2 percent slopes	Not highly erodible land
BnB	Bennington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BoA	Bennington-Tiro silt loams, 0 to 2 percent slopes	Not highly erodible land
BrF	Berks silt loam, 25 to 70 percent slopes	Highly erodible land
BtA	Bogart loam, 0 to 2 percent slopes	Not highly erodible land
BtB	Bogart loam, 2 to 6 percent slopes	Potentially highly erodible land
Ca	Canadice silty clay loam	Potentially highly erodible land
CcA	Caneadea silt loam, 0 to 2 percent slopes	Not highly erodible land
CcB	Caneadea silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdA	Canfield silt loam, 0 to 2 percent slopes	Not highly erodible land
CdB	Canfield silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdB2	Canfield silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CdC2	Canfield silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CeC	Canfield-Urban land complex, rolling	Potentially highly erodible land
CfB	Cardington fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
CgB	Cardington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CgC2	Cardington silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CgE2	Cardington silt loam, 12 to 25 percent slopes, moderately eroded	Highly erodible land
Ch	Carlisle muck	Not rated
Cm	Chagrin silt loam	Not highly erodible land
CnA	Chili loam, 0 to 2 percent slopes	Not highly erodible land
CnB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
CnC	Chili loam, 6 to 12 percent slopes	Potentially highly erodible land
CoC2	Chili gravelly loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CoE2	Chili gravelly loam, 12 to 25 percent slopes, moderately eroded	Highly erodible land
CoF2	Chili gravelly loam, 25 to 70 percent slopes, moderately eroded	Highly erodible land
CpA	Chili silt loam, 0 to 2 percent slopes	Not highly erodible land
CpB	Chili silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CpC	Chili silt loam, 6 to 12 percent slopes	Potentially highly erodible land
CuB	Chili-Urban land complex, undulating	Potentially highly erodible land
Cy	Condit silt loam	Not highly erodible land
ElB	Ellsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land
ElB2	Ellsworth silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
ElC	Ellsworth silt loam, 6 to 12 percent slopes	Potentially highly erodible land
ElC2	Ellsworth silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
ElE2	Ellsworth silt loam, 12 to 25 percent slopes, moderately eroded	Highly erodible land
ElF	Ellsworth silt loam, 25 to 70 percent slopes	Highly erodible land
EsB	Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes	Potentially highly erodible land

EsC2	Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
EuB	Ellsworth-Urban land complex, undulating	Potentially highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FlA	Fitchville silt loam, low terrace, 0 to 2 percent slopes	Not highly erodible land
GbC	Geeburg silt loam, 6 to 18 percent slopes	Highly erodible land
GfA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GfC2	Glenford silt loam, 6 to 12 percent slopes	Potentially highly erodible land
HsA	Haskins loam, 0 to 2 percent slopes	Not highly erodible land
HsB	Haskins loam, 2 to 6 percent slopes	Potentially highly erodible land
Hy	Holly silt loam	Not highly erodible land
JtA	Jimtown loam, 0 to 2 percent slopes	Not highly erodible land
JtB	Jimtown loam, 2 to 6 percent slopes	Potentially highly erodible land
Ju	Jimtown-Urban land complex	Not highly erodible land
Ld	Linwood muck	Not rated
Le	Lobdell silt loam	Not highly erodible land
Ln	Lorain silty clay loam	Not highly erodible land
LoB	Loudonville silt loam 2 to 6 percent slopes	Potentially highly erodible land
LoC	Loudonville silt loam 6 to 12 percent slopes	Potentially highly erodible land
LoC2	Loudonville silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
LoE2	Loudonville silt loam, 12 to 25 percent slopes, moderately eroded	Highly erodible land
Ly	Luray silt loam	Not highly erodible land
MgA	Mahoning silt loam, 0 to 2 percent slopes	Not highly erodible land
MgB	Mahoning silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MlA	Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes	Not highly erodible land
MlB	Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes	Potentially highly erodible land
MnA	Mahoning-Urban land complex, nearly level	Not highly erodible land
Mr	Miner silty clay loam	Potentially highly erodible land
Od	Olmsted loam	Not highly erodible land
Or	Orrville silt loam	Not highly erodible land
Os	Orrville silt loam, bedrock substratum	Not highly erodible land
OtB	Oshtemo sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
ReA	Ravenna silt loam, 0 to 2 percent slopes	Not highly erodible land
ReB	Ravenna silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RnA	Ravenna-Urban land complex, nearly level	Not highly erodible land
RoB	Rawson loam, 2 to 6 percent slopes	Potentially highly erodible land
RsB	Rittman silt loa, 2 to 6 percent slopes	Potentially highly erodible land
RsB2	Rittman silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
RsC	Rittman silt loam, 6 to 12 percent slopes	Potentially highly erodible land
RsC2	Rittman silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
RsE2	Rittman silt loam, 12 to 25 percent slopes,	Highly erodible land
RsF	Rittman silt loam, 25 to 70 percent slopes	Highly erodible land
ScF	Schaffenaker loamy sand, 25 to 70 percent slopes	Highly erodible land
Sg	Sebring silt loam	Not highly erodible land
St	Sebring silt loam, till substratum	Not highly erodible land
WaA	Wadsworth silt loam, 0 to 2 percent slopes	Not highly erodible land
WaB	Wadsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WbB	Wadsworth-Urban land complex, undulating	Potentially highly erodible land

Wc	Wallkill silt loam	Not highly erodible land
Wt	Willetta muck	Not rated
WuB	Wooster silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WuB2	Wooster silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
WuC2	Wooster silt loam, 6 to 12 percent slopes	Potentially highly erodible land
WuE2	Wooster silt loam, 12 to 25 percent slopes, moderately eroded	Highly erodible land
WuF	Wooster silt loam, 25 to 70 percent slopes	Highly erodible land
