

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AdB	Amanda silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AdC2	Amanda silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
AdD2	Amanda silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
AdE2	Amanda silt loam, 18 to 25 percent slopes, eroded	Highly erodible land
BeA	Bennington silt loam, 0 to 2 percent slopes	Not highly erodible land
BeB	Bennington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BoA	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CaB	Canfield silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CaC	Canfield silt loam, 6 to 12 percent slopes	Potentially highly erodible land
CaC2	Canfield silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
Cb	Carlisle muck	Not highly erodible land
CdB	Centerburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdC	Centerburg silt loam, 6 to 12 percent slopes	Highly erodible land
CdC2	Centerburg silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
ChB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
ChC	Chili loam, 6 to 12 percent slopes	Potentially highly erodible land
CkF	Colyer Variant silt loam, 25 to 70 percent slopes	Highly erodible land
Co	Condit silt loam	Not highly erodible land
GaB	Gallman silt loam, loamy substratum, 2 to 6 percent slopes	Potentially highly erodible land
GaC	Gallman silt loam, loamy substratum, 6 to 12 percent slopes	Potentially highly erodible land
GnB2	Glynwood clay loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
GnC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
Lo	Lobdell silt loam, occasionally flooded	Not highly erodible land
Mf	Milford silty clay loam	Not highly erodible land
Mg	Millgrove silt loam	Not highly erodible land
MoC	Morley silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MoC2	Morley silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
MoD2	Morley silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
OcB	Ockley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OcC	Ockley silt loam, 6 to 12 percent slopes	Highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Ps	Pits, gravel	Not highly erodible land
RsB	Rittman silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RsC	Rittman silt loam, 6 to 12 percent slopes	Highly erodible land
RsC2	Rittman silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
Sh	Shoals silt loam, occasionally flooded	Not highly erodible land
SkA	Sleeth silt loam, loamy substratum, 0 to 3 percent slopes	Not highly erodible land
So	Sloan silty clay loam, sandy substratum, occasionally flooded	Not highly erodible land
Tg	Tioga loam, occasionally flooded	Not highly erodible land
Ud	Udorthents, loamy	
W	Water	
WaA	Wadsworth silt loam, 0 to 2 percent slopes	Not highly erodible land
WaB	Wadsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land

WsB	Wooster silt loam, 2 to 6 percent slopes	erodible land Potentially highly erodible land
WsC	Wooster silt loam, 6 to 12 percent slopes	Highly erodible land
WsC2	Wooster silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
WsD2	Wooster silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
WsE2	Wooster silt loam, 18 to 25 percent slopes, eroded	Highly erodible land
