

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AaB	Aaron silt loam, 2 to 8 percent slopes	Potentially highly erodible land
AaC2	Aaron silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
AaD2	Aaron silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
AcB	Aaron-Upshur complex, 2 to 6 percent slopes	Potentially highly erodible land
AfB	Alford silt loam, 2 to 8 percent slopes	Potentially highly erodible land
AfC2	Alford silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
BeB	Berks channery silt loam, 2 to 8 percent slopes	Potentially highly erodible land
BeD2	Berks channery silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
BeE	Berks channery silt loam, 25 to 40 percent slopes	Highly erodible land
BkF	Berks-Westmoreland complex, 40 to 70 percent slopes	Highly erodible land
BoB	Bethesda shaly silt loam, 1 to 15 percent slopes	Potentially highly erodible land
BoD	Bethesda shaly silt loam, 15 to 25 percent slopes	Highly erodible land
BpF	Bethesda flaggy silt loam, 25 to 70 percent slopes	Highly erodible land
BsC2	Brookside silty clay loam, 8 to 15 percent slopes, eroded	Highly erodible land
BsE	Brookside silty clay loam, 15 to 40 percent slopes	Highly erodible land
Cb	Chargin loam, rarely flooded	Not highly erodible land
CcA	Chavies loam, 0 to 2 percent slopes	Not highly erodible land
CcB	Chavies loam, 2 to 6 percent slopes	Potentially highly erodible land
CeA	Chili loam, 0 to 3 percent slopes	Not highly erodible land
CeB	Chili loam, 3 to 8 percent slopes	Potentially highly erodible land
ChA	Chili gravelly loam, 0 to 3 percent slopes	Not highly erodible land
ChB	Chili gravelly loam, 3 to 8 percent slopes	Potentially highly erodible land
ChC	Chili gravelly loam, 8 to 15 percent slopes	Potentially highly erodible land
CkA	Cidermill silt loam, 0 to 3 percent slopes	Not highly erodible land
CnB	Cincinnati silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CnC2	Cincinnati silt loam, 6 to 15 percent slopes, eroded	Potentially highly erodible land
CpC2	Clarksburg silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
CrC	Claysville-Guernsey silty clay loams, 8 to 15 percent slopes	Highly erodible land
CsC2	Coshocton silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
CsD	Coshocton silt loam, 15 to 25 percent slopes	Highly erodible land
CtE	Coshocton-Westmoreland silt loams, 25 to 40 percent slopes	Highly erodible land
Ds	Dumps and Pits, mine	
FaB	Fairpoint silty clay loam, 1 to 15 percent slopes	Potentially highly erodible land
FaD	Fairpoint silty clay loam, 15 to 25 percent slopes	Highly erodible land
FaE	Fairpoint silty clay loam, 25 to 50 percent slopes	Highly erodible land
FbF	Fairpoint channery silty clay loam, 25 to 70 percent slopes	Highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FkB	Frankstown variant-Mertz complex, 3 to 8 percent slopes	Potentially highly erodible land

GdB	Gilpin silt loam, 2 to 8 percent slopes	Potentially highly erodible land
GdC2	Gilpin silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
GeD2	Gilpin-Upshur complex, 15 to 25 percent slopes, eroded	Highly erodible land
GeE2	Gilpin-Upshur complex, 25 to 40 percent slopes, eroded	Highly erodible land
GfA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GfC2	Glenford silt loam, 6 to 15 percent slopes, eroded	Potentially highly erodible land
GtC2	Guernsey-Upshur silty clay loams, 6 to 15 percent slopes, eroded	Highly erodible land
GtD2	Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded	Highly erodible land
HaC2	Homewood silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
HaD2	Homewood silt loam, 15 to 20 percent slopes, eroded	Highly erodible land
JtA	Jimtown loam, 0 to 3 percent slopes	Not highly erodible land
KeB	Keene silt loam, 2 to 6 percent slopes	Potentially highly erodible land
KeC2	Keene silt loam, 6 to 15 percent slopes, eroded	Potentially highly erodible land
Km	Killbuck silt loam, occasionally flooded	Not highly erodible land
LaC	Lakin loamy fine sand, 8 to 15 percent slopes	Potentially highly erodible land
LcD	Lakin-Alford complex, 15 to 25 percent slopes	Highly erodible land
Lk	Lindside silt loam, occasionally flooded	Not highly erodible land
Lm	Lobdell loam, channery substratum, occasionally flooded	Not highly erodible land
Lo	Lorain silty clay	Not highly erodible land
LpC2	Lowell silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
LpD2	Lowell silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
LrE2	Lowell-Gilpin complex, 25 to 40 percent slopes, eroded	Highly erodible land
LrF	Lowell-Gilpin complex, 40 to 70 percent slopes	Highly erodible land
Lu	Luray silty clay loam	Not highly erodible land
MaB	Markland silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MbC2	Markland silty clay loam, 6 to 15 percent slopes, eroded	Potentially highly erodible land
McD2	Markland-Glenford complex, 15 to 35 percent slopes, eroded	Highly erodible land
MdA	McGary silt loam, 0 to 3 percent slopes	Not highly erodible land
Me	Melvin silt loam, frequently flooded	Not highly erodible land
MkD	Mertz very cherty silt loam, 15 to 35 percent slopes	Highly erodible land
MrB	Morristown shaly silty clay loam, 1 to 15 percent slopes	Potentially highly erodible land
MrD	Morristown shaly silty clay loam, 15 to 25 percent slopes	Highly erodible land
MrF	Morristown shaly silty clay loam, 25 to 70 percent slopes	Highly erodible land
MsB	Morristown silty clay loam, 1 to 8 percent slopes	Potentially highly erodible land
MsC	Morristown silty clay loam, 8 to 15 percent slopes	Highly erodible land
MsD	Morristown silty clay loam, 15 to 25 percent slopes	Highly erodible land
MsE	Morristown silty clay loam, 25 to 50 percent slopes	Highly erodible land
Ne	Newark silt loam, frequently flooded	Not highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
OmB	Omulga silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OmC	Omulga silt loam, 6 to 15 percent slopes	Highly erodible land
RaB	Rawson silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RfC	Rigley loam, 8 to 15 percent slopes	Potentially highly erodible land
RgD	Rigley channery loam, 15 to 25 percent slopes	Highly erodible land
RhE	Rigley-Coshocton complex, 25 to 40 percent slopes	Highly erodible land
RoF	Rodman gravelly sandy loam, 25 to 70 percent slopes	Highly erodible land
Se	Sebring silt loam	Not highly erodible land

St	Stonelick loam, occasionally flooded	Not highly erodible land
Ta	Tioga fine sandy loam, rarely flooded	Not highly erodible land
Tf	Tioga fine sandy loam, occasionally flooded	Not highly erodible land
Ud	Udorthents, loamy, hilly	
Ug	Udorthents, sandy, rolling	
Uh	Udorthents, sandy-skeletal, steep	
Uk	Udorthents-Pits complex	
UsB	Urban land-Glenford complex, 2 to 8 percent slopes	
UtA	Urban land-Nolin complex, rarely flooded	
UvB	Urban land-Watertown complex, 1 to 15 percent slopes	
UwC	Urban land-Wellston complex, 5 to 15 percent slopes	
W	Water	
WaB	Watertown sandy loam, 1 to 8 percent slopes	Potentially highly erodible land
WaC	Watertown sandy loam, 8 to 15 percent slopes	Potentially highly erodible land
WhB	Wellston silt loam, 2 to 8 percent slopes	Potentially highly erodible land
WhC2	Wellston silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
WmB	Westgate silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WmC2	Westgate silt loam, 6 to 15 percent slopes, eroded	Potentially highly erodible land
WtC2	Westmoreland silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
WtD2	Westmoreland silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
WtE	Westmoreland silt loam, 25 to 40 percent slopes	Highly erodible land
WuC2	Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded	Highly erodible land
WuD2	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded	Highly erodible land
WuE2	Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded	Highly erodible land
WvD	Westmoreland-Urban land complex, 15 to 35 percent slopes	Highly erodible land
ZnB	Zanesville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
ZnC2	Zanesville silt loam, 6 to 15 percent slopes, eroded	Potentially highly erodible land

