Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AaB	Aaron silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AaC2	Aaron silt loam 6 to 15 percent slopes, eroded	Highly erodible land
AfB	Alford silt loam 2 to 6 percent slopes	Potentially highly erodible land
AfC2	Alford silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
BgB	Bethesda loam, 0 to 8 percent slopes	Potentially highly erodible land
BgD	Bethesda loam, 8 to 25 percent slopes	Highly erodible land
BgE	Bethesda loam, 25 to 40 percent slopes	Highly erodible land
BhB	Bethesda channery loam, 0 to 8 percent slopes	Potentially highly erodible land
BhD	Bethesda channery loam, 8 to 25 percent slopes	Highly erodible land
BhF	Bethesda channery loam, 25 to 70 percent slopes	Highly erodible land
BrD	Brownsville channery silt loam, 15 to 25 percent slopes	Highly erodible land
BrE	Brownsville channery silt loam, 25 to 35 percent slopes	Highly erodible land
BrF	Brownsville channery silt loam, 35 to 70 percent slopes	Highly erodible land
BtF	Brownsville-Rock outcrop complex, 35 to 70 percent slopes	Highly erodible land
CdA	Caneadea silt loam, 0 to 2 percent slopes	Not highly erodible land
CfA	Chili loam, 0 to 2 percent slopes	Not highly erodible land
CfB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
CfC	Chili loam, 6 to 15 percent slopes	Highly erodible land
CfD	Chili loam, 15 to 25 percent slopes	Highly erodible land
CfE	Chili loam, 25 to 35 percent slopes	Highly erodible land
CgA	Chili-Urban land complex, 0 to 2 percent slopes	Not highly erodible land
CgB	Chili-Urban land complex, 2 to 6 percent slopes	Potentially highly erodible land
ChA	Cidermill silt loam, 0 to 2 percent slopes	Not highly erodible land
ChB	Cidermill silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CkC	Clarksburg silt loam, 6 to 15 percent slopes	Highly erodible land
CkD	Clarksburg silt loam, 15 to 25 percent slopes	Highly erodible land
CoB	Coshocton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CoC2	Coshocton silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
CoD	Coshocton silt loam, 15 to 25 percent slopes	Highly erodible land
CoE	Coshocton silt loam, 25 to 35 percent slopes	Highly erodible land
CpC	Coshocton silt loam, 6 to 15 percent slopes, very stony	Highly erodible land
CpD	Coshocton silt loam, 15 to 25 percent slopes, very stony	Highly erodible land
CrD	Coshocton-Rigley, complex 15 to 25 percent slopes	Highly erodible land
CrE	Coshocton-Rigley complex, 25 to 35 percent slopes	Highly erodible land
CsD	Coshocton-Westmoreland complex, 15 to 25 percent slopes	Highly erodible land
CsE	Coshocton-Westmoreland complex, 25 to 35 percent slopes	Highly erodible land
DeC	Dekalb channery sandy loam 6 to 15 percent slopes, stony	Highly erodible land
Ds	Dumps, mine	
EuA	Euclid silt loam, occasionally flooded	Not highly erodible land
FaB	Fairpoint loam, 0 to 8 percent slopes	Potentially highly erodible land
FaD	Fairpoint loam, 8 to 25 percent slopes	Highly erodible land
FaE	Fairpoint loam, 25 to 35 percent slopes	Highly erodible land
FeB	Farmerstown loam, 0 to 8 percent slopes	Potentially highly erodible land
FeC	Farmerstown loam, 8 to 20 percent slopes	Highly erodible land

FhA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FhB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GdB	Germano sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
GdC2	Germano sandy loam, 6 to 15 percent slopes, eroded	Highly erodible land
GhB	Gilpin silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GhC	Gilpin silt loam, 6 to 15 percent slopes	Highly erodible land
GhD	Gilpin silt loam, 15 to 25 percent slopes	Highly erodible land
GnA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GnB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GnC	Glenford silt loam, 6 to 15 percent slopes	Highly erodible land
GpA	Glenford silt loam, occasionally flooded	Not highly erodible land
GuC	Guernsey silt loam, 6 to 15 percent slopes	Highly erodible land
GuD	Guernsey silt loam, 15 to 25 percent slopes	Highly erodible land
HaD	Hazleton channnery sandy loam, 15 to 25 percent slopes	Highly erodible land
HaE	Hazleton channery sandy loam, 25 to 35 percent slopes	Highly erodible land
HaF	Hazleton channery sandy loam, 35 to 70 percent slopes	Highly erodible land
HeF	Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery	Highly erodible land
HoB	Homewood silt loam, 2 to 6 percent slopes	Potentially highly erodible land
HoC	Homewood silt loam, 6 to 15 percent slopes	Highly erodible land
Ht	Huntington silt loam, rarely flooded	Not highly erodible land
JmA	Jimtown loam, 0 to 2 percent slopes	Not highly erodible land
KeB	Keene silt loam, 2 to 6 percent slopes	Potentially highly erodible land
KeC	Keene silt loam, 6 to 15 percent slopes	Highly erodible land
La	Landes sandy loam, rarely flooded	Not highly erodible land
Lb	Landes loam, occasionally flooded	Not highly erodible land
Lo	Lobdell silt loam, occasionally flooded	Not highly erodible land
LrB	Loudon silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LrC	Loudon silt loam, 6 to 15 percent slopes	Highly erodible land
LvC	Loudonville silt loam, 6 to 15 percent slopes	Highly erodible land
LvD	Loudonville silt loam, 15 to 20 percent slopes	Highly erodible land
MaB	Markland silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MaC	Markland silt loam, 6 to 15 percent slopes	Highly erodible land
MaD2	Markland silt loam, 15 to 35 percent slopes, eroded	Highly erodible land
Mg	Melvin silt loam, frequently flooded	Not highly erodible land
Mh	Melvin silt loam, ponded	Not highly erodible land
MnA	Mentor silt loam, 0 to 2 percent slopes	Not highly erodible land
MnB	Mentor silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MnC	Mentor silt loam, 6 to 15 percent slopes	Highly erodible land
MnD	Mentor silt loam, 15 to 25 percent slopes	Highly erodible land
Ne	Newark silt loam, occasionally flooded	Not highly erodible land
Nf	Newark silt loam, frequently flooded	Not highly erodible land
Nn	Nolin silt loam, rarely flooded	Not highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
Or	Orrville silt loam, occasionally flooded	Not highly erodible land
Pg	Pits, gravel	
Ph	Pits, quarry	
RcC	Richland silt loam, 6 to 15 percent slopes	Highly erodible land
RcD	Richland silt loam, 15 to 25 percent slopes	Highly erodible land
RgC	Rigley sandy loam, 6 to 15 percent slopes	Highly erodible land
RgD	Rigley sandy loam, 15 to 25 percent slopes	Highly erodible land
RgE	Rigley sandy loam, 25 to 35 percent slopes	Highly erodible land
RhD	Rigley sandy loam, 12 to 25 percent slopes, very stony	Highly erodible land
Se	Sebring silt loam	Not highly erodible land
Th	Tioga fine sandy loam, rarely flooded	Not highly erodible land
Tk	Tioga fine sandy loam, occasionally flooded	Not highly erodible land
Tm	Tioga fine sandy loam, frequently flooded	Not highly erodible land
To	Tioga-Urban land complex, rarely flooded	Not highly erodible land
TsB	Titusville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
TsC	Titusville silt loam, 6 to 15 percent slopes	Highly erodible land
Ug	Udorthents, loamy	

Uh	Udorthents, loamy-skeletal	
Up	Udorthents-Pits complex	
W	Water	
WaA	Watertown sandy loam, 0 to 2 percent slopes	Not highly erodible land
WaB	Watertown sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
WaC	Watertown sandy loam, 6 to 15 percent slopes	Highly erodible land
WaD	Watertown sandy loam, 15 to 25 percent slopes	Highly erodible land
WaF	Watertown sandy loam, 25 to 70 percent slopes	Highly erodible land
Wb	Wappinger sandy loam, rarely flooded	Not highly erodible land
WeC	Wellston silt loam, 6 to 15 percent slopes	Highly erodible land
WhC	Westmoreland silt loam, 6 to 15 percent slopes	Highly erodible land
WhD	Westmoreland silt loam, 15 to 25 percent slopes	Highly erodible land
WhE	Westmoreland silt loam, 25 to 35 percent slopes	Highly erodible land
WnA	Wheeling silt loam, 0 to 2 percent slopes	Not highly erodible land
WnB	Wheeling silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Zp	Zipp silty clay loam, frequently flooded	Not highly erodible land