

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AdB	Alexandria silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AdC2	Alexandria silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
AdD2	Alexandria silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
BgA	Bennington silt loam, 0 to 2 percent slopes	Not highly erodible land
BgB	Bennington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BhB	Bennington-Urban land complex, undulating	Potentially highly erodible land
BoA	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BtA	Bogart loam, 0 to 2 percent slopes	Not highly erodible land
BtB	Bogart loam, 2 to 6 percent slopes	Potentially highly erodible land
Bw	Bono silty clay loam	Not highly erodible land
CdB	Cardington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdB2	Cardington silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CdC2	Cardington silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CdD2	Cardington silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
CeC	Cardington-Urban land complex, rolling	Potentially highly erodible land
Ck	Carlisle muck	Not highly erodible land
CnA	Chili loam, 0 to 2 percent slopes	Not highly erodible land
CnB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
CnC2	Chili loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CnD2	Chili loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
Co	Colwood silt loam	Not highly erodible land
Cr	Condit-Bennington silt loams	Not highly erodible land
DeA	Del Rey silt loam, 0 to 2 percent slopes	Not highly erodible land
Du	Dumps	
EtA	Elliott silt loam, 0 to 3 percent slopes	Not highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GaA	Gallman silt loam, 0 to 2 percent slopes	Not highly erodible land
GaB	Gallman silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GwB	Glynwood silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GwB2	Glynwood silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
GwC2	Glynwood silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
GwD2	Glynwood silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
HpE	Hennepin-Alexandria silt loams, 18 to 50 percent slopes	Highly erodible land
JtA	Jimtown loam, 0 to 2 percent slopes	Not highly erodible land
JtB	Jimtown loam, 2 to 6 percent slopes	Potentially highly erodible land
KbA	Kibbie fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
KcB	Kibbie-Bennington complex, 2 to 6 percent slopes	Potentially highly erodible land

		erodible land
Le	Lenawee silty clay loam	Not highly erodible land
Lg	Lenawee silt loam, overwash	Not highly erodible land
Lh	Lenawee Variant silty clay loam	Not highly erodible land
Lo	Lobdell silt loam	Not highly erodible land
Lu	Luray silty clay loam	Not highly erodible land
Lw	Luray-Urban land complex	Not highly erodible land
LzB	Lykens silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Mb	Marengo silty clay loam	Not highly erodible land
Md	Medway silt loam	Not highly erodible land
MkA	Mitiwanga silt loam, 0 to 3 percent slopes	Not highly erodible land
Mu	Muskego muck	Not highly erodible land
On	Olentangy mucky silt loam	Not highly erodible land
Os	Olmsted silty clay loam	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Sb	Sebring silt loam	Not highly erodible land
Sh	Shoals silt loam	Not highly erodible land
So	Sloan silt loam	Not highly erodible land
TrA	Tiro silt loam, 0 to 2 percent slopes	Not highly erodible land
TrB	Tiro silt loam, 2 to 6 percent slopes	Potentially highly erodible land
TsB	Tuscola fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
TuB	Tuscola-Bennington complex, 2 to 6 percent slopes	Potentially highly erodible land
Ud	Udorthents, loamy	
Ur	Urban land	
WaA	Wadsworth silt loam, 0 to 2 percent slopes	Not highly erodible land
WaB	Wadsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Wb	Wallkill silt loam	Not highly erodible land
WlA	Wilmer Variant silt loam, 0 to 2 percent slopes	Not highly erodible land
WlB	Wilmer Variant silt loam, 2 to 6 percent slopes	Potentially highly erodible land

