

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
Ad	Adrian muck	Not highly erodible land
BcA	Bixler loamy fine sand, 0 to 3 percent slopes	Not highly erodible land
BnA	Blount loam, 0 to 2 percent slopes	Not highly erodible land
BnB	Blount loam, 2 to 6 percent slopes	Potentially highly erodible land
BoB	Blount-Rimer complex, 2 to 6 percent slopes	Potentially highly erodible land
BrB	Boyer loamy sand, 1 to 6 percent slopes	Not highly erodible land
ByA	Brady sandy loam, 0 to 3 percent slopes	Not highly erodible land
Ch	Cohoctah fine sandy loam, frequently flooded	Not highly erodible land
Cn	Colwood loam	Not highly erodible land
DfA	Del Rey silt loam, 0 to 3 percent slopes	Not highly erodible land
DmA	Digby loam, 0 to 3 percent slopes	Not highly erodible land
DtA	Dixboro fine sandy loam, 0 to 3 percent slopes	Not highly erodible land
Ee	Eel silt loam, frequently flooded	Not highly erodible land
FtA	Fulton silty clay loam, 0 to 2 percent slopes	Not highly erodible land
FtB	Fulton silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
GaB	Galen loamy fine sand, 1 to 6 percent slopes	Not highly erodible land
Gf	Gilford fine sandy loam	Not highly erodible land
GnB2	Glynwood loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
GnC2	Glynwood loam, 6 to 12 percent slopes, eroded	Highly erodible land
GnD2	Glynwood loam, 12 to 18 percent slopes, eroded	Highly erodible land
GoC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	Highly erodible land
Gr	Granby loamy fine sand	Not highly erodible land
HkA	Haskins loam, 0 to 3 percent slopes	Not highly erodible land
Ho	Hoytville clay loam	Not highly erodible land
KfA	Kibbie loam, 0 to 3 percent slopes	Not highly erodible land
La	Lamson fine sandy loam	Not highly erodible land
Lc	Latty silty clay	Not highly erodible land
Lf	Lenawee silty clay loam	Not highly erodible land
Mf	Mermill loam	Not highly erodible land
Mo	Millgrove loam	Not highly erodible land
NnA	Nappanee loam, 0 to 2 percent slopes	Not highly erodible land
NnB	Nappanee loam, 2 to 6 percent slopes	Not highly erodible land
OaB	Oakville fine sand, 0 to 6 percent slopes	Not highly erodible land
OaC	Oakville fine sand, 6 to 12 percent slopes	Not highly erodible land
OrB	Oshtemo loamy sand, 0 to 6 percent slopes	Not highly erodible land
OtB	Ottokee fine sand, 0 to 6 percent slopes	Not highly erodible land
OuB	Ottokee-Glynwood complex, 3 to 8 percent slopes	Potentially highly erodible land
PeB	Perrin sandy loam, 2 to 6 percent slopes	Not highly erodible land
Pm	Pewamo clay loam	Not highly erodible land
Ps	Psammaquents, nearly level	Not highly erodible land
RbB	Rawson sandy loam, 2 to 6 percent slopes	Not highly erodible land
RnA	Rimer loamy fine sand, 0 to 3 percent slopes	Not highly erodible land
SdB	Seward loamy fine sand, 2 to 6 percent slopes	Not highly erodible land
SdC	Seward loamy fine sand, 6 to 12 percent slopes	Not highly erodible land
SfB2	Shinrock silty clay loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
SfC2	Shinrock silty clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
SgB2	Shinrock-Tuscola complex, 3 to 8 percent slopes, eroded	Potentially highly erodible land
Sh	Shoals silt loam, frequently flooded	Not highly erodible land
So	Sloan silty clay loam, frequently flooded	Not highly erodible land
SpB	Spinks fine sand, 1 to 6 percent slopes	Not highly erodible land
SpC	Spinks fine sand, 6 to 12 percent slopes	Not highly erodible land

SpD	Spinks fine sand, 12 to 18 percent slopes	Potentially highly erodible land
TdA	Tedrow loamy fine sand, 0 to 3 percent slopes	Not highly erodible land
TuB	Tuscola fine sandy loam, 3 to 8 percent slopes	Not highly erodible land
Uo	Udorthents, loamy	Not highly erodible land
W	Water	
Wf	Wauseon fine sandy loam	Not highly erodible land

