

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AaC	Aaron silt loam, 8 to 15 percent slopes	Highly erodible land
AkB	Allegheny loam, 3 to 8 percent slopes	Potentially highly erodible land
AkC	Allegheny loam, 8 to 15 percent slopes	Highly erodible land
AkD	Allegheny loam, 15 to 25 percent slopes	Highly erodible land
BcF	Berks-Upshur association, very steep	Highly erodible land
BhD	Bethesda channery clay loam, 8 to 25 percent slopes	Highly erodible land
BhF	Bethesda channery clay loam, 40 to 70 percent slopes	Highly erodible land
Cg	Chagrin silt loam, frequently flooded	Not highly erodible land
ChD	Clymer loam, 15 to 25 percent slopes	Highly erodible land
CkB	Clymer silt loam, 3 to 8 percent slopes	Potentially highly erodible land
CkC	Clymer silt loam, 8 to 15 percent slopes	Highly erodible land
CoB	Coolville silt loam, 1 to 6 percent slopes	Potentially highly erodible land
Cu	Cuba silt loam, occasionally flooded	Not highly erodible land
DbA	Doles silt loam, 0 to 3 percent slopes	Not highly erodible land
Dm	Dumps, mine	
EkB	Elkinsville silt loam, 1 to 6 percent slopes	Potentially highly erodible land
FaB	Fairpoint channery silty clay loam, 1 to 8 percent slopes	Potentially highly erodible land
FaD	Fairpoint channery silty clay loam, 8 to 25 percent slopes	Highly erodible land
FaE	Fairpoint channery silty clay loam, 25 to 40 percent slopes	Highly erodible land
GaC2	Gallia loam, 8 to 15 percent slopes, eroded	Highly erodible land
GbB	Gallipolis silt loam, 1 to 6 percent slopes	Potentially highly erodible land
GbC	Gallipolis silt loam, 6 to 15 percent slopes	Highly erodible land
GdE	Gilpin-Rarden association, steep	Highly erodible land
GeE	Gilpin-Steinsburg-Upshur association, steep	Highly erodible land
GsC	Guernsey-Gilpin silt loams, 8 to 15 percent slopes	Highly erodible land
GwE	Guernsey-Gilpin association, steep	Highly erodible land
KaB	Kanawha silt loam, 1 to 8 percent slopes	Potentially highly erodible land
Kg	Kyger loamy sand, frequently flooded	Not highly erodible land
LcB	Licking silt loam, 1 to 6 percent slopes	Potentially highly erodible land
LcC2	Licking silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
LcD2	Licking silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
LgD	Lily loam, 15 to 25 percent slopes	Highly erodible land
LhC	Lily silt loam, 8 to 15 percent slopes	Potentially highly erodible land
LmD	Lily-Rarden complex, 15 to 25 percent slopes	Highly erodible land
LpD	Lily-Upshur complex, 15 to 25 percent slopes	Highly erodible land
Ls	Lindside silt loam, occasionally flooded	Not highly erodible land
McB	McGary silt loam, 1 to 6 percent slopes	Potentially highly erodible land
MoC	Monongahela loam, 8 to 15 percent slopes	Highly erodible land
Ne	Newark silt loam, frequently flooded	Not highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
OmB	Omulga silt loam, 1 to 6 percent slopes	Potentially highly erodible land
OmC	Omulga silt loam, 6 to 15 percent slopes	Highly erodible land

Or	Orrville silt loam, frequently flooded	Not highly erodible land
Pe	Peoga silt loam	Not highly erodible land
PgB	Pinegrove sandy loam, 1 to 8 percent slopes	Not highly erodible land
PnD	Pinegrove sand, 8 to 25 percent slopes	Highly erodible land
PnF	Pinegrove sand, 25 to 70 percent slopes	Highly erodible land
Pp	Piopolis silt loam, frequently flooded	Not highly erodible land
Ps	Pits, sand and gravel	
Pv	Pope fine sandy loam, frequently flooded	Not highly erodible land
Px	Pope silt loam, occasionally flooded	Not highly erodible land
RbC2	Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded	Highly erodible land
RbD2	Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded	Highly erodible land
RtE	Rarden-Steinsburg association, steep	Highly erodible land
ScE	Steinsburg-Clymer association, steep	Highly erodible land
SrF	Steinsburg-Rock outcrop association, very steep	Highly erodible land
St	Stendal silt loam, occasionally flooded	Not highly erodible land
TgA	Taggart silt loam, 0 to 3 percent slopes	Not highly erodible land
UgC2	Upshur-Gilpin complex, 8 to 15 percent slopes, eroded	Highly erodible land
UgD2	Upshur-Gilpin complex, 15 to 25 percent slopes, eroded	Highly erodible land
UgE	Upshur-Gilpin complex, 25 to 50 percent slopes	Highly erodible land
VaC2	Vandalia silty clay loam, 6 to 15 percent slopes, eroded	Highly erodible land
VaD3	Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded	Highly erodible land
VnD3	Vandalia-Gilpin complex, 15 to 25 percent slopes, severely eroded	Highly erodible land
W	Water	
WeB	Wellston silt loam, 1 to 6 percent slopes	Not highly erodible land
WhA	Wheeling silt loam, 0 to 3 percent slopes	Potentially highly erodible land
WhB	Wheeling silt loam, 3 to 6 percent slopes	Highly erodible land
WhC	Wheeling silt loam, 6 to 15 percent slopes	Highly erodible land
WhE	Wheeling silt loam, 25 to 40 percent slopes	Potentially highly erodible land
WoB	Woodsfield silt loam, 1 to 6 percent slopes	Potentially highly erodible land
ZaB	Zanesville silt loam, 1 to 6 percent slopes	Potentially highly erodible land

