Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BgB	Bogart loam, 2 to 6 percent slopes	Potentially highly erodible land
BrF	Brecksville silt loam, 25 to 70 percent slopes	Highly erodible land
Ca	Canadice silt loam	Not highly erodible land
CcA	Caneadea silt loam, 0 to 2 percent slopes	Not highly erodible land
CcB	Caneadea silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdB	Canfield silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdC	Canfield silt loam, 6 to 12 percent slopes	Potentially highly erodible land
Cf	Carlisle muck, ponded	Not highly erodible land
CnA	Chili loam, 0 to 2 percent slopes	Not highly erodible land
CnB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
CnC	Chili loam, 6 to 12 percent slopes	Potentially highly erodible land
CoD2	Chili gravelly loam, 12 to 18 percent slopes, eroded	Potentially highly erodible land
CyD	Chili-Oshtemo complex, 6 to 18 percent slopes	Potentially highly erodible land
CyF	Chili-Oshtemo complex, 25 to 50 percent slopes	Highly erodible land
Da	Damascus silt loam	Not highly erodible land
DrA	Darien silt loam, bedrock substratum, 0 to 2 percent slopes	Not highly erodible land
DrB	Darien silt loam, bedrock substratum, 2 to 6 percent slopes	Potentially highly erodible land
DsB	Darien-Hornell silt loams complex, 2 to 6 percent slopes	Potentially highly erodible land
EhB	Ellsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land
EhB2	Ellsworth silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
EhC	Ellsworth silt loam, 6 to 12 percent slopes	Potentially highly erodible land
EhC2	Ellsworth silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
EhD	Ellsworth silt loam, 12 to 18 percent slopes	Highly erodible land
EhD2	Ellsworth silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
EhE	Ellsworth silt loam, 18 to 25 percent slopes	Highly erodible land
EhF	Ellsworth silt loam, 25 to 50 percent slopes	Highly erodible land
EmC	Ellsworth silt loam, shale substratum, 6 to 12 percent slopes	Potentially highly erodible land
EmD	Ellsworth silt loam, shale substratum, 12 to 18 percent slopes	Highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GaF	Gageville silt loam, 18 to 50 percent slopes	
GbB	Geeburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GbC	Geeburg silt loam, 6 to 12 percent slopes	Potentially highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GfC	Glenford silt loam, 6 to 12 percent slopes	Potentially highly erodible land
Ho	Holly silt loam, frequently flooded	Not highly erodible land
HsA	Haskins loam, 0 to 2 percent slopes	Not highly erodible land
HsB	Haskins loam, 2 to 6 percent slopes	Potentially highly

		erodible land
JtA	Jimtown silt loam, 0 to 3 percent slopes	Not highly erodible land
LrB	Lordstown loam, 2 to 6 percent slopes	Potentially highly erodible land
LrC	Lordstown loam, 6 to 12 percent slopes	Potentially highly erodible land
LxD	Lordstown-Rock outcrop complex, 12 to 18 percent slopes	Highly erodible land
LxF	Lordstown-Rock outcrop complex, 18 to 70 percent slopes	Highly erodible land
LyB	Loudonville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LyC	Loudonville silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MgA	Mahoning silt loam, 0 to 2 percent slopes	Not highly erodible land
MgB	Mahoning silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MgC	Mahoning silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MsA	Mahoning silt loam, shale substratum, 0 to 2 percent slopes	Not highly erodible land
MsB	Mahoning silt loam, shale substratum, 2 to 6 percent slopes	Potentially highly erodible land
MtA	Mitiwanga silt loam, 0 to 3 percent slopes	Not highly erodible land
My	Mill silt loam, 0 to 2 percent slopes	Not highly erodible land
Or	Orrville silt loam, frequently flooded	Not highly erodible land
OsB	Oshtemo sandy loam, 2 to 6 percent slopes	Not highly erodible land
OsC	Oshtemo sandy loam, 6 to 12 percent slopes	Potentially highly erodible land
Pg	Pits, gravel	
Pq	Pits, quarry	
PsA	Platea silt loam, 0 to 2 percent slopes	Not highly erodible land
PsB	Platea silt loam, 2 to 6 percent slopes	Potentially highly erodible land
PtA	Platea-Darien silt loams complex, 0 to 2 percent slopes	Not highly erodible land
PtB	Platea-Darien silt loams complex, 2 to 6 percent slopes	Potentially highly erodible land
ReA	Ravenna silt loam, 0 to 2 percent slopes	Not highly erodible land
ReB	Ravenna silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RmB	Rawson silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RsB	Rittman silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RsC	Rittman silt loam, 6 to 12 percent slopes	Potentially highly erodible land
RsC2	Rittman silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
RsD	Rittman silt loam, 12 to 18 percent slopes	Highly erodible land
RsE	Rittman silt loam, 18 to 25 percent slopes	Highly erodible land
RsF	Rittman silt loam, 25 to 50 percent slopes	Highly erodible land
Sb	Sebring silt loam	Not highly erodible land
Sf	Sheffield silt loam	Not highly erodible land
Tg	Tioga loam, frequently flooded	Not highly erodible land
Ud	Udorthents, loamy	
Ur	Urban land	
W	Water	
Wa	Wabasha silty clay loam, ponded	Not highly erodible land
WbA	Wadsworth silt loam, 0 to 2 percent slopes	Not highly erodible land
WbB	Wadsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Wc	Wallkill silt loam, ponded	Not highly erodible land
Wk	Wick silt loam, 0 to 2 percent slopes, frequently flooded	Not highly erodible land
Wt	Willette muck, ponded	Not highly erodible land
WuD	Wooster silt loam, 12 to 18 percent slopes	Highly erodible land