

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
ArA	Ava silt loam, 0 to 3 percent slopes	Potentially highly erodible land
ArB2	Ava silt loam, 3 to 8 percent slopes, eroded	Potentially highly erodible land
ArC2	Ava silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
AsB	Ava-Urban land complex, 3 to 8 percent slopes	Potentially highly erodible land
AsC	Ava-Urban land complex, 8 to 15 percent slopes	Highly erodible land
AvA	Avonburg silt loam, 0 to 2 percent slopes	Not highly erodible land
AwA	Avonburg-Urban land complex, 0 to 2 percent slopes	Not highly erodible land
BoD	Bonnell silt loam, 15 to 25 percent slopes	Highly erodible land
BoE	Bonnell silt loam, 25 to 35 percent slopes	Highly erodible land
BoF	Bonnell silt loam, 35 to 60 percent slopes	Highly erodible land
CcC2	Casco gravelly loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
CdD	Casco loam, 15 to 25 percent slopes	Highly erodible land
CdE	Casco loam, 25 to 35 percent slopes	Highly erodible land
CdF	Casco loam, 35 to 70 percent slopes	Highly erodible land
CnB2	Cincinnati silt loam, 3 to 8 percent slopes, eroded	Potentially highly erodible land
CnC2	Cincinnati silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
DaB	Dana silt loam, 0 to 4 percent slopes	Not highly erodible land
EcB2	Eden silty clay loam, 3 to 8 percent slopes, eroded	Potentially highly erodible land
EcC2	Eden silty clay loam, 8 to 15 percent slopes, eroded	Highly erodible land
EcD	Eden silty clay loam, 15 to 25 percent slopes	Highly erodible land
EcE	Eden silty clay loam, 25 to 40 percent slopes	Highly erodible land
EdF	Eden flaggy silty clay loam, 40 to 60 percent slopes	Highly erodible land
EeB	Eden-Urban land complex, 3 to 8 percent slopes	Potentially highly erodible land
EeC	Eden-Urban land complex, 8 to 15 percent slopes	Highly erodible land
EeD	Eden-Urban land complex, 15 to 25 percent slopes	Highly erodible land
EpA	Eldean loam, 0 to 2 percent slopes	Not highly erodible land
EpB2	Eldean loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
EpC2	Eldean loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
ErA	Eldean-Urban land complex, 0 to 2 percent slopes	Not highly erodible land
ErB	Eldean-Urban land complex, 2 to 6 percent slopes	Potentially highly erodible land
FdA	Fincastle silt loam, 0 to 2 percent slopes	Not highly erodible land
FeA	Fincastle-Urban land complex, 0 to 2 percent slopes	Not highly erodible land
FoA	Fox loam, 0 to 2 percent slopes	Not highly erodible land
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
FpA	Fox-Urban land complex, 0 to 3 percent slopes	Not highly erodible land
Gn	Genesee loam, occasionally flooded	Not highly erodible land
Go	Genesee-Urban land complex, occasionally flooded	Not highly erodible land
HeF	Hennepin silt loam, 35 to 60 percent slopes	Highly erodible land
HoA	Henshaw silt loam, 0 to 2 percent slopes	Not highly erodible land

Hu	Huntington silt loam, occasionally flooded	Not highly erodible land
Ju	Jules silt loam, occasionally flooded	Not highly erodible land
Lg	Lanier sandy loam, occasionally flooded	Not highly erodible land
MaB	Markland silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
MaC2	Markland silty clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
MaD2	Markland silty clay loam, 12 to 18 percent slopes, eroded	Highly erodible land
MaE2	Markland silty clay loam, 18 to 25 percent slopes, eroded	Highly erodible land
McA	Martinsville silt loam, 0 to 2 percent slopes	Not highly erodible land
McB	Martinsville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MnC2	Miamian silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
MoD2	Miamian-Hennepin silt loams, 15 to 25 percent slopes, eroded	Highly erodible land
MoE2	Miamian-Hennepin silt loams, 25 to 35 percent slopes, eroded	Highly erodible land
MuC	Miamian-Urban land complex, 8 to 15 percent slopes	Potentially highly erodible land
PbB2	Parke silt loam, 3 to 8 percent slopes, eroded	Potentially highly erodible land
PbC2	Parke silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
PbD	Parke silt loam, 15 to 25 percent slopes	Highly erodible land
PbE	Parke silt loam, 25 to 35 percent slopes	Highly erodible land
PcB	Parke-Urban land complex, 3 to 8 percent slopes	Potentially highly erodible land
PcC	Parke-Urban land complex, 8 to 15 percent slopes	Potentially highly erodible land
PfC	Pate silty clay loam, 8 to 15 percent slopes	Highly erodible land
PfD	Pate silty clay loam, 15 to 25 percent slopes	Highly erodible land
PfE	Pate silty clay loam, 25 to 35 percent slopes	Highly erodible land
PhD	Pate-Urban land complex, 15 to 25 percent slopes	Highly erodible land
Pn	Patton silty clay loam	Not highly erodible land
Po	Pits, gravel	
PrA	Princeton sandy loam, 0 to 2 percent slopes	Not highly erodible land
PrB	Princeton sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
PrC2	Princeton sandy loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
RdA	Raub silt loam, 0 to 2 percent slopes	Not highly erodible land
Rn	Ross loam, rarely flooded	Not highly erodible land
RpA	Rossmoyne silt loam, 0 to 3 percent slopes	Not highly erodible land
RpB2	Rossmoyne silt loam, 3 to 8 percent slopes, eroded	Potentially highly erodible land
RpC2	Rossmoyne silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
RtA	Rossmoyne-Urban land complex, 0 to 3 percent slopes, eroded	Not highly erodible land
RtB	Rossmoyne-Urban land complex, 3 to 8 percent slopes	Potentially highly erodible land
RtC	Rossmoyne-Urban land complex, 8 to 15 percent slopes	Highly erodible land
RwB2	Russell silt loam, 3 to 8 percent slopes, eroded	Potentially highly erodible land
RxB	Russell-Urban land complex, 3 to 8 percent slopes	Potentially highly erodible land
St	Stonelick fine sandy loam, frequently flooded	Not highly erodible land
SwB2	Switzerland silt loam, 3 to 8 percent slopes, eroded	Potentially highly erodible land
SwC2	Switzerland silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
SwD2	Switzerland silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
SxB	Switzerland-Urban land complex, 3 to 8 percent slopes	Potentially highly erodible land
SxC	Switzerland-Urban land complex, 8 to 15 percent slopes	Highly erodible land

Ud	Udorthents, clayey	
Uf	Udorthents, loamy	
UgB	Urban land-Elkinsville complex, 3 to 8 percent slopes	
UgC	Urban land-Elkinsville complex, 8 to 15 percent slopes	
Uh	Urban land-Huntington complex, frequently flooded	
UmB	Urban land-Martinsville complex, 3 to 8 percent slopes	
UmC	Urban land-Martinsville complex, 8 to 15 percent slopes	
Uo	Urban land-Patton complex	
UrB	Urban land-Rossmoyne complex, 0 to 8 percent slopes	
Ux	Urban land-Stonelick complex, frequently flooded	
W	Water	
Wa	Wakeland silt loam, occasionally flooded	Not highly erodible land
WbA	Warsaw Variant sandy loam, 0 to 2 percent slopes	Not highly erodible land
WeA	Wea silt loam, 0 to 2 percent slopes	Not highly erodible land
WhA	Whitaker loam, 0 to 2 percent slopes	Not highly erodible land
XfA	Xenia silt loam, 0 to 2 percent slopes	Not highly erodible land
XfB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land