

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
Ad	Adrian muck	Not highly erodible land
BlA	Belmore sandy loam, 0 to 2 percent slopes	Not highly erodible land
BlB	Belmore sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
BmA	Belmore loam, 0 to 2 percent slopes	Not highly erodible land
BmB	Belmore loam, 2 to 6 percent slopes	Potentially highly erodible land
BmC	Belmore loam, 6 to 12 percent slopes	Potentially highly erodible land
BnA	Blount loam, 0 to 2 percent slopes	Not highly erodible land
BnB	Blount loam, 2 to 6 percent slopes	Potentially highly erodible land
BoA	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BoB2	Blount silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CeA	Celina silt loam, limestone substratum, 0 to 2 percent slopes	Not highly erodible land
Cl	Clay pits	Not rated
Co	Colwood loam	Not highly erodible land
CrA	Crosby silt loam, limestone substratum, 0 to 2 percent slopes	Not highly erodible land
Cu	Cut and fill land	Not rated
DgA	Digby sandy loam, 0 to 2 percent slopes	Not highly erodible land
DmA	Digby loam, 0 to 2 percent slopes	Not highly erodible land
DmB	Digby loam, 2 to 6 percent slopes	Potentially highly erodible land
DuB	Dunbridge loamy fine sand, 2 to 6 percent slopes	Potentially highly erodible land
Ea	Eel loam	Not highly erodible land
Em	Eel silt loam	Not highly erodible land
FtA	Fulton silt loam, 0 to 2 percent slopes	Not highly erodible land
FtB	Fulton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Gn	Genesee silt loam	Not highly erodible land
Go	Granby loamy fine sand	Not highly erodible land
Gp	Gravel pits	Not rated
HaA	Haney sandy loam, 0 to 2 percent slopes	Not highly erodible land
HaB	Haney sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
HdA	Haney loam, 0 to 2 percent slopes	Not highly erodible land
HdB	Haney loam, 2 to 6 percent slopes	Potentially highly erodible land
HkA	Haskins fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
HkB	Haskins fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
HnA	Haskins loam, 0 to 2 percent slopes	Not highly erodible land
HnB	Haskins loam, 2 to 6 percent slopes	Potentially highly erodible land
Ho	Hoytville clay loam	Not highly erodible land
Hv	Hoytville clay	Not highly erodible land
Jo	Joliet silty clay loam	Potentially highly erodible land
KfA	Kibbie fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
KfB	Kibbie fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
KlA	Kibbie loam, 0 to 2 percent slopes	Not highly erodible land
KlB	Kibbie loam, 2 to 6 percent slopes	Potentially highly erodible land
KsA	Kibbie silt loam, 0 to 2 percent slopes	Not highly erodible land
KsB	Kibbie silt loam, 2 to 6 percent slopes	Potentially highly erodible land

Le	Lenawee loam	Not highly erodible land
Ln	Lenawee silty clay loam	Not highly erodible land
Lw	Linwood muck	Not highly erodible land
Me	Mermill loam	Not highly erodible land
Mf	Mermill clay loam	Not highly erodible land
Mg	Millgrove fine sandy loam	Not highly erodible land
Mh	Millgrove loam	Not highly erodible land
Mk	Millgrove clay loam	Not highly erodible land
Mm	Millsdale loam	Not highly erodible land
Mn	Millsdale silt loam	Not highly erodible land
Mo	Millsdale silty clay loam	Not highly erodible land
MrA	Milton silt loam, 0 to 2 percent slopes	Not highly erodible land
MrB	Milton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MsB	Morley loam, 2 to 6 percent slopes	Potentially highly erodible land
MyB	Morley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MyB2	Morley silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MyC	Morley silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MyC2	Morley silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MyD2	Morley silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
NaA	Nappanee loam, 0 to 2 percent slopes	Not highly erodible land
NaB	Nappanee loam, 2 to 6 percent slopes	Potentially highly erodible land
NpA	Nappanee silt loam, 0 to 2 percent slopes	Not highly erodible land
NpB	Nappanee silt loam, 2 to 6 percent slopes	Potentially highly erodible land
NpC2	Nappanee silt loam, 4 to 10 percent slopes, moderately eroded	Potentially highly erodible land
OtB	Ottokee loamy fine sand, 0 to 4 percent slopes	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Po	Pewamo clay	Not highly erodible land
Qu	Quarry	Not rated
RbA	Randolph loam, 0 to 2 percent slopes	Not highly erodible land
RlA	Randolph silt loam, 0 to 2 percent slopes	Not highly erodible land
RlB	Randolph silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RmA	Rawson loam, 0 to 2 percent slopes	Not highly erodible land
RmB	Rawson loam, 2 to 6 percent slopes	Potentially highly erodible land
RnA	Rimer loamy fine sand, 0 to 2 percent slopes	Not highly erodible land
RnB	Rimer loamy fine sand, 2 to 6 percent slopes	Potentially highly erodible land
RrB	Ritchey silt loam, 1 to 5 percent slopes	Potentially highly erodible land
RsC	Romeo silt loam, 0 to 10 percent slopes	Potentially highly erodible land
SdA	Seward loamy fine sand, 0 to 2 percent slopes	Not highly erodible land
SdB	Seward loamy fine sand, 2 to 6 percent slopes	Potentially highly erodible land
SeB	Shinrock silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Sh	Shoals silt loam	Not highly erodible land
Sn	Sloan loam	Not highly erodible land
So	Sloan silty clay loam	Not highly erodible land
To	Toledo silty clay loam	Not highly erodible land
TpA	Tuscola fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
TpB	Tuscola fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
TsB	Tuscola loam, 2 to 6 percent slopes	Potentially highly erodible land
VaB	Vaughnsville loam, 1 to 4 percent slopes	Not highly erodible land

