

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BoA	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BpA	Blount silt loam, limestone substratum, 0 to 3 percent slopes	Not highly erodible land
Ca	Carlisle muck	Not highly erodible land
Co	Colwood loam	Not highly erodible land
DeA	Del Rey silt loam, 0 to 3 percent slopes	Not highly erodible land
Ee	Eel silt loam, occasionally flooded	Not highly erodible land
FoA	Fox silt loam, 0 to 2 percent slopes	Not highly erodible land
FoB	Fox silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FpC2	Fox clay loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
FuA	Fulton silt loam, 0 to 2 percent slopes	Not highly erodible land
FuB	Fulton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GwB	Glynwood silt loam, 2 to 6 percent slopes	Highly erodible land
GyB2	Glynwood clay loam, 2 to 6 percent slopes, eroded	Highly erodible land
GyC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
HkA	Haskins silt loam, 0 to 2 percent slopes	Not highly erodible land
HkB	Haskins silt loam, 2 to 6 percent slopes	Potentially highly erodible land
KaB	Kendallville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
KbA	Kibbie loam, 0 to 3 percent slopes	Not highly erodible land
La	Latty silty clay loam	Not highly erodible land
Le	Latty silty clay	Not highly erodible land
Ln	Linwood muck	Not highly erodible land
MaB	Martinsville loam, 1 to 4 percent slopes	Not highly erodible land
Mc	McGuffey muck	Not highly erodible land
Mf	Milford silty clay loam	Not highly erodible land
Mk	Millsdale silty clay loam	Not highly erodible land
Mo	Montgomery silty clay loam	Not highly erodible land
Mp	Montgomery silty clay loam, gravelly substratum	Not highly erodible land
MrD2	Morley silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
MsC2	Morley-Belmore complex, 6 to 15 percent slopes, eroded	Highly erodible land
MtB	Morley-Milton silt loams, 2 to 6 percent slopes	Potentially highly erodible land
Ne	Newark silt loam, occasionally flooded	Not highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
OcA	Ockley loam, 0 to 2 percent slopes	Not highly erodible land
OcB	Ockley loam, 2 to 6 percent slopes	Potentially highly erodible land
Ot	Olentangy silt loam	Not highly erodible land
Pa	Patton silty clay loam	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Po	Pewamo variant muck	Not highly erodible land
Ps	Pits, gravel	
Pt	Pits, quarry	
Ro	Roundhead muck	Not highly erodible land
Sa	Saranac silty clay loam, occasionally flooded	Not highly erodible land
ShB	Shinrock silt loam, 2 to 6 percent slopes	Potentially highly erodible land
SkA	Sleeth silt loam, 0 to 3 percent slopes	Not highly erodible land
So	Sloan silt loam, frequently flooded	Not highly erodible land
W	Water	
Wa	Wallkill silt loam, frequently flooded	Not highly erodible land
We	Westland clay loam	Not highly erodible land



