

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AaB	Aaron silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AbC2	Aaron silty clay loam, 6 to 15 percent slopes, eroded	Highly erodible land
BkC	Berks channery silt loam, 6 to 15 percent slopes	Potentially highly erodible land
BkD	Berks channery silt loam, 15 to 25 percent slopes	Highly erodible land
BkE	Berks channery silt loam, 25 to 40 percent slopes	Highly erodible land
BkF	Berks channery silt loam, 40 to 70 percent slopes	Highly erodible land
BmC	Berks-Aaron complex, 6 to 15 percent slopes	Highly erodible land
BnD	Berks-Guernsey complex, 15 to 25 percent slopes	Highly erodible land
BnE	Berks-Guernsey complex, 25 to 40 percent slopes	Highly erodible land
BpD	Bethesda channery silty clay loam, 8 to 25 percent slopes	Highly erodible land
BpF	Bethesda channery silty clay loam, 25 to 70 percent slopes	Highly erodible land
BsD	Brookside silty clay loam, 15 to 25 percent slopes	Highly erodible land
Ca	Canadice silty clay loam	Not highly erodible land
CcA	Caneadea silty clay loam, 0 to 2 percent slopes	Not highly erodible land
CnB	Coshocton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CnC	Coshocton silt loam, 6 to 15 percent slopes	Highly erodible land
CnD	Coshocton silt loam, 15 to 25 percent slopes	Highly erodible land
DkC	Dekalb channery loam, 6 to 15 percent slopes	Highly erodible land
FaB	Fairpoint silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
FaD	Fairpoint silty clay loam, 8 to 25 percent slopes	Highly erodible land
FaE	Fairpoint silty clay loam, 25 to 40 percent slopes	Highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GeC	Germano fine sandy loam, 6 to 15 percent slopes	Potentially highly erodible land
GeD	Germano fine sandy loam, 15 to 25 percent slopes	Highly erodible land
GnB	Gilpin silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GnC	Gilpin silt loam, 6 to 15 percent slopes	Highly erodible land
GnD	Gilpin silt loam, 15 to 25 percent slopes	Highly erodible land
GoC	Gilpin-Coshocton complex, 6 to 15 percent slopes	Highly erodible land
GoD	Gilpin-Coshocton complex, 15 to 25 percent slopes	Highly erodible land
GpC	Gilpin-Lowell complex, 6 to 15 percent slopes	Highly erodible land
GpD	Gilpin-Lowell complex, 15 to 25 percent slopes	Highly erodible land
GsB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GsC	Glenford silt loam, 6 to 15 percent slopes	Potentially highly erodible land
GtC	Guernsey silt loam, 6 to 15 percent slopes	Highly erodible land
GuD2	Guernsey silty clay loam, 15 to 25 percent slopes, eroded	Highly erodible land
GuE2	Guernsey silty clay loam, 25 to 40 percent slopes, eroded	Highly erodible land
HeD	Hazleton channery sandy loam, 15 to 25 percent slopes	Highly erodible land
HeE	Hazleton channery sandy loam, 25 to 40 percent slopes	Highly erodible land
HeF	Hazleton channery sandy loam, 40 to 70 percent slopes	Highly erodible land
KeB	Keene silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LnC	Lowell silt loam, 6 to 15 percent slopes	Highly erodible land
LoD2	Lowell silty clay loam, 15 to 25 percent slopes, eroded	Highly erodible land
LoE2	Lowell silty clay loam, 25 to 40 percent slopes, eroded	Highly erodible land

Me	Melvin silt loam, ponded	Not highly erodible land
MnB	Morristown silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
MnD	Morristown silty clay loam, 8 to 25 percent slopes	Highly erodible land
MoB	Morristown channery silty clay loam, 0 to 8 percent slopes, stony	Potentially highly erodible land
MoD	Morristown channery silty clay loam, 8 to 25 percent slopes, stony	Highly erodible land
MoE	Morristown channery silty clay loam, 25 to 40 percent slopes, stony	Highly erodible land
MrF	Morristown channery silt loam, 25 to 70 percent slopes, bouldery	Highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
Np	Nolin silt loam, frequently flooded	Not highly erodible land
OmB	Omulga silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OmC	Omulga silt loam, 6 to 15 percent slopes	Highly erodible land
Or	Orrville silt loam, occasionally flooded	Not highly erodible land
OsB	Oshtemo loam, 2 to 6 percent slopes	Potentially highly erodible land
Pe	Peoga silt loam, rarely flooded	Not highly erodible land
RcB	Richland silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RcC	Richland silt loam, 6 to 15 percent slopes	Highly erodible land
RgD	Rigley loam, 15 to 25 percent slopes	Highly erodible land
RgE	Rigley loam, 25 to 40 percent slopes	Highly erodible land
Tg	Tioga silt loam, occasionally flooded	Not highly erodible land
Uc	Udorthents-Pits complex	Not rated
UpC2	Upshur silty clay loam, 6 to 15 percent slopes, eroded	Highly erodible land
UpD2	Upshur silty clay loam, 15 to 25 percent slopes, eroded	Highly erodible land
WhC	Westmoreland silt loam, 6 to 15 percent slopes	Highly erodible land
WhD	Westmoreland silt loam, 15 to 25 percent slopes	Highly erodible land
WhE	Westmoreland silt loam, 25 to 40 percent slopes	Highly erodible land
WmE	Westmoreland-Coshocton complex, 25 to 40 percent slopes	Highly erodible land
WnE	Westmoreland-Dekalb complex, 25 to 40 percent slopes	Highly erodible land
WnF	Westmoreland-Dekalb complex, 40 to 70 percent slopes	Highly erodible land
WoF	Westmoreland-Dekalb complex, 25 to 70 percent slopes, extremely bouldery	Highly erodible land