Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AdD2	Alexandria silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
AdE	Alexandria silt loam, 18 to 25 percent slopes	Highly erodible land
AdF	Alexandria silt loam, 25 to 40 percent slopes	Highly erodible land
AfB	Alford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AfC	Alford silt loam, 6 to 12 percent slopes	Potentially highly erodible land
AgB	Allegheny loam, 2 to 6 percent slopes	Potentially highly erodible land
AgC	Allegheny loam, 6 to 12 percent slopes	Potentially highly erodible land
BeA	Bennington silt loam, 0 to 3 percent slopes	Not highly erodible land
BtB	Bethesda channery loam, 0 to 8 percent slopes	Potentially highly erodible land
BtC	Bethesda channery loam, 8 to 20 percent slopes	Potentially highly erodible land
BtE	Bethesda channery loam, 20 to 40 percent slopes	Highly erodible land
BtF	Bethesda channery loam, 40 to 70 percent slopes	Highly erodible land
BuB	Bethesda silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
BuC	Bethesda silty clay loam, 8 to 20 percent slopes	Highly erodible land
BuE	Bethesda silty clay loam, 20 to 40 percent slopes	Highly erodible land
CaC2	Cana Variant silt loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
CaD2	Cana Variant silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
CdB	Cardington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdC2	Cardington silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
CeF	Cedarfalls-Rock outcrop complex, 40 to 70 percent slopes	Highly erodible land
Cg	Chagrin silt loam, frequently flooded	Not highly erodible land
ChA	Chili loam, 0 to 3 percent slopes	Not highly erodible land
ChC2	Chili loam, 8 to 15 percent slopes, eroded	Potentially highly erodible land
CkB	Cincinnati silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CkC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
CtC	Cruze silt loam, 8 to 15 percent slopes	Highly erodible land
DkF	Dekalb-Shelocta-Rock outcrop complex, 40 to70 percent slopes	Highly erodible land
EcA	Euclid silt loam, rarely flooded	Not highly erodible land
GfA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GuC	Guernsey silt loam, 8 to 15 percent slopes	Highly erodible land
HmD2	Hickory silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
HmE	Hickory silt loam, 18 to 25 percent slopes	Highly erodible land
HmF	Hickory silt loam, 25 to 40 percent slopes	Highly erodible land
LkB	Licking silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LkC2	Licking silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
LkD2	Licking silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
LnC	Lily silt loam, 8 to 15 percent slopes	Potentially highly erodible land
LnD	Lily silt loam, 15 to 25 percent slopes	Highly erodible land
McA	McGary silt loam, 0 to 3 percent slopes	Potentially highly erodible land
Me	Melvin silt loam, frequently flooded	Not highly erodible land

NeC	Negley silt loam, 8 to 15 percent slopes	Highly erodible land
NeD	Negley silt loam, 15 to 25 percent slopes	Highly erodible land
NeE	Negley silt loam, 25 to 40 percent slopes	Highly erodible land
NeF	Negley silt loam, 40 to 70 percent slopes	Highly erodible land
Or	Orrville silt loam, frequently flooded	Not highly erodible land
OtB	Otwell silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OtC	Otwell silt loam, 6 to 12 percent slopes	Highly erodible land
OtD2	Otwell silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
Po	Pope loam, occasionally flooded	Not highly erodible land
SaC	Shelocta silt loam, 8 to 15 percent slopes	Potentially highly erodible land
SaD	Shelocta silt loam, 15 to 25 percent slopes	Highly erodible land
SbE	Shelocta-Berks complex, 25 to 40 percent slopes	Highly erodible land
ScD	Shelocta-Cruze silt loams, 15 to 25 percent slopes	Highly erodible land
ScE	Shelocta-Cruze silt loams, 25 to 40 percent slopes	Highly erodible land
ScF	Shelocta-Cruze silt loams, 40 to 70 percent slopes	Highly erodible land
St	Stonelick loam, occasionallly flooded	Not highly erodible land
W	Water	
WeB	Wellston silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WeC	Wellston silt loam, 6 to 15 percent slopes	Potentially highly erodible land
WfC	Wellston-Cruze silt loams, 8 to 15 percent slopes	Potentially highly erodible land
WgC	Wellston-Guernsey silt loams, 8 to 15 percent slopes	Potentially highly erodible land
WmB	Westmore silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WmC	Westmore silt loam, 6 to 15 percent slopes	Potentially highly erodible land
WoD	Westmoreland silt loam, 15 to 25 percent slopes	Highly erodible land
WpE	Westmoreland-Berks complex, 25 to 40 percent slopes	Highly erodible land
WpF	Westmoreland-Berks complex, 40 to 70 percent slopes	Highly erodible land
WrD	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes	Highly erodible land
WrE	Westmoreland-Guernsey silt loams, 25 to 40 percent slopes	Highly erodible land
WrF	Westmoreland-Guernsey silt loams, 40 to 70 percent slopes	Highly erodible land
WtA	Wheeling silt loam, 0 to 3 percent slopes	Not highly erodible land
ZnB	Zanesville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
ZnC	Zanesville silt loam, 6 to 15 percent slopes	Highly erodible land