

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AkB	Allegheny loam, 3 to 8 percent slopes	Potentially highly erodible land
AkC	Allegheny loam, 8 to 15 percent slopes	Potentially highly erodible land
AkD	Allegheny loam, 15 to 25 percent slopes	Highly erodible land
BaD	Barkcamp gravelly loamy sand, 8 to 25 percent slopes	Potentially highly erodible land
BhB	Bethesda shaly clay loam, 0 to 8 percent slopes	Potentially highly erodible land
BhD	Bethesda shaly clay loam, 8 to 25 percent slopes	Potentially highly erodible land
BhE	Bethesda shaly clay loam, 25 to 40 percent slopes	Highly erodible land
BrD	Brownsville channery silt loam, 15 to 25 percent slopes	Potentially highly erodible land
BsF	Brownsville-Shelocta association, steep	Highly erodible land
ChD	Clymer loam, 15 to 25 percent slopes	Highly erodible land
CkB	Clymer silt loam, 3 to 8 percent slopes	Potentially highly erodible land
CkC	Clymer silt loam, 8 to 15 percent slopes	Potentially highly erodible land
CoB	Coolville silt loam, 3 to 8 percent slopes	Potentially highly erodible land
Cu	Cuba silt loam, occasionally flooded	Not highly erodible land
DbA	Doles silt loam, 0 to 3 percent slopes	Not highly erodible land
Dd	Dumps	
Dm	Dumps, mine	
ErC	Ernest silt loam, 8 to 15 percent slopes	Highly erodible land
ErD	Ernest silt loam, 15 to 25 percent slopes	Highly erodible land
FaB	Fairpoint silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
FaD	Fairpoint silty clay loam, 8 to 25 percent slopes	Highly erodible land
OmA	Omulga silt loam, 0 to 3 percent slopes	Potentially highly erodible land
OmB	Omulga silt loam, 3 to 8 percent slopes	Potentially highly erodible land
OmC	Omulga silt loam, 8 to 15 percent slopes	Highly erodible land
Or	Orrville silt loam, frequently flooded	Not highly erodible land
Pb	Piopolis silt loam, frequently flooded	Not highly erodible land
Pc	Piopolis silt loam, ponded	Not highly erodible land
Pt	Pits, quarry	
Pv	Pope sandy loam, frequently flooded	Not highly erodible land
Pw	Pope fine sandy loam, rarely flooded	Not highly erodible land
Px	Pope silt loam, frequently flooded	Not highly erodible land
RaB	Rarden silt loam, 3 to 8 percent slopes	Potentially highly erodible land
RaC2	Rarden silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
RbC2	Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded	Highly erodible land
RbD2	Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded	Highly erodible land
RcC	Richland silt loam, clayey substratum, 8 to 15 percent slopes	Potentially highly erodible land
RgC	Rigley sandy loam, 8 to 15 percent slopes	Potentially highly erodible land
RgD	Rigley sandy loam, 15 to 25 percent slopes	Highly erodible land
RkD	Rigley-Rarden complex, 15 to 25 percent slopes	Highly erodible land
RmE	Rigley-Clymer association, steep	Highly erodible land
RnE	Rigley-Rarden association, steep	Highly erodible land

RrG	Rigley-Rock outcrop association, very steep	Highly erodible land
ShE	Shelocta-Rarden association, steep	Highly erodible land
Sk	Skidmore gravelly loam, frequently flooded	Not highly erodible land
St	Stendal silt loam, occasionally flooded	Not highly erodible land
TeB	Tilsit silt loam, 3 to 8 percent slopes	Potentially highly erodible land
TrA	Tygart silt loam, 0 to 3 percent slopes	Potentially highly erodible land
W	Water	
WeB	Wellston silt loam, 3 to 8 percent slopes	Potentially highly erodible land
WeC	Wellston silt loam, 8 to 15 percent slopes	Potentially highly erodible land
WhC	Wharton silt loam, 8 to 15 percent slopes	Highly erodible land
WhD	Wharton silt loam, 15 to 25 percent slopes	Highly erodible land
WtB	Wyatt silt loam, 3 to 8 percent slopes	Potentially highly erodible land
WyC2	Wyatt silty clay loam, 8 to 15 percent slopes, eroded	Highly erodible land
WyD2	Wyatt silty clay loam, 15 to 25 percent slopes, eroded	Highly erodible land

