

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BdD	Bethesda channery silty clay loam, 8 to 25 percent slopes	Highly erodible land
BdF	Bethesda channery silty clay loam, 25 to 70 percent slopes	Highly erodible land
Cg	Chagrin loam, frequently flooded	Not highly erodible land
CtB	Coolville-Tilsit silt loams, 2 to 6 percent slopes	Not highly erodible land
Cu	Cuba silt loam, occasionally flooded	Not highly erodible land
Dp	Dumps	
EkB	Elkinsville silt loam, 1 to 6 percent slopes	Not highly erodible land
EkE	Elkinsville silt loam, 15 to 40 percent slopes	Highly erodible land
EmB	Elkinsville-Urban land complex, 1 to 8 percent slopes	Not highly erodible land
FaD	Fairpoint channery silty clay loam, 8 to 25 percent slopes	Highly erodible land
GmD	Gilpin-Latham silt loams, 15 to 25 percent slopes	Highly erodible land
KaB	Kanawha silt loam, 2 to 6 percent slopes	Not highly erodible land
KaC	Kanawha silt loam, 6 to 12 percent slopes	Highly erodible land
Kg	Kyger loamy sand, frequently flooded	Not highly erodible land
LaD	Lakin loamy fine sand, 8 to 25 percent slopes	Highly erodible land
LhD	Latham-Steinsburg complex, 15 to 25 percent slopes	Highly erodible land
LkB	Licking silt loam, 1 to 6 percent slopes	Potentially highly erodible land
LnC2	Licking silty clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
LtC	Lily loam, 8 to 15 percent slopes	Highly erodible land
LtD	Lily loam, 15 to 25 percent slopes	Highly erodible land
McA	McGary silt loam, 0 to 2 percent slopes	Not highly erodible land
Me	Melvin silt loam, ponded	Not highly erodible land
MrB	Morristown channery silty clay loam, 0 to 8 percent slopes	Not highly erodible land
MrD	Morristown channery silty clay loam, 8 to 25 percent slopes	Highly erodible land
MrF	Morristown channery silty clay loam, 25 to 70 percent slopes	Highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
OmC2	Omulga silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
Or	Orrville silt loam, frequently flooded	Not highly erodible land
Pe	Peoga silt loam, rarely flooded	Not highly erodible land
PgD	Pinegrove loamy coarse sand, 8 to 25 percent slopes	Highly erodible land
PgF	Pinegrove loamy coarse sand, 25 to 70 percent slopes	Highly erodible land
PkD	Pinegrove silty clay loam, 8 to 25 percent slopes	Highly erodible land
Pn	Piopolis silty clay loam, frequently flooded	Not highly erodible land
Ps	Pits, sand and gravel	
RbC	Rarden-Gilpin silt loams, 8 to 15 percent slopes	Highly erodible land
RbD	Rarden-Gilpin silt loams, 15 to 25 percent slopes	Highly erodible land
RnD	Rarden-Lily complex, 15 to 25 percent slopes	Highly erodible land
SaB	Sciotoville silt loam, 1 to 6 percent slopes	Not highly erodible land
SbB	Shelocta silt loam, 2 to 6 percent slopes	Not highly erodible land
SbC	Shelocta silt loam, 6 to 15 percent slopes	Highly erodible land
SbD	Shelocta silt loam, 15 to 25 percent slopes	Highly erodible land
SdE	Shelocta-Latham association, steep	Highly erodible land
SfE	Steinsburg-Clymer association, steep	Highly erodible land
SsF	Steinsburg-Shelocta association, very steep	Highly erodible land
St	Stendal silt loam, occasionally flooded	Not highly erodible land
Tg	Tioga loam, occasionally flooded	Not highly erodible land
To	Tioga loam, frequently flooded	Not highly erodible land
UgC	Upshur-Gilpin complex, 8 to 15 percent slopes	Highly erodible land
UgD	Upshur-Gilpin complex, 15 to 25 percent slopes	Highly erodible land

UgE	Upshur-Gilpin complex, 25 to 40 percent slopes	Highly erodible land
UgF	Upshur-Gilpin complex, 40 to 70 percent slopes	Highly erodible land
UsE	Upshur-Gilpin-Steinsburg association, steep	Highly erodible land
UtF	Upshur-Rock outcrop association, very steep	Highly erodible land
VaD3 W	Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded Water	Highly erodible land
WaB	Watertown sandy loam, 1 to 8 percent slopes	Not highly erodible land
WeA	Weinbach silt loam, 0 to 2 percent slopes	Not highly erodible land
WmB	Wheeling silt loam, 1 to 6 percent slopes	Not highly erodible land
WmC2	Wheeling silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
WoB	Woodsfield silt loam, 3 to 8 percent slopes	Not highly erodible land

