

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
Ab	Abandoned Canal	
AfA	Alford silt loam, 0 to 2 percent slopes	Not highly erodible land
AfB	Alford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
AfC2	Alford silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
AhB	Alford-Urban land complex, 2 to 6 percent slopes	Potentially highly erodible land
Ak	Algiers silt loam, frequently flooded	Not highly erodible land
AmB2	Amanda silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
AmC2	Amanda silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
AmD2	Amanda silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
AmE	Amanda silt loam, 18 to 25 percent slopes	Highly erodible land
AmF	Amanda silt loam, 25 to 50 percent slopes	Highly erodible land
AvC2	Amanda variant silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
AvD2	Amanda variant silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
BeA	Bennington silt loam, 0 to 2 percent slopes	Not highly erodible land
BeB	Bennington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BfA	Bennington-Urban land complex, 0 to 3 percent slopes	Not highly erodible land
BgB	Berks channery silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BgD	Berks channery silt loam, 12 to 18 percent slopes	Highly erodible land
BrC	Brownsville channery silt loam, 6 to 12 percent slopes	Potentially highly erodible land
BrD	Brownsville channery silt loam, 12 to 18 percent slopes	Highly erodible land
BrE	Brownsville channery silt loam, 18 to 25 percent slopes	Highly erodible land
BrF	Brownsville channery silt loam, 25 to 35 percent slopes	Highly erodible land
BrG	Brownsville channery silt loam, 35 to 70 percent slopes	Highly erodible land
Ca	Carlisle muck	Not highly erodible land
CeB	Centerburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CeC2	Centerburg silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
CfB	Centerburg-Urban land complex, 2 to 6 percent slopes	Potentially highly erodible land
CfC	Centerburg-Urban land complex, 6 to 12 percent slopes	Highly erodible land
ChA	Chili loam, 0 to 2 percent slopes	Not highly erodible land
ChB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
ChC2	Chili loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
ChD2	Chili loam, 12 to 18 percent slopes, eroded	Highly erodible land
ChE2	Chili loam, 18 to 25 percent slopes, eroded	Highly erodible land
CkB	Cincinnati silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CkC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
CmC2	Clarksburg silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
CmD2	Clarksburg silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
Cn	Condit silt loam	Not highly erodible land
CoB	Coshocton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CoC2	Coshocton silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
CoD2	Coshocton silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
CoE2	Coshocton silt loam, 18 to 25 percent slopes, eroded	Highly erodible land
CrA	Crane silt loam, 0 to 2 percent slopes	Not highly erodible land
FaD	Fairpoint silty clay loam, 8 to 25 percent slopes	Highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land

FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FoD2	Fox gravelly loam, 12 to 18 percent slopes, eroded	Highly erodible land
FoE2	Fox gravelly loam, 18 to 25 percent slopes, eroded	Highly erodible land
FrB	Frankstown variant-Mertz complex, 2 to 6 percent slopes, very stony	Potentially highly erodible land
GfA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GnB	Guernsey silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GnC2	Guernsey silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
GnD	Guernsey silt loam, 12 to 18 percent slopes	Highly erodible land
HeF	Hazleton-Rock outcrop complex, 25 to 70 percent slopes	Highly erodible land
HkC2	Hickory silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
HkD2	Hickory silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
HoB	Homewood silt loam, 2 to 6 percent slopes	Potentially highly erodible land
HoC2	Homewood silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
HoD2	Homewood silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
HoE2	Homewood silt loam, 18 to 25 percent slopes, eroded	Highly erodible land
KeB	Keene silt loam, 2 to 6 percent slopes	Potentially highly erodible land
KeC2	Keene silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
KeD2	Keene silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
Kk	Killbuck silt loam, frequently flooded	Not highly erodible land
Lu	Luray silty clay loam	Not highly erodible land
McB	Mechanicsburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
McC2	Mechanicsburg silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
McD2	Mechanicsburg silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
McE	Mechanicsburg silt loam, 18 to 25 percent slopes	Highly erodible land
Md	Medway silt loam, occasionally flooded	Not highly erodible land
Me	Melvin silt loam, frequently flooded	Not highly erodible land
MnA	Mentor silt loam, 0 to 2 percent slopes	Not highly erodible land
MnB	Mentor silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MnC2	Mentor silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
MnD2	Mentor silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
MrE	Mertz very cherty silt loam, 18 to 35 percent slopes, very stony	Highly erodible land
NeC2	Negley loam, 6 to 12 percent slopes, eroded	Highly erodible land
NeD2	Negley loam, 12 to 18 percent slopes, eroded	Highly erodible land
NeE	Negley loam, 18 to 25 percent slopes	Highly erodible land
NeF	Negley loam, 25 to 70 percent slopes	Highly erodible land
OcA	Ockley silt loam, 0 to 2 percent slopes	Not highly erodible land
OcB	Ockley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OcC2	Ockley silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
OeA	Ockley-Urban land complex, 0 to 3 percent slopes	Not highly erodible land
OeC	Ockley-Urban land complex, 6 to 12 percent slopes	Highly erodible land
Or	Orrville silt loam, occasionally flooded	Not highly erodible land
PaC2	Parke silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
Pe	Pewamo silty clay loam	Not highly erodible land
Pf	Pewamo-Urban land complex	Not highly erodible land
Pg	Pits, gravel	
RgC	Rigley fine sandy loam, 6 to 12 percent slopes	Potentially highly erodible land
RgD	Rigley fine sandy loam, 12 to 18 percent slopes	Highly erodible land
RgE	Rigley fine sandy loam, 18 to 25 percent slopes	Highly erodible land
RgF	Rigley fine sandy loam, 25 to 35 percent slopes	Highly erodible land
RhE	Rigley-Coshocton complex, 18 to 25 percent slopes	Highly erodible land
RsA	Rush silt loam, 0 to 2 percent slopes	Not highly erodible land
Se	Sebring silt loam	Not highly erodible land
Sh	Shoals silt loam, occasionally flooded	Not highly erodible land
SkA	Sleeth silt loam, 0 to 2 percent slopes	Not highly erodible land

So	Sloan silt loam, frequently flooded	Not highly erodible land
St	Stonelick loam, occasionally flooded	Not highly erodible land
Su	Stonelick-Urban land complex, occasionally flooded	Not highly erodible land
Tg	Tioga fine sandy loam, occasionally flooded	Not highly erodible land
TsB	Titusville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
TsC2	Titusville silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
Uf	Udorthents, loamy	
W	Water	
Wa	Wallkill silt loam, clayey substratum, frequently flooded	Not highly erodible land
Ws	Westland silty clay loam	Not highly erodible land
Wt	Westland-Urban land complex	Not highly erodible land
