Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
Ae	Aetna silt loam, occasionally flooded	Potentially highly erodible land
AfB	Alford silt loam, 1 to 8 percent slopes	Not highly erodible land
AfC	Alford silt loam, 8 to 15 percent slopes	Highly erodible land
AfD	Alford silt loam, 15 to 25 percent slopes	Highly erodible land
AmB2	Amanda silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
AmC2	Amanda silt loam, 6 to 12 percent slopes, eroded	Highly erodible land
AmD2	Amanda silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
AoC3	Amanda silty clay loam, 6 to 12 percent slopes, severely eroded	Highly erodible land
BeA	Bennington silt loam, 0 to 3 percent slopes	Not highly erodible land
BhB	Bethesda silt loam, 0 to 8 percent slopes	Potentially highly erodible land
BhD	Bethesda silt loam, 8 to 20 percent slopes	Highly erodible land
BkB	Bethesda channery loam, 0 to 8 percent slopes	Potentially highly erodible land
BkD	Bethesda channery loam, 8 to 20 percent slopes	Highly erodible land
BkF	Bethesda channery loam, 40 to 70 percent slopes	Highly erodible land
BvF	Brownsville silt loam, 40 to 70 percent slopes	Highly erodible land
CdB	Centerburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CkB	Cincinnati silt loam, 1 to 8 percent slopes	Potentially highly erodible land
CkC2	Cincinnati silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
DkC	Dekalb loam, 8 to 15 percent slopes	Highly erodible land
DkD	Dekalb loam, 15 to 25 percent slopes	Highly erodible land
DkE	Dekalb loam, 25 to 40 percent slopes	Highly erodible land
DmF	Dekalb loam, 40 to 70 percent slopes, very stony	Highly erodible land
Ds	Dumps, mine	
EnE	Enoch shaly clay loam, 20 to 40 percent slopes	Highly erodible land
EuA	Euclid silt loam, rarely flooded	Not highly erodible land
FbD	Fairpoint channery clay loam, 8 to 20 percent slopes	Highly erodible land
FbF	Fairpoint channery clay loam, 40 to 70 percent slopes	Highly erodible land
FtA	Fitchville silt loam, 0 to 3 percent slopes	Not highly erodible land
GdC	Gilpin silt loam, 8 to 15 percent slopes	Highly erodible land
GdD	Gilpin silt loam, 15 to 25 percent slopes	Highly erodible land
GnB	Glenford silt loam, 1 to 8 percent slopes	Potentially highly erodible land
GwC	Guernsey-Westmoreland silt loams, 8 to 15 percent slopes	Highly erodible land
GwD	Guernsey-Westmoreland silt loams, 15 to 25 percent slopes	Highly erodible land
GwE	Guernsey-Westmoreland silt loams, 25 to 40 percent slopes	Highly erodible land
HaD2	Homewood-Westmoreland silt loams, 15 to 25 percent slopes, eroded	Highly erodible land
HaE2	Homewood-Westmoreland silt loams, 25 to 40 percent slopes, eroded	Highly erodible land
Km	Killbuck silt loam, frequently flooded	Not highly erodible land
LaB	Lakin loamy sand, 1 to 8 percent slopes	Not highly erodible land
Lk	Linside silt loam, occasionally flooded	Not highly erodible land
Ln	Linwood muck	Not highly erodible land
Lu	Luray silt loam	Not highly erodible land
Ma	Marengo clay loam	Not highly erodible land
Mc	Melvin silt loam, ponded	Not highly erodible land
MeB	Mentor silt loam, gravelly substratum, 1 to 8 percent slopes	Potentially highly erodible land
MeC	Mentor silt loam, gravelly substratum, 8 to 15 percent slopes	Highly erodible land
Ne	Newark silt loam, frequently flooded	Not highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
OcA	Ockley loam, 0 to 2 percent slopes	Not highly erodible land

OcB	Ockley loam, 2 to 6 percent slopes	Potentially highly erodible land
OcC2	Ockley loam, 6 to 12 percent slopes, eroded	Highly erodible land
Pa	Patton silty clay loam	Not highly erodible land
Pb	Patton silty clay loam, rarely flooded	Not highly erodible land
Pg	Peoga silt loam, rarely flooded	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Sc	Sebring silt loam, rarely flooded	Not highly erodible land
SfD	Shelocta-Cruze complex, 15 to 25 percent slopes	Highly erodible land
SfE	Shelocta-Cruze complex, 25 to 40 percent slopes	Highly erodible land
Uc	Udorthents-Pits complex	Highly erodible land
Ud	Udorthents	Highly erodible land
UpC	Upshur silty clay loam, 8 to 15 percent slopes	Highly erodible land
UpD	Upshur silty clay loam, 15 to 25 percent slopes	Highly erodible land
W	Water	
WhB	Wellston silt loam, 1 to 8 percent slopes	Potentially highly erodible land
WhC	Wellston silt loam, 8 to 15 percent slopes	Highly erodible land
WkB	Westmore silt loam, 1 to 8 percent slopes	Potentially highly erodible land
WkC	Westmore silt loam, 8 to 15 percent slopes	Highly erodible land
WmC	Westmoreland silt loam, 8 to 15 percent slopes	Highly erodible land
WmD	Westmoreland silt loam, 15 to 25 percent slopes	Highly erodible land
WmE	Westmoreland silt loam, 25 to 40 percent slopes	Highly erodible land
WnE	Westmoreland loam, 20 to 40 percent slopes, very bouldery	Highly erodible land
WsF	Westmoreland-Guernsey silt loams, 40 to 70 percent slopes	Highly erodible land
WtC	Woodsfield silt loam, 8 to 15 percent slopes	Highly erodible land
ZnB	Zanesville silt loam, 1 to 8 percent slopes	Potentially highly erodible land
ZnC	Zanesville silt loam, 8 to 15 percent slopes	Highly erodible land