Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BgA	Bogart silt loam, 0 to 2 percent slopes	Not highly erodible land
BgB	Bogart silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BhB	Bogart-Haskins complex, 2 to 6 percent slopes	Potentially highly erodible land
Bp	Borrow pits	
Ca	Canadice silt loam	Not highly erodible land
CcA	Caneadea silt loam, 0 to 2 percent slopes	Not highly erodible land
CcB	Caneadea silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdA	Canfield silt loam, 0 to 2 percent slopes	Not highly erodible land
CdB	Canfield silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CdC	Canfield silt loam, 6 to 12 percent slopes	Potentially highly erodible land
CdC2	Canfield silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
Cf	Cut and fill land	
CfB	Canfield-Urban land complex, undulating	
CfC	Canfield-Urban land complex, rolling	
Cg	Carlisle muck	
CnA	Chili loam, 0 to 2 percent slopes	Not highly erodible land
CnB	Chili loam, 2 to 6 percent slopes	Potentially highly erodible land
CnC	Chili loam, 6 to 12 percent slopes	Potentially highly erodible land
CoC2	Chili gravelly loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CpA	Chili silt loam, 0 to 2 percent slopes	Not highly erodible land
CpB	Chili silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CpC	Chili silt loam, 6 to 12 percent slopes	Potentially highly erodible land
CtD	Chili-Oshtemo complex, 12 to 18 percent slopes	Highly erodible land
CtE	Chili-Oshtemo complex, 18 to 25 percent slopes	Highly erodible land
CtF	Chili-Oshtemo complex, 25 to 50 percent slopes	Highly erodible land
CuB	Chili-Urban land complex, undulating	
CuC	Chili-Urban land complex, rolling	
CwC2	Chili-Wooster complex, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CwD2	Chili-Wooster complex, 12 to 18 percent slopes, moderately eroded	Highly erodible land
CwE	Chili-Wooster complex, 18 to 30 percent slopes	Highly erodible land
Da	Damascus loam	Not highly erodible land
DkB	Dekalb channery loam, 2 to 6 percent slopes	Potentially highly erodible land
DkC	Dekalb channery loam, 6 to 12 percent slopes	Potentially highly erodible land
DkD	Dekalb channery loam 12 to 25 percent slopes	Highly erodible land
DkF	Dekalb channery loam, 25 to 70 percent slopes	Highly erodible land
ElB	Ellsworth silt loam, 2 to 6 percent slopes	Potentially highly

		erodible land
ElB2	Ellsworth silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly
		erodible land
ElC	Ellsworth silt loam, 6 to 12 percent slopes	Potentially highly
		erodible land
ElC2	Ellsworth silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly
		erodible land
ElD2	Ellsworth silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
ElE2	Ellsworth silt loam, 18 to 40 percent slopes, moderately eroded	Highly erodible land
EsB	Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes	Potentially highly
		erodible land
EuB	Ellsworth-Urban land complex, undulating	
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly
		erodible land
FnA	Fitchville-Urban land complex, nearly level	
Fr	Frenchtown silt loam	Not highly erodible land
GbB	Geeburg silt loam, 2 to 6 percent slopes	Potentially highly
		erodible land
GbB2	Geeburg silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly
		erodible land
GbC2	Geeburg silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly
		erodible land
GbD2	Geeburg silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
GcB	Geeburg-Urban land complex, undulating	Potentially highly
		erodible land
GEF	Geeburg and Glenford silt loams, steep	Highly erodible land
GfA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly
		erodible land
GfC2	Glenford silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly
		erodible land
GfD2	Glenford silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
Gp	Gravel pits	
HaB	Haskins loam, 2 to 6 percent slopes	Potentially highly
		erodible land
Ho	Holly silt loam	Not highly erodible land
HrB	Hornell silt loam, 3 to 8 percent slopes	Potentially highly
		erodible land
JtA	Jimtown loam, 0 to 2 percent slopes	Not highly erodible land
JtB	Jimtown loam, 2 to 6 percent slopes	Potentially highly
		erodible land
LaB	Lakin loamy sand, 2 to 6 percent slopes	Not highly erodible land
LaC	Lakin loamy sand, 6 to 12 percent slopes	Potentially highly
		erodible land
Ld	Linwood muck	
Ln	Lorain silty clay loam	Not highly erodible land
LoB	Loudonville silt loam, 2 to 6 percent slopes	Potentially highly
		erodible land
LoC	Loudonville silt loam, 6 to 12 percent slopes	Potentially highly
		erodible land
LoC2	Loudonville silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly
		erodible land
LoD2	Loudonville silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
LoE	Loudonville silt loam, 18 to 25 percent slopes,	Highly erodible land
MgA	Mahoning silt loam, 0 to 2 percent slopes	Not highly erodible land
MgB	Mahoning silt loam, 2 to 6 percent slopes	Potentially highly
		erodible land
MnB	Mahoning-Urban land complex, undulating	
MtA	Mitiwanga silt loam, 0 to 2 percent slopes	Not highly erodible land
MtB	Mitiwanga silt loam, 2 to 6 percent slopes	Potentially highly
		erodible land
MvB	Mitiwanga silt loam, moderately well drained variant, 2 to 6 percent	Potentially highly
	slopes	erodible land
MvC	Mitiwanga silt loam, moderately well drained variant, 6 to 12 percent	Potentially highly
	slopes	erodible land

Od	Olmsted loam	Not highly erodible land
Or	Orrville silt loam	Not highly erodible land
OsB	Oshtemo sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
OsC	Oshtemo sandy loam, 6 to 12 percent slopes	Potentially highly erodible land
Qu	Quarries	
ReA	Ravenna silt loam, 0 to 2 percent slopes	Not highly erodible land
ReB	Ravenna silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RmA	Remsen silt loam, 0 to 2 percent slopes	Not highly erodible land
RmB	Remsen silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RsB	Rittman silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RsC	Rittman silt loam, 6 to 12 percent slopes	Potentially highly erodible land
RsC2	Rittman silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
RsD2	Rittman silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
RsE2	Rittman silt loam, 18 to 25 percent slopes, moderately eroded	Highly erodible land
Sb	Sebring silt loam	Not highly erodible land
Sv	Sebring silt loam, dark surface variant	Not highly erodible land
Tg	Tioga loam	Not highly erodible land
TrA	Trumbull silt loam, 0 to 2 percent slopes	Not highly erodible land
TUB	Typic Udorthents, strip mined, undulating	
TUD	Typic Udorthents, strip mined, hilly	
Ur	Urban land	
W	Water	
WaA	Wadsworth silt loam, 0 to 2 percent slopes	Not highly erodible land
WaB	Wadsworth silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Wc	Wallkill silt loam	Not highly erodible land
WhA	Wheeling silt loam, 0 to 2 percent slopes	Not highly erodible land
WhB	Wheeling silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WuB	Wooster silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WuC	Wooster silt loam, 6 to 12 percent slopes	Potentially highly erodible land
WuC2	Wooster silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
WuD2	Wooster silt loam, 12 to 18 percent slopes, moderatley eroded	Highly erodible land
WuE2	Wooster silt loam, 18 to 50 percent slopes, moderately eroded	Highly erodible land