

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
ArB	Arkport loamy fine sand, 2 to 6 percent slopes	Potentially highly erodible land
BlB	Belmore sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
BmA	Belmore loam, 0 to 2 percent slopes	Not highly erodible land
BmB	Belmore loam, 2 to 6 percent slopes	Potentially highly erodible land
BmC	Belmore loam, 6 to 12 percent slopes	Potentially highly erodible land
BnA	Blount loam, 0 to 2 percent slopes	Not highly erodible land
BoA	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BrB	Blount-Del Rey silt loams, 1 to 6 percent slopes	Potentially highly erodible land
Bs	Bono silty clay loam	Not highly erodible land
BtB	Broughton silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
BuB2	Broughton clay, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
BuC2	Broughton clay, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
BuD2	Broughton clay, 12 to 18 percent slopes, moderately eroded	Highly erodible land
BuE3	Broughton clay, 18 to 25 percent slopes, moderately eroded	Highly erodible land
Cp	Clay pits	
Cw	Colwood loam	Not highly erodible land
Cx	Cut and fill land	
Df	Defiance silty clay loam	Not highly erodible land
DgA	Del Rey loam, 0 to 2 percent slopes	Not highly erodible land
DlA	Del Rey silt loam, 0 to 2 percent slopes	Not highly erodible land
DlB	Del Rey silt loam, 2 to 6 percent slopes	Potentially highly erodible land
DmB	Del Rey-Fulton silt loams, 1 to 6 percent slopes	Potentially highly erodible land
DnA	Digby loam, 0 to 2 percent slopes	Not highly erodible land
DnB	Digby loam, 2 to 6 percent slopes	Potentially highly erodible land
DoA	Digby loam, moderately shallow variant, 0 to 2 percent slopes	Not highly erodible land
FtA	Fulton loam, 0 to 2 percent slopes	Not highly erodible land
FuA	Fulton silty clay loam, 0 to 2 percent slopes	Not highly erodible land
FuB	Fulton silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
FvA	Fulton silty clay loam, gravelly substratum, 0 to 2 percent slopes	Not highly erodible land
Gn	Genesee silt loam	Not highly erodible land
Gp	Gravel pits	
HaB	Haney sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
HdA	Haney loam, 0 to 2 percent slopes	Not highly erodible land
HdB	Haney loam, 2 to 6 percent slopes	Potentially highly erodible land
HkA	Haskins fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
HkB	Haskins fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
HnA	Haskins loam, 0 to 2 percent slopes	Not highly erodible land
HnB	Haskins loam, 2 to 6 percent slopes	Potentially highly erodible land
Ho	Hoytville silty clay loam	Not highly erodible land
Hv	Hoytville clay	Not highly erodible land
KbA	Kibbie loam, 0 to 2 percent slopes	Not highly erodible land

KsA	Kibbie silt loam, 0 to 2 percent slopes	Not highly erodible land
KtB	Kibbie-Del Rey silt loams, 1 to 6 percent slopes	Potentially highly erodible land
La	Latty silty clay loam	Not highly erodible land
Lc	Latty clay	Not highly erodible land
Ln	Lenawee silt loam	Not highly erodible land
Ls	Lenawee silty clay loam	Not highly erodible land
LwB	Lucas silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
LwC2	Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
LwD2	Lucas silty clay loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
Md	Mermill loam	Not highly erodible land
Me	Mermill silty clay loam	Not highly erodible land
Mf	Millgrove loam	Not highly erodible land
Mg	Millgrove silty clay loam	Not highly erodible land
MrB	Morley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
NaA	Nappanee loam, 0 to 2 percent slopes	Not highly erodible land
NaB	Nappanee loam, 2 to 6 percent slopes	Potentially highly erodible land
NpA	Nappanee silt loam, 0 to 2 percent slopes	Not highly erodible land
NpB	Nappanee silt loam, 2 to 6 percent slopes	Potentially highly erodible land
NtA	Nappanee silty clay loam, 0 to 2 percent slopes	Not highly erodible land
OkB	Ottokee loamy fine sand, 1 to 6 percent slopes	Not highly erodible land
OtB	Ottokee-Tuscola complex, 2 to 6 percent slopes	Not highly erodible land
Pa	Paulding silty clay loam	Not highly erodible land
Pd	Paulding clay	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Qu	Quarries	
RmA	Rawson loam, 0 to 2 percent slopes	Not highly erodible land
RmB	Rawson loam, 2 to 6 percent slopes	Potentially highly erodible land
RmC2	Rawson loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
RnA	Rimer loamy fine sand, 0 to 2 percent slopes	Not highly erodible land
RnB	Rimer loamy fine sand, 2 to 6 percent slopes	Not highly erodible land
RoA	Roselms silt loam, 0 to 2 percent slopes	Not highly erodible land
RoB	Roselms silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RsA	Roselms silty clay loam, 0 to 2 percent slopes	Not highly erodible land
RsB	Roselms silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
SaB	St. Clair loam, 2 to 6 percent slopes	Potentially highly erodible land
ScB	St. Clair silt loam, 2 to 6 percent slopes	Potentially highly erodible land
ScC2	St. Clair silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
ScD2	St. Clair silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
SdA	Seward loamy fine sand, 0 to 2 percent slopes	Not highly erodible land
SdB	Seward loamy fine sand, 2 to 6 percent slopes	Not highly erodible land
SfB	Shinrock silt loam, 2 to 6 percent slopes	Potentially highly erodible land
SfC2	Shinrock silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
Sh	Shoals silt loam	Not highly erodible land
Sk	Shoals silt loam, moderately shallow variant	Not highly erodible land
So	Sloan silty clay loam	Not highly erodible land
TdA	Tedrow loamy fine sand, 0 to 3 percent slopes	Not highly erodible land
To	Toledo silty clay loam	Not highly erodible land
Tt	Toledo silty clay	Not highly erodible land
TuB	Tuscola loam, 2 to 6 percent slopes	Potentially highly erodible land
TwB	Tuscola-Shinrock complex, 2 to 6 percent slopes	Potentially highly erodible land
Ur	Urban land	

VaB	Vaughnsville loam, 2 to 6 percent slopes	Potentially highly erodible land
W	Water	
Wa	Wabasha silty clay	Not highly erodible land
Wb	Wabasha silty clay loam, moderately shallow variant	Not highly erodible land
Wf	Wauseon fine sandy loam	Not highly erodible land
Wm	Willette muck	
