

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BeB	Berks silt loam, 3 to 8 percent slopes	Potentially highly erodible land
BkC	Berks shaly silt loam, 8 to 15 percent slopes	Potentially highly erodible land
BkD	Berks shaly silt loam, 15 to 25 percent slopes	Highly erodible land
BkE	Berks shaly silt loam, 25 to 40 percent slopes	Highly erodible land
BkF	Berks shaly silt loam, 40 to 70 percent slopes	Highly erodible land
BnB	Bethesda channery clay loam, 0 to 8 percent slopes	Potentially highly erodible land
BnC	Bethesda channery clay loam, 8 to 15 percent slopes	Highly erodible land
BnD	Bethesda channery clay loam, 15 to 25 percent slopes	Highly erodible land
BnF	Bethesda channery clay loam, 25 to 70 percent slopes	Highly erodible land
BtA	Bogart variant loam, 0 to 3 percent slopes	Not highly erodible land
BtB	Bogart variant loam, 3 to 8 percent slopes	Potentially highly erodible land
Ca	Canadice silty clay loam	Not highly erodible land
CcA	Caneadea silty clay loam, 0 to 3 percent slopes	Not highly erodible land
CdB	Canfield silt loam, 3 to 8 percent slopes	Potentially highly erodible land
CdC	Canfield silt loam, 8 to 15 percent slopes	Highly erodible land
CkB	Chili gravelly loam, 3 to 8 percent slopes	Potentially highly erodible land
CkC	Chili gravelly loam, 8 to 15 percent slopes	Potentially highly erodible land
CmA	Chili silt loam, 0 to 3 percent slopes	Not highly erodible land
CnB	Chili-Urban land complex, undulating	Potentially highly erodible land
CoA	Conotton gravelly loam, 0 to 3 percent slopes	Not highly erodible land
CoB	Conotton gravelly loam, 3 to 8 percent slopes	Potentially highly erodible land
CoD	Conotton gravelly loam, 15 to 25 percent slopes	Highly erodible land
CpB	Coshocton silt loam, 3 to 8 percent slopes	Potentially highly erodible land
CsC	Coshocton-Guernsey silt loams, 8 to 15 percent slopes	Highly erodible land
CsD	Coshocton-Guernsey silt loams, 15 to 25 percent slopes	Highly erodible land
CsE	Coshocton-Guernsey silt loams, 25 to 40 percent slopes	Highly erodible land
CtC	Coshocton-Guernsey very stony silt loams, 8 to 15 percent slopes	Highly erodible land
CtD	Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes	Highly erodible land
EkA	Elkinsville silt loam, 0 to 3 percent slopes	Not highly erodible land
FcA	Fitchville silt loam, 0 to 3 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 3 to 8 percent slopes	Potentially highly erodible land
FdA	Fitchville silt loam, clayey substratum, 0 to 3 percent slopes	Not highly erodible land
FdB	Fitchville silt loam, clayey substratum, 3 to 8 percent slopes	Potentially highly erodible land
FeB	Fitchville-Urban land complex, undulating	Potentially highly erodible land
GfB	Glenford silt loam, 3 to 8 percent slopes	Potentially highly erodible land
GfC	Glenford silt loam, 8 to 15 percent slopes	Highly erodible land
GgB	Guernsey silt loam, 3 to 8 percent slopes	Potentially highly erodible land
GgC	Guernsey silt loam, 8 to 15 percent slopes	Highly erodible land
GgD	Guernsey silt loam, 15 to 25 percent slopes	Highly erodible land

HeC	Hazleton channery loam, 8 to 15 percent slopes	Potentially highly erodible land
HeD	Hazleton channery loam, 15 to 25 percent slopes	Highly erodible land
HeE	Hazleton channery loam, 25 to 40 percent slopes	Highly erodible land
HeF	Hazleton channery loam, 40 to 60 percent slopes	Highly erodible land
HgF	Hazleton extremely bouldery loam, 25 to 60 percent slopes	Highly erodible land
KeB	Keene silt loam, 3 to 8 percent slopes	Potentially highly erodible land
KeC	Keene silt loam, 8 to 15 percent slopes	Highly erodible land
Ln	Linwood mucky silt loam, ponded	Not highly erodible land
Mc	Melvin silt loam, frequently flooded	Not highly erodible land
MrB	Morristown loam, 0 to 8 percent slopes	Potentially highly erodible land
MrC	Morristown loam, 8 to 15 percent slopes	Highly erodible land
MrD	Morristown loam, 15 to 25 percent slopes	Highly erodible land
MrF	Morristown loam, 25 to 70 percent slopes	Highly erodible land
No	Nolin silt loam, occasionally flooded	Not highly erodible land
Or	Orrville silt loam, occasionally flooded	Not highly erodible land
Pt	Pits, gravel	
Pu	Pits, quarry	
PwB	Plainfield loamy sand, 3 to 8 percent slopes	Potentially highly erodible land
RgC	Rigley sandy loam, 8 to 15 percent slopes	Highly erodible land
RgD	Rigley sandy loam, 15 to 25 percent slopes	Highly erodible land
RgE	Rigley sandy loam, 25 to 40 percent slopes	Highly erodible land
RuA	Rush silt loam, 0 to 3 percent slopes	Not highly erodible land
Se	Sebring silt loam	Not highly erodible land
ShC3	Shinrock silty clay loam, 8 to 20 percent slopes, severely eroded	Highly erodible land
SpA	Sparta loamy fine sand, 0 to 3 percent slopes	Not highly erodible land
To	Tioga loam, occasionally flooded	Not highly erodible land
Ua	Udorthents, hilly	
UpC	Upshur silt loam, 8 to 15 percent slopes	Highly erodible land
W	Water	
WbA	Weinbach silt loam, 0 to 3 percent slopes	Not highly erodible land
WhC	Westmoreland silt loam, 8 to 15 percent slopes	Highly erodible land
WhD	Westmoreland silt loam, 15 to 25 percent slopes	Highly erodible land
WhE	Westmoreland silt loam, 25 to 40 percent slopes	Highly erodible land
WhF	Westmoreland silt loam, 40 to 60 percent slopes	Highly erodible land
WnC	Westmoreland-Guernsey silt loams, 8 to 15 percent slopes	Highly erodible land
WnD	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes	Highly erodible land
WnE	Westmoreland-Guernsey silt loams, 25 to 40 percent slopes	Highly erodible land
WrA	Wheeling loam, 0 to 3 percent slopes	Not highly erodible land
WsA	Wheeling-Urban land complex, nearly level	Not highly erodible land