

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BlB	Belmore sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
BmA	Belmore loam, 0 to 2 percent slopes	Not highly erodible land
BmB	Belmore loam, 2 to 6 percent slopes	Potentially highly erodible land
BmC	Belmore loam, 6 to 12 percent slopes	Potentially highly erodible land
BnA	Blount loam, 0 to 2 percent slopes	Not highly erodible land
BnB	Blount loam, 2 to 6 percent slopes	Potentially highly erodible land
BoA	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BoB2	Blount silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
Cp	Clay pits	
Cw	Colwood silt loam	Not highly erodible land
Cx	Cut and fill land	
De	Defiance silt loam	Not highly erodible land
Df	Defiance silty clay loam	Not highly erodible land
DgA	Digby sandy loam, 0 to 2 percent slopes	Not highly erodible land
DgB	Digby sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
DmA	Digby loam, 0 to 2 percent slopes	Not highly erodible land
DmB	Digby loam, 2 to 6 percent slopes	Potentially highly erodible land
Em	Eel silt loam	Not highly erodible land
EoB	Elliott silt loam, 0 to 4 percent slopes	Not highly erodible land
HaB	Haney sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
HdA	Haney loam, 0 to 2 percent slopes	Not highly erodible land
HdB	Haney loam, 2 to 6 percent slopes	Potentially highly erodible land
HkA	Haskins fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
HkB	Haskins fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
HnA	Haskins loam, 0 to 2 percent slopes	Not highly erodible land
HnB	Haskins loam, 2 to 6 percent slopes	Potentially highly erodible land
Ho	Hoytville silty clay loam	Not highly erodible land
Hs	Hoytville silty clay loam, moderately shallow variant	Not highly erodible land
Hv	Hoytville clay	Not highly erodible land
Ks	Kibbie silt loam	Not highly erodible land
La	Latty silty clay loam	Not highly erodible land
Lc	Latty clay	Not highly erodible land
Mc	McGary silt loam	Not highly erodible land
Md	Mermill silt loam	Not highly erodible land
Me	Millgrove silt loam	Not highly erodible land
Mg	Millgrove silty clay loam	Not highly erodible land
Mm	Montgomery silty clay loam	Not highly erodible land
Mn	Montgomery silty clay	Not highly erodible land
MoB	Morley loam, 2 to 6 percent slopes	Potentially highly erodible land
MrB	Morley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MrB2	Morley silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MrC2	Morley silt loam, 6 to 12 percent slopes, moderately eroded	Highly erodible land
MrD2	Morley silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
NaA	Nappanee loam, 0 to 2 percent slopes	Not highly erodible land
NpA	Nappanee silt loam, 0 to 2 percent slopes	Not highly erodible land

NpB	Nappanee silt loam, 2 to 6 percent slopes	Potentially highly erodible land
NtA	Nappanee silty clay loam, 0 to 2 percent slopes	Not highly erodible land
NtB	Nappanee silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
NtB2	Nappanee silty clay loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Po	Pewamo silty clay	Not highly erodible land
Qu	Quarry	
RmB	Rawson loam, 2 to 6 percent slopes	Potentially highly erodible land
ScB	St. Clair silt loam, 2 to 6 percent slopes	Potentially highly erodible land
ScC2	St. Clair silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
Sh	Shoals silt loam	Not highly erodible land
So	Sloan silty clay loam	Not highly erodible land
To	Toledo silty clay	Not highly erodible land
W	Water	
Wa	Wabasha silty clay loam	Not highly erodible land
Wb	Wabasha silty clay loam, moderately shallow variant	Not highly erodible land
Wh	Wabasha silty clay	Not highly erodible land

