

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AbC	Aaron silt loam, 6 to 15 percent slopes	Highly erodible land
BgC	Berks-Tarhollow complex, 6 to 15 percent slopes	Highly erodible land
BhB	Bethesda silty clay loam, 0 to 8 percent slopes	Potentially highly erodible land
BhC	Bethesda silty clay loam, 8 to 20 percent slopes	Highly erodible land
BhE	Bethesda silty clay loam, 20 to 40 percent slopes	Highly erodible land
BmC	Bethesda channery clay loam, 8 to 20 percent slopes	Highly erodible land
BmE	Bethesda channery clay loam, 20 to 40 percent slopes	Highly erodible land
BmF	Bethesda channery clay loam, 40 to 70 percent slopes	Highly erodible land
Bo	Bonnie silt loam, frequently flooded	Not highly erodible land
Bp	Bonnie silt loam, ponded	Not highly erodible land
Cg	Chagrin silt loam, frequently flooded	Not highly erodible land
ChA	Chavies silt loam, 0 to 2 percent slopes, rarely flooded	Not highly erodible land
ChB	Chavies silt loam, 2 to 6 percent slopes, rarely flooded	Potentially highly erodible land
CmC	Chavies silt loam, 6 to 15 percent slopes	Highly erodible land
Cp	Clifty silt loam, occasionally flooded	Not highly erodible land
CwD	Cruze silt loam, 12 to 20 percent slopes	Highly erodible land
CwE	Cruze silt loam, 20 to 35 percent slopes	Highly erodible land
Cy	Cuba silt loam, frequently flooded	Not highly erodible land
DoA	Doles silt loam, 0 to 2 percent slopes	Not highly erodible land
Dy	Dumps, mine	
ErC	Ernest silt loam, 6 to 15 percent slopes	Highly erodible land
ErD	Ernest silt loam, 15 to 25 percent slopes	Highly erodible land
FaB	Fairpoint clay loam, 0 to 8 percent slopes	Potentially highly erodible land
FaC	Fairpoint clay loam, 8 to 20 percent slopes	Highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
GaC	Germano-Gilpin complex, 6 to 15 percent slopes	Highly erodible land
GaD	Germano-Gilpin complex, 15 to 25 percent slopes	Highly erodible land
GaE	Germano-Gilpin complex, 25 to 40 percent slopes	Highly erodible land
GbC2	Gilpin silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
GcC	Gilpin-Aaron complex, 6 to 15 percent slopes	Highly erodible land
GgD	Gilpin-Guernsey complex, 15 to 25 percent slopes	Highly erodible land
GgE	Gilpin-Guernsey complex, 25 to 40 percent slopes	Highly erodible land
GgF	Gilpin-Guernsey complex, 40 to 70 percent slopes	Highly erodible land
GhC	Gilpin-Rarden complex, 6 to 15 percent slopes	Highly erodible land
GhD	Gilpin-Rarden complex, 15 to 25 percent slopes	Highly erodible land
GhE	Gilpin-Rarden complex, 25 to 40 percent slopes	Highly erodible land
GmC	Gilpin-Tarhollow complex, 6 to 15 percent slopes	Highly erodible land
GnA	Glenford silt loam, 0 to 2 percent slopes	Not highly erodible land
GnB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LcB	Licking silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LcC2	Licking silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
LcD2	Licking silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
McA	McGary silty clay loam, 0 to 2 percent slopes	Not highly erodible land
Nw	Newark silt loam, frequently flooded	Not highly erodible land

OmA	Omulga silt loam, 0 to 2 percent slopes	Not highly erodible land
OmB	Omulga silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OmC	Omulga silt loam, 6 to 15 percent slopes	Highly erodible land
Or	Orrville silt loam, frequently flooded	Not highly erodible land
Ph	Philo silt loam, frequently flooded	Not highly erodible land
Pm	Piopolis silt loam, frequently flooded	Not highly erodible land
Pn	Pope loam, occasionally flooded	Not highly erodible land
Po	Pope loam, frequently flooded	Not highly erodible land
RaC2	Rarden silt loam, 6 to 15 percent slopes, eroded	Highly erodible land
RbC2	Rarden-Wharton complex, 6 to 15 percent slopes, eroded	Highly erodible land
RbD2	Rarden-Wharton complex, 15 to 25 percent slopes, eroded	Highly erodible land
RcD	Richland loam, 15 to 25 percent slopes	Highly erodible land
RcE	Richland loam, 25 to 40 percent slopes	Highly erodible land
SbE	Sewell channery fine sandy loam, 20 to 40 percent slopes	Highly erodible land
SDE	Shelocta-Brownsville association, steep	Highly erodible land
SDF	Shelocta-Brownsville association, very steep	Highly erodible land
Sk	Skidmore gravelly loam, frequently flooded	Not highly erodible land
STE	Steinsburg-Gilpin association, steep	Highly erodible land
STF	Steinsburg-Gilpin association, very steep	Highly erodible land
TaB	Tarhollow silt loam, 2 to 6 percent slopes	Potentially highly erodible land
TeB	Tilsit silt loam, 3 to 8 percent slopes	Potentially highly erodible land
Tg	Tioga fine sandy loam, frequently flooded	Not highly erodible land
W	Water	
WbC	Wellston silt loam, 6 to 15 percent slopes	Highly erodible land
WkC	Wharton-Latham complex, 6 to 15 percent slopes	Highly erodible land
WkD	Wharton-Latham complex, 15 to 25 percent slopes	Highly erodible land
WkE	Wharton-Latham complex, 25 to 40 percent slopes	Highly erodible land
WtB	Wyatt silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Wyc2	Wyatt silty clay loam, 6 to 15 percent slopes, eroded	Highly erodible land
ZnB	Zanesville silt loam, 2 to 6 percent slopes	Potentially highly erodible land

