

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
ApB	Arkport loamy fine sand, 2 to 6 percent slopes	Potentially highly erodible land
BlB	Belmore sandy loam, 1 to 6 percent slopes	Potentially highly erodible land
BnA	Blount loam, 0 to 2 percent slopes	Not highly erodible land
BnB	Blount loam, 2 to 6 percent slopes	Potentially highly erodible land
BnB2	Blount loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
BoA	Blount loam, loamy substratum, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount loam, loamy substratum, 2 to 6 percent slopes	Potentially highly erodible land
Bp	Bono silty clay loam	Not highly erodible land
BrB	Boyer loamy sand, 1 to 6 percent slopes	Not highly erodible land
BrC	Boyer loamy sand, 6 to 12 percent slopes	Potentially highly erodible land
BsD	Boyer gravelly loamy sand, 12 to 18 percent slopes	Potentially highly erodible land
Ca	Carlisle muck	Not highly erodible land
Ce	Ceresco sandy loam	Not highly erodible land
Ch	Cohoctah loam	Not highly erodible land
Cp	Colwood silt loam	Not highly erodible land
DeA	Del Rey loam, 0 to 2 percent slopes	Not highly erodible land
DeB	Del Rey loam, 2 to 6 percent slopes	Potentially highly erodible land
DfA	Del Rey silty clay loam, 0 to 2 percent slopes	Not highly erodible land
DfB	Del Rey silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
DgA	Digby sandy loam, 0 to 3 percent slopes	Not highly erodible land
DmA	Digby loam, 0 to 3 percent slopes	Not highly erodible land
Ed	Edwards muck	Not highly erodible land
Ee	Eel loam	Not highly erodible land
FsA	Fulton loam, 0 to 2 percent slopes	Not highly erodible land
FsB	Fulton loam, 2 to 6 percent slopes	Potentially highly erodible land
FuA	Fulton silty clay loam, 0 to 2 percent slopes	Not highly erodible land
FuB	Fulton silty clay loam, 2 to 6 percent slopes	Potentially highly erodible land
Ge	Genesee loam	Not highly erodible land
Gf	Gilford fine sandy loam	Not highly erodible land
GlB	Glynwood loam, 2 to 6 percent slopes	Potentially highly erodible land
GlB2	Glynwood loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
GlC	Glynwood loam, 6 to 12 percent slopes	Potentially highly erodible land
GlC2	Glynwood loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
GLD2	Glynwood loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
GLF2	Glynwood loam, 18 to 40 percent slopes, moderately eroded	Highly erodible land
HaB	Haney loam, 1 to 6 percent slopes	Potentially highly erodible land
HeB	Haney-Rawson sandy loams, 1 to 6 percent slopes	Potentially highly erodible land
HeC	Haney-Rawson sandy loams, 6 to 12 percent slopes	Potentially highly erodible land
HkA	Haskins sandy loam, 0 to 3 percent slopes	Not highly erodible land
HnA	Haskins loam, 0 to 3 percent slopes	Not highly erodible land
Hv	Hoytville clay	Not highly erodible land

KlA	Kibbie very fine sandy loam, 0 to 2 percent slopes	Not highly erodible land
KlB	Kibbie very fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
La	Lamson very fine sandy loam	Not highly erodible land
Lb	Landes sandy loam	Not highly erodible land
Lc	Latty silty clay	Not highly erodible land
Lf	Lenawee silty clay loam	Not highly erodible land
LuB2	Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
LuC2	Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
LuD2	Lucas silty clay loam, 12 to 15 percent slopes, moderately eroded	Highly erodible land
Ma	Martisco muck	Not highly erodible land
Md	Mermill loam	Not highly erodible land
Mh	Millgrove loam	Not highly erodible land
Mk	Millgrove clay loam	Not highly erodible land
NnA	Nappanee loam, 0 to 2 percent slopes	Not highly erodible land
NnB	Nappanee loam, 2 to 6 percent slopes	Potentially highly erodible land
NpA	Nappanee silty clay loam, 0 to 2 percent slopes	Not highly erodible land
OrB	Oshtemo loamy sand, 2 to 6 percent slopes	Not highly erodible land
OrC	Oshtemo loamy sand, 6 to 12 percent slopes	Potentially highly erodible land
OsB	Oshtemo sandy loam, 2 to 6 percent slopes	Not highly erodible land
OtB	Ottokee fine sand, 0 to 6 percent slopes	Not highly erodible land
Pa	Paulding clay	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
RlB	Rawson sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
RlC	Rawson sandy loam, 6 to 12 percent slopes	Potentially highly erodible land
RmB	Rawson loam, 2 to 6 percent slopes	Potentially highly erodible land
RmC	Rawson loam, 6 to 12 percent slopes	Potentially highly erodible land
RnA	Rimer loamy fine sand, 0 to 3 percent slopes	Not highly erodible land
RsA	Roselms silty clay, 0 to 2 percent slopes	Not highly erodible land
RsB	Roselms silty clay, 2 to 6 percent slopes	Potentially highly erodible land
SbB2	St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
SbC2	St. Clair silty clay loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
SbD2	St. Clair silty clay loam, 12 to 25 percent slopes, moderately eroded	Highly erodible land
SdB	Seward loamy fine sand, 2 to 6 percent slopes	Not highly erodible land
SgB	Shinrock silt loam, 2 to 6 percent slopes	Potentially highly erodible land
SgC	Shinrock silt loam, 6 to 12 percent slopes	Potentially highly erodible land
Sh	Shoals loam	Not highly erodible land
Sn	Sloan loam	Not highly erodible land
So	Sloan silty clay loam	Not highly erodible land
SpB	Spinks fine sand, 2 to 6 percent slopes	Not highly erodible land
SpC	Spinks fine sand, 6 to 18 percent slopes	Potentially highly erodible land
To	Toledo silty clay	Not highly erodible land
TuB	Tuscola Variant fine sandy loam, 1 to 6 percent slopes	Potentially highly erodible land
TuC	Tuscola Variant fine sandy loam, 6 to 12 percent slopes	Potentially highly erodible land
Ud	Udorthents	
Ur	Urban land	
Wc	Wallkill silt loam	Not highly erodible land
Wk	Wallkill Variant silty clay loam	Not highly erodible land

