Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BeA	Belmore loam, 0 to 2 percent slopes	Not highly erodible land
BeB	Belmore loam, 2 to 6 percent slopes	Potentially highly erodible land
BgA	Bennington silt loam, 0 to 2 percent slopes	Not highly erodible land
BgB	Bennington silt loam, 2 to 6 percent slopes	Potentially highly erodible land
BoA	Blount silt loam, 0 to 2 percent slopes	Not highly erodible land
BoB	Blount silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Br	Bono silty clay	Not highly erodible land
CdB2	Cardington silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
CdC2	Cardington silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
CdD2	Cardington silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
Ck	Carlisle muck	Potentially highly erodible land
Cm	Chagrin silt loam, rarely flooded	Potentially highly erodible land
Co	Colwood silt loam	Potentially highly erodible land
DeA	Del Rey silt loam, 0 to 2 percent slopes	Not highly erodible land
DeB	Del Rey silt loam, 2 to 6 percent slopes	Potentially highly erodible land
DgA	Digby loam, 0 to 3 percent slopes	Not highly erodible land
EtA	Elliott silt loam, 0 to 3 percent slopes	Not highly erodible land
FcA	Fitchville silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fitchville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FuA	Fulton silty clay loam, 0 to 2 percent slopes	Not highly erodible land
Ge	Genesee silt loam, occasionally flooded	Not highly erodible land
GfB	Glenford silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GwB	Glynwood silt loam, 2 to 6 percent slopes	Potentially highly erodible land
GwB2	Glynwood silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
GwC2	Glynwood silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
HaA	Haney loam, 0 to 2 percent slopes	Not highly erodible land
HaB	Haney loam, 2 to 6 percent slopes	Potentially highly erodible land
HkA	Haskins loam, 0 to 2 percent slopes	Not highly erodible land
HkB	Haskins loam, 2 to 6 percent slopes	Potentially highly erodible land
KbA	Kibbie fine sandy loam, till substratum, 0 to 2 percent slopes	Not highly erodible land
KbB	Kibbie fine sandy loam, till substratum, 2 to 6 percent slopes	Potentially highly erodible land
KcA	Kibbie-Blount complex, 0 to 2 percent slopes	Not highly erodible land
KcB	Kibbie-Blount complex, 2 to 6 percent slopes	Potentially highly erodible land
Lb	Latty silty clay loam	Not highly erodible land
Lc	Latty silty clay	Not highly erodible land
Lk	Lindside silt loam, occasionally flooded	Not highly erodible land
Lu	Luray silty clay loam	Not highly erodible land
LyA	Lykens silt loam, 0 to 2 percent slopes	Not highly erodible land
LyB	Lykens silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LzB	Lykens-Milton silt loams, 2 to 6 percent slopes	Potentially highly

		erodible land
MaB	Martinsville fine sandy loam, 2 to 6 percent slopes	Potentially highly erodible land
Md	Medway silt loam, rarely flooded	Not highly erodible land
Mf	Mermill loam	Not highly erodible land
Mg	Mermill silty clay loam	Not highly erodible land
Mh	Milford silty clay loam	Not highly erodible land
Mk	Millgrove silt loam	Not highly erodible land
Mm	Millsdale silty clay loam	Not highly erodible land
MoA	Milton silt loam, 0 to 2 percent slopes	Not highly erodible land
MoB	Milton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MrC2	Morley silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
MrD2	Morley silt loam, 12 to 18 percent slopes, eroded	Highly erodible land
MrF2	Morley silt loam, 18 to 50 percent slopes, eroded	Highly erodible land
NpB	Nappanee silt loam, 2 to 6 percent slopes	Potentially highly erodible land
NtA	Nappanee silty clay loam, 0 to 2 percent slopes	Not highly erodible land
NtB2	Nappanee silty clay loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
NtC2	Nappanee silty clay loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
On	Olentangy mucky silt loam	Not highly erodible land
OsB	Oshtemo fine sandy loam, 1 to 6 percent slopes	Not highly erodible land
OsC2	Oshtemo fine sandy loam, 6 to 18 percent slopes, eroded	Potentially highly erodible land
OsE	Oshtemo fine sandy loam, 18 to 35 percent slopes	Highly erodible land
Pa	Pandora silty clay loam	Not highly erodible land
Pd	Paulding clay	Not highly erodible land
Pm	Pewamo silty clay loam	Not highly erodible land
Ps	Pits, gravel	
Pu	Pits, quarry	
RaA	Randolph silt loam, 0 to 3 percent slopes	Not highly erodible land
RhB	Ritchey silt loam, 1 to 6 percent slopes	Potentially highly erodible land
RhC	Ritchey silt loam, 6 to 12 percent slopes	Highly erodible land
SeB2	Shinrock silt loam, 2 to 6 percent slopes, eroded	Potentially highly erodible land
SeC2	Shinrock silt loam, 6 to 12 percent slopes, eroded	Potentially highly erodible land
SfC2	Shinrock-Martinsville complex, 6 to 12 percent slopes, eroded	Potentially highly erodible land
SfD2	Shinrock-Martinsville complex, 12 to 18 percent slopes, eroded	Highly erodible land
Sg	Shoals silt loam, rarely flooded	Not highly erodible land
Sh	Shoals silt loam, occasionally flooded	Not highly erodible land
So	Sloan silt loam, occasionally flooded	Not highly erodible land
TrA	Tiro silt loam, 0 to 2 percent slopes	Not highly erodible land
TrB	Tiro silt loam, 2 to 6 percent slopes	Potentially highly erodible land
TuB	Tuscola fine sandy loam, 2 to 6 percent slopes	Not highly erodible land
Ud	Udorthents, loamy	
Ur	Urban land-Udorthents complex	
W	Water	