

Wildlife Habitat (MN)

Brown County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | Potential as habitat for-- | | | | |
|---------------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|----------------------------|--------------------------------|--------------------------------|--------------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 8B: Sparta | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 8C: Sparta | 90 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 27A: Dickinson | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| 27B: Dickinson | 85 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| 31E: Storden | 80 | Poor | Fair | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |
| 31F: Storden | 80 | Poor | Fair | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |
| 35: Blue Earth | 85 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Poor | Good | |
| 41A: Estherville | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 41B: Estherville | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 85: Calco, occasionally flooded | 90 | Good | Fair | Good | Poor | Very poor | Good | Good | Fair | Poor | Fair | |
| 86: Canisteo | 80 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| 94B: Terril | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor | |

| | | | | | | | | | | | | |
|------------------|----|------|------|------|------|------|------|-----------|-----------|------|------|-----------|
| 94C: Terril | 85 | Fair | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 102B: Clarion | 85 | Good | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |

This report shows only the major soils in each map unit

Tabular Data Version: 4
 Tabular Data Version Date: 07/28/2006

Page 1

Wildlife Habitat (MN)

Brown County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | Potential as habitat for-- | | | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|----------------------------|--------------------------------|--------------------------------|--------------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 102B2: Clarion, eroded | 80 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| 113: Webster | 85 | Good | Good | Good | Fair | Poor | Good | Good | Good | Fair | Good | |
| 114: Glencoe | 85 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| 128B: Grogan | 80 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| 130: Nicollet | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor | |
| 136: Madelia | 90 | Good | Good | Good | Good | Fair | Good | Good | Good | Fair | Good | |
| 140: Spicer | 90 | Good | Good | Fair | Fair | Poor | Good | Good | Good | Fair | Good | |
| 227: Lemond | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| 247: Linder | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| 269: Millington, occasionally flooded | 85 | Good | Good | Good | Good | Fair | Good | Good | Good | Good | Good | |
| 281: Darfur | 90 | Fair | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good | |
| 282: Hanska | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |

| | | | | | | | | | | | |
|---|----|------|------|------|------|------|------|------|------|------|------|
| 313: Spillville, occasionally flooded | 90 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| 317: Oshawa, frequently flooded | 80 | Poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |

This report shows only the major soils in each map unit

Tabular Data Version: 4
 Tabular Data Version Date: 07/28/2006

Page 2

Wildlife Habitat (MN)

Brown County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | Potential as habitat for-- | | | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|----------------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 327A: Dickman | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 327B: Dickman | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 336: Delft | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| 386: Okoboji | 85 | Fair | Fair | Fair | Fair | Very poor | Good | Good | Fair | Fair | Good |
| 421B: Ves | 85 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 421B2: Ves, eroded | 80 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 423: Seaforth | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 463: Minneiska, occasionally flooded | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 487: Hoopeston | 85 | Fair | Good | Good | Good | Good | Fair | Poor | Good | Good | Poor |
| 495: Zumbro, rarely flooded | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Poor |
| 499: Hanska, depressional | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 518: Kalmarville, frequently flooded | 90 | Good | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |

| | | | | | | | | | | | |
|--|----|------|------|------|------|-----------|------|------|------|------|------|
| 574: Du Page, occasionally flooded | 90 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor |
| 575: Nishna, occasionally flooded | 90 | Fair | Fair | Fair | Poor | Very poor | Good | Good | Fair | Poor | Good |

This report shows only the major soils in each map unit

Tabular Data Version: 4
 Tabular Data Version Date: 07/28/2006

Wildlife Habitat (MN)

Brown County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | Potential as habitat for-- | | | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|----------------------------|--------------------------------|--------------------------------|--------------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 603: Hanlon, occasionally flooded | 90 | Good | Good | Good | Good | Good | Poor | Fair | Good | Good | Poor | |
| 611B: Hawick | 90 | Poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor | |
| 611C: Hawick | 90 | Poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor | |
| 639: Ridgeport | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 820B: Dickman | 50 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| Clarion | 40 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| 919: Lemond | 60 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| Canisteo | 35 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| 920B: Clarion | 50 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| Estherville | 25 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| Storden | 15 | Good | Good | Good | Fair | Poor | Very poor | Very poor | Good | Fair | Very poor | |
| 920C: Clarion | 40 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Estherville | 25 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| Storden | 20 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |

| | | | | | | | | | | | | |
|-----------------|----|------|------|------|------|------|-----------|-----------|------|------|-----------|--|
| 921B2: | | | | | | | | | | | | |
| Clarion, eroded | 60 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| Storden, eroded | 25 | Good | Good | Good | Fair | Poor | Very poor | Very poor | Good | Fair | Very poor | |
| 921C2: | | | | | | | | | | | | |
| Clarion, eroded | 50 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |

This report shows only the major soils in each map unit

Tabular Data Version: 4
 Tabular Data Version Date: 07/28/2006

Wildlife Habitat (MN)

Brown County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | Potential as habitat for-- | | | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|----------------------------|--------------------------------|--------------------------------|--------------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 921C2: Storden, eroded | 35 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |
| 923E: Copaston | 60 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor | |
| Rock outcrop | 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| 929: Fieldon | 50 | Good | Good | Good | Good | Fair | Good | Good | Good | Good | Good | |
| Canisteo | 35 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| 946: Dickman | 45 | Fair | Fair | Fair | Fair | Fair | Poor | Poor | Fair | Fair | Poor | |
| Nicollet | 40 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor | |
| 954B2: Ves, eroded | 65 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor | |
| Storden, eroded | 25 | Good | Good | Good | Fair | Poor | Very poor | Very poor | Good | Fair | Very poor | |
| 954C2: Ves, eroded | 45 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor | |
| Storden, eroded | 40 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |
| 954D2: Storden, eroded | 60 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |
| Ves, eroded | 25 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor | |
| 960D2: Storden, eroded | 60 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |

| | | | | | | | | | | | |
|-----------------|----|------|------|------|------|------|-----------|-----------|------|------|-----------|
| Clarion, eroded | 25 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 968: Hanska | 60 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| Webster | 35 | Good | Good | Good | Fair | Poor | Good | Good | Good | Fair | Good |

This report shows only the major soils in each map unit

Tabular Data Version: 4
 Tabular Data Version Date: 07/28/2006

Page 5

| | | | | | | | | | | | |
|----------------------|-----|-----------|-----------|-----------|-----------|-----------|------|------|-----------|-----------|------|
| 1052: | | | | | | | | | | | |
| Okoboji, ponded | 60 | Very poor | Good | Good | Very poor | Very poor | Good |
| Palms, ponded | 30 | Very poor | Good | Good | Very poor | Very poor | Good |
| 1356: | | | | | | | | | | | |
| Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

This report shows only the major soils in each map unit

Tabular Data Version: 4
 Tabular Data Version Date: 07/28/2006

Page 6

Wildlife Habitat (MN)

Brown County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | Potential as habitat for-- | | | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|----------------------------|--------------------------------|--------------------------------|--------------------------|--|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life | |
| 1829B: Ridgeport, variant | 85 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 1829C: Ridgeport, variant | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 1833: Coland, occasionally flooded | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good | |
| 1887: Millington, sandy substratum, occasionally flooded | 85 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good | |
| 1909: Lemond, depressional | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| 1911F: Storden | 60 | Poor | Fair | Good | Fair | Poor | Very poor | Very poor | Fair | Fair | Very poor | |
| Ridgeport, variant | 25 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor | |
| 1912: Tilfer, variant | 85 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good | |
| 1917: Nishna, frequently flooded, ponded | 80 | Very poor | Poor | Fair | Poor | Very poor | Good | Good | Poor | Poor | Good | |
| 1919F: Clarion | 60 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor | |
| Terril | 30 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor | |
| 1928: Hanska, gravelly | 90 | Fair | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good | |

substratum

| | | | | | | | | | | | |
|---|----|------|------|------|------|------|------|------|------|------|------|
| 1929: Lemond, gravelly substratum | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 1930: Dickman, moderately | 90 | Fair | Fair | Fair | Fair | Fair | Poor | Poor | Fair | Fair | Poor |

This report shows only the major soils in each map unit

Tabular Data Version: 4
Tabular Data Version Date: 07/28/2006

Page 7

