Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1003B:			
Udorthents, loamy, (cut and fill land)	100	N	24
1012A:			
Lobo	60	N	24
Waskish	35	N	24
1014A:			
Uskabwanka	95	N	24
1020A:			
Bowstring, frequently flooded	45	N	24
Fluvaquents, frequently flooded, very poorly drained	45	N	24
1021A:			
Rifle	45	N	24
Rifle, depressional	45	N	24
1022A:			
Greenwood	45	N	24
Greenwood, depressional	45	N	24
1026A:			
Udifluvents, occas. flooded, moderately well drained	45	N	6M
Udifluvents, occas. flooded, somewhat poorly drained	30	N	5M
1050:			
Tailings basin	100	N	24
A41E:			
Itasca, stony	90	N	24
A42B:			
Itasca, stony	40	N	6M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
A42B:			
Goodland, stony	30	N	6M
Endoaquepts, depressional	15	N	24
A42D:			
Itasca, stony	40	N	23
Goodland, stony	33	N	23
Endoaquepts, depressional	15	N	24
A42E:			
Itasca, stony	40	N	24
Goodland, stony	30	N	24
Endoaquepts, depressional	15	N	24
A43D:			
Warba	90	N	23
A44B:			
Glossudalfs	50	N	6M
Hapludalfs, nearly level	25	N	5M
Cathro, depressional	15	N	24
A44D:			
Glossudalfs	50	N	23
Hapludalfs, undulating	25	N	6M
Cathro, depressional	15	N	24
A45B:			
Eutrudepts, stony	45	N	6M
Itasca, stony	30	N	6M
Endoaqualfs, depressional	15	N	13

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B14A:			
Greenwood	45	N	24
Greenwood, depressional	45	N	24
B16B:			
Westoo	30	N	8M
Barber	25	N	7M
Vasso	20	N	7M
B17B:			
Graycalm	55	N	22
Biwabik	35	N	22
B17D:			
Graycalm	50	N	22
Biwabik	30	N	22
B27A:			
Mcquade	50	N	5M
Buhl	35	N	5M
B28B:			
Buhl	80	N	5M
B29B:			
Hibbing	45	N	6M
Buhl	35	N	5M
B29D:			
Hibbing	55	N	23
Buhl	25	N	5M
B30A:			
Sago, depressional	75	N	24
B31D:			
Hibbing	85	N	23

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B31E:			
Hibbing	90	N	24
B32A:			
Mcquade	45	N	5M
Dora, depressional	30	N	24
Fayal, depressional	25	N	24
B33A:			
Mcquade	50	N	5M
Fayal, depressional	45	N	24
B34B:			
Majestic	55	N	8M
Hibbing	20	N	6M
B35E:			
Hibbing	50	N	24
Udorthents	30	N	24
B36B:			
Lavell	45	N	8M
Shawano	45	N	22
B37B:			
Westoo	40	N	8M
Lavell	35	N	8M
B39A:			
Meehan	80	N	7M
B40D:			
Shawano	85	N	22
B41B:			
Friendship	75	N	8M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B47A:			
Daisybay	80	N	24
B48A:			
Mooseline	45	N	7M
Turpela	35	N	7M
B52A:			
Dora, depressional	80	N	24
B53A:			
Dora	80	N	24
B54A:			
Spooner	65	N	5M
Littleswan	25	N	5M
B56A:			
Spooner	55	N	5M
Sax, depressional	40	N	24
B57B:			
Littleswan	70	N	5M
Baudette	25	N	6M
B58B:			
Wurtsmith	45	N	8M
Meehan	40	N	7M
B61A:			
Cathro, depressional	65	N	24
Barber	25	N	7M
B62A:			
Wabuse	40	N	7M
Vasso	25	N	7M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B63B:			
Urban land	50	N	24
Buhl	20	N	5M
Mcquade	20	N	5M
B64B:			
Vasso	40	N	7M
Keenan	35	N	6M
B65A:			
Merwin	80	N	24
B66C:			
Udifluvents, occasionally flooded	30	N	6M
Udifluvents, frequently flooded	20	N	16
Udipsamments, rarely flooded	20	N	22
Fluvaquents, frequently flooded	15	N	16
B67A:			
Rifle	45	N	24
Rifle, depressional	45	N	24
B68A:			
Roscommon, depressional	50	N	24
Roscommon, depressional, silty substratum	30	N	24
B72A:			
Barber	55	N	7M
Wabuse	35	N	7M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B73A:			
Spooner	30	N	5M
Buhl	25	N	5M
Littleswan	25	N	5M
B74A:			
Kapla, depressional	50	N	24
Wabuse	40	N	7M
B81A:			
Cathro, depressional	80	N	24
B83A:			
Rifle, depressional	45	N	24
Tacoosh, depressional	35	N	24
B85A:			
Mooselake	80	N	24
B86A:			
Meadowlands, clayey substratum	50	N	5M
Leeora, depressional, clayey substratum	25	N	5M
Alborn, clayey substratum	15	N	5M
B99A:			
Cathro, depressional	50	N	24
Sago, depressional	40	N	24
B100A:			
Greenwood, depressional	45	N	24
Merwin, depressional	35	N	24
B101A:			
Schisler	35	N	5M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B101A:			
Ellsburg	30	N	5M
Baden, depressional	20	N	24
B102A:			
Hellwig	45	N	5M
Ellsburg	25	N	5M
Baden, depressional	20	N	24
B103A:			
Melrude	50	N	5M
Schisler	25	N	5M
Baden, depressional	20	N	24
B104A:			
Ellsburg	55	N	5M
Baden, depressional	25	N	24
B107A:			
Baden, depressional	80	N	24
B108A:			
Cathro, depressional	80	N	24
B118A:			
Rifle, depressional	45	N	24
Rifle	45	N	24
B119A:			
Tacoosh	80	N	24
B120A:			
Mooselake	80	N	24
B121A:			
Merwin	80	N	24

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B122A:			
Tacoosh	80	N	24
B123A:			
Blackhoof, depressional	70	N	24
Baden, depressional	15	N	24
Cathro, depressional	15	N	24
B124A:			
Dusler	50	N	5M
Ellsburg	35	N	5M
B125B:			
Culver	90	N	6M
B126D:			
Duluth	70	N	23
Culver	20	N	6M
B126E:			
Duluth	80	N	17
B127B:			
Culver	50	N	6M
Dusler	25	N	5M
Ellsburg	16	N	5M
B128D:			
Duluth	45	N	23
Culver	25	N	6M
Cathro, depressional	10	N	24
B129B:			
Culver	40	N	6M
Culver, coarse substratum	25	N	6M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B129B:			
Ellsburg	20	N	5M
B130D:			
Duluth	45	N	23
Duluth, coarse substratum	25	N	23
Ellsburg	18	N	5M
B131F:			
Duluth	50	N	24
Duluth, coarse substratum	30	N	24
B135A:			
Mcdavitt, depressional	65	N	13
Zimm	15	N	5M
B143B:			
Dinham	60	N	8M
Dusler	20	N	5M
B144A:			
Ellsburg	60	N	5M
Dusler	40	N	5M
B145B:			
Dusler	60	N	5M
Culver	20	N	6M
B147A:			
Rifle	45	N	24
Rifle, depressional	45	N	24
B148A:			
Greenwood	45	N	24
Greenwood, depressional	45	N	24

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B149A:			
Zimm	55	N	5M
Mcdavitt, depressional	25	N	13
Brickton	15	N	5M
B150D:			
Dinham	30	N	8M
Duluth	30	N	23
B152A:			
Greenwood	45	N	24
Greenwood, depressional	45	N	24
B153B:			
Aerie	70	N	5M
Zimm	20	N	5M
B212A:			
Brickton	65	N	5M
Hassman, depressional	20	N	13
B213A:			
Hassman, depressional	75	N	13
Brickton	20	N	5M
B220A:			
Meadowlands	50	N	5M
Leeora, depressional	25	N	5M
Alborn	15	N	5M
B221A:			
Leeora, depressional	65	N	5M
Meadowlands	20	N	5M
Sago, depressional	15	N	24

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B230A:			
Joki	50	N	7M
Mcdavitt, depressional	20	N	13
Little white	15	N	7M
B234A:			
Joula	50	N	5M
Leeora, depressional	20	N	5M
Meadowlands	20	N	5M
B235A:			
Skunkcreek	45	N	5M
Meadowlands	30	N	5M
Kapla, depressional	15	N	24
B236A:			
Skunkcreek	45	N	5M
Louis	40	N	5M
Meadowlands	15	N	5M
B237A:			
Onega	70	N	5M
Kapla, depressional	25	N	24
B238A:			
Cowhorn	50	N	7M
Onega	40	N	5M
Sago, depressional	10	N	24
B239B:			
Cedar valley	40	N	8M
Wawina	40	N	8M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B239B:			
Cowhorn	20	N	7M
B240D:			
Wawina	55	N	8M
Cedar valley	30	N	8M
B241A:			
Wabuse	50	N	7M
Vasso	25	N	7M
Leeora, depressional	15	N	5M
B266A:			
Gowan	50	N	7M
Alborn	30	N	5M
Sax, depressional	15	N	24
B267B:			
Lahti	40	N	7M
Gowan	30	N	7M
Littleswan	25	N	5M
B268B:			
Eutrudepts, fine-silty	30	N	5M
Fluvaquents, frequently flooded, very poorly drained	25	N	24
Eutrudepts, coarse-loamy	20	N	5M
B268D:			
Fluvaquents, frequently flooded, very poorly drained	30	N	24
Eutrudepts, fine-silty	25	N	5M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
B268D:			
Udifluvents, occasionally flooded	20	N	5M
B268E:			
Fluvaquents, frequently flooded, very poorly drained	30	N	24
Eutrudepts, fine-silty	25	N	5M
Udifluvents, occasionally flooded	20	N	5M
B269A:			
Sax, depressional	75	N	24
B270A:			
Alborn	65	N	5M
Littleswan	25	N	5M
B271A:			
Alborn	65	N	5M
Sax, depressional	25	N	24
DA:			
Denied Acess	100	---	---
F32A:			
Merwin	80	N	24
F33A:			
Cathro, depressional	80	N	24
F34A:			
Cathro, depressional	80	N	24
F101A:			
Bugcreek, rubbly	90	N	24
F102A:			
Nevens, very stony	85	N	24

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
F103B:			
Brimson, very stony	75	N	24
F104B:			
Toimi, very stony	75	N	24
F104D:			
Toimi, very stony	65	N	24
F104E:			
Toimi, very stony	75	N	24
F106B:			
Toimi, very stony	35	N	24
Brimson, very stony	30	N	24
Nevens, very stony	30	N	24
F107D:			
Toimi, very stony	50	N	24
Nevens, very stony	25	N	24
F108B:			
Brimson, very stony	50	N	24
Bugcreek, rubbly	35	N	24
F109A:			
Wahbegon, depressional	80	N	24
Eldes	20	N	5M
F110A:			
Hegberg	55	N	5M
Eldes	35	N	5M
F111B:			
Augustana	44	N	6M
Hegberg	40	N	5M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
F112D:			
Forbay	50	N	6M
Augustana	35	N	6M
F115A:			
Merwin	80	N	24
F116A:			
Mooselake	80	N	24
F117A:			
Rollins	85	N	22
F117B:			
Rollins	85	N	22
F117D:			
Rollins	75	N	22
F117F:			
Rollins	80	N	24
F118B:			
Aldenlake	70	N	8M
Pequaywan	25	N	8M
F120A:			
Grayling	50	N	22
Cromwell	45	N	22
F120B:			
Grayling	55	N	22
Cromwell	35	N	22
F120D:			
Grayling	55	N	22
Cromwell	35	N	22
F120F:			
Grayling	55	N	24

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
F120F:			
Cromwell	45	N	24
F121A:			
Aldenlake	93	N	8M
F121B:			
Aldenlake	85	N	8M
F121D:			
Aldenlake	75	N	22
F121F:			
Aldenlake	80	N	24
F122B:			
Aldenlake	48	N	8M
Pequaywan	20	N	8M
F122D:			
Aldenlake	53	N	22
Pequaywan	15	N	8M
F122F:			
Aldenlake	55	N	24
Pequaywan, pitted	15	N	8M
F123B:			
Grayling	40	N	22
Grytal	30	N	8M
Cromwell	25	N	22
F123D:			
Grayling	40	N	22
Cromwell	25	N	22
Grytal	25	N	8M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
F124B:			
Rollins	48	N	22
Pequaywan	15	N	8M
F124D:			
Rollins	50	N	22
Pequaywan	15	N	8M
F124F:			
Rollins	57	N	24
Pequaywan	15	N	8M
F125A:			
Pequaywan	75	N	8M
F126A:			
Grytal	80	N	8M
F127A:			
Hulligan, depressional	85	N	24
F128A:			
Hulligan	80	N	7M
F129A:			
Tacoosh	80	N	24
F134A:			
Giese, depressional	85	N	24
F135A:			
Hermantown	40	N	5M
Canosia	35	N	5M
Giese, depressional	15	N	24
F136A:			
Hermantown	75	N	5M
F137B:			
Normanna	50	N	6M

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
F137B:			
Canosia	30	N	5M
Hermantown	15	N	5M
F138D:			
Ahmeek	55	N	22
Normanna	25	N	6M
Canosia	10	N	5M
F139F:			
Ahmeek	70	N	24
F140B:			
Normanna	50	N	6M
Giese, depressional	25	N	24
F141D:			
Ahmeek	50	N	22
Normanna	20	N	6M
Cathro, depressional	15	N	24
F142A:			
Canosia	90	N	5M
F143B:			
Normanna	35	N	6M
Aldenlake	25	N	8M
Canosia	10	N	5M
F144D:			
Aldenlake	40	N	22
Ahmeek	20	N	22
F145F:			
Ahmeek	30	N	24

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
F145F:			
Aldenlake	25	N	24
F146A:			
Giese, rubbly	85	N	24
F148F:			
Ahmeek	65	N	24
Fluvaquents, frequently flooded	10	N	24
Rock outcrop	10	N	24
F150A:			
Twig, depressional	50	N	24
Tacoosh, depressional	35	N	24
Giese, depressional	15	N	24
F151A:			
Tacoosh	80	N	24
F161A:			
Mooselake	80	N	24
F162A:			
Spidercreek	90	N	22
F170A:			
Rifle	45	N	24
Rifle, depressional	45	N	24
F175A:			
Greenwood	45	N	24
Greenwood, depressional	45	N	24
F188A:			
Marl	85	N	24
GP:			
Pits, gravel	80	---	---

Forage Suitability Groups (MN)

St. Louis County, Minnesota, Meadowlands Part

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
GP:			
Udipsamments	20	---	---
I-W:			
Water, intermittent	100	---	---
M-W:			
Water, miscellaneous	100	---	---
W:			
Water	100	---	---