Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

[Absence of an entry indicates that data were not estimated]

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
1003B:											
Udorthents, loamy, (cut and fill land)	100	---	---	---	---	---	---	---	---	---	---
1007:											
Udorthents, shallow, (sanitary landfill)	100	---	---	---	---	---	---	---	---	---	---
1012A:											
Lobo	60	Poor	Poor	Poor	Poor	Fair	Fair	Fair	Poor	Fair	Fair
Waskish	35	Poor	Poor	Poor	Poor	Fair	Fair	Fair	Poor	Fair	Fair
1014A:											
Uskabwanka	95	Very	Very	Fair	Poor	Fair	Good	Good	Poor	Good	Good
1020A:											
Bowstring, frequently flooded	45	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good
Fluvaquents vp, frequently flooded	45	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good
1021A:											
Rifle	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
1022A:											
Greenwood	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
1022A:											
Greenwood,	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Merwin, depressional	10	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
1048:											
Dumps, iron mine	100	---	---	---	---	---	---	---	---	---	---
1049:											
Pits, iron mine	100	---	---	---	---	---	---	---	---	---	---
1050:											
Tailings basin	100	---	---	---	---	---	---	---	---	---	---
A1B:											
Graycalm	45	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Grayling	40	Poor	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very
A2D:											
Graycalm	35	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Grayling	30	Poor	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very
Leander, depressional	15	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
A2E:											
Graycalm	35	Very	Poor	Fair	Fair	Fair	Very	Very	Fair	Fair	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
A2E:											
Grayling	30	Very	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very
Leander, depressional	15	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
A3B:											
Friendship	40	Poor	Fair	Good	Fair	Fair	Poor	Very	Fair	Fair	Very
Wurtsmith	40	Poor	Fair	Good	Fair	Fair	Poor	Very	Fair	Fair	Poor
A4A:											
Meehan	75	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
A5A:											
Roscommon, depressional	75	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A6A:											
Keewatin, stony	80	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
A7B:											
Keewatin, stony	45	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Nashwauk, stony	35	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
A8D:											
Greatscott, stony	55	Fair	Fair	Good	Good	Good	Very	Very	Fair	Good	Very
Nashwauk, stony	20	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
A8D:											
Balkan, depressional, stony	15	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A9D:											
Greatscott, stony	85	Fair	Fair	Good	Good	Good	Very	Very	Fair	Good	Very
A10E:											
Greatscott, stony	55	Poor	Poor	Good	Good	Good	Very	Very	Fair	Good	Very
Greatscott, sandy substratum, stony	25	Poor	Poor	Good	Good	Good	Very	Very	Fair	Good	Very
A11A:											
Keewatin, stony	45	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Balkan, stony	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
A12B:											
Daybrook	85	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
A13A:											
Shenango	80	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
A14A:											
Balkan, depressional, stony	60	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Balkan, stony	30	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
A21B:											
Graycalm	50	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Keenan	30	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
A23D:											
Nashwauk, stony	40	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Keewatin, stony	20	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Rock outcrop	15	---	---	---	---	---	---	---	---	---	---
A24A:											
Merwin	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A26A:											
Tacoosh	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A27A:											
Cathro, depressional	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A28A:											
Rifle	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
A29A:											
Greenwood	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
A29A:											
Greenwood,	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Merwin	10	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B1C:											
Taylor	80	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B1D:											
Taylor	85	Poor	Fair	Fair	Good	Good	Very	Very	Fair	Good	Very
B2A:											
Indus	65	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
Woodslake,	25	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B3B:											
Alango	70	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good
Indus	20	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
B4A:											
Indus	65	Fair	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
Dora, depressional	30	Very	Very	Very	Poor	Poor	Good	Good	Very	Poor	Good
B5B:											
Alango	50	Fair	Fair	Fair	Good	Good	Fair	Good	Fair	Good	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B5B:											
Taylor	20	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Woodslake,	20	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B6B:											
Morcom	50	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
Thistledew	30	Fair	Fair	Good	Good	Good	Poor	Very	Fair	Good	Very
B7D:											
Udorthents, slumped	50	Poor	Fair	Fair	Good	Good	Very	Very	Fair	Good	Very
Thistledew	30	Poor	Fair	Fair	Good	Good	Very	Very	Fair	Good	Very
Taylor	15	Poor	Fair	Fair	Good	Good	Very	Very	Fair	Good	Very
B8A:											
Bearville	75	Poor	Fair	Fair	Good	Good	Good	Good	Fair	Good	Good
B9A:											
Dora, frequently	45	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
Greaney, frequently flooded	45	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B10B:											
Rollins	80	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B10D:											
Rollins	85	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
B11B:											
Taylor	45	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Taylor, sandy	40	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B11C:											
Taylor	45	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Taylor, sandy	40	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B12D:											
Taylor	45	Poor	Fair	Fair	Good	Good	Very	Very	Fair	Good	Very
Greaney, frequently flooded	40	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B14A:											
Greenwood	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Greenwood,	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Merwin	10	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B15A:											
Morph	80	Poor	Fair	Fair	Fair	Fair	Good	Good	Poor	Fair	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B16B:											
Westoo	30	Fair	Fair	Good	Fair	Fair	Poor	Poor	Fair	Fair	Poor
Barber	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Vasso	20	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B17B:											
Graycalm	55	Poor	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very
Biwabik	35	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
B17D:											
Graycalm	50	Poor	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very
Biwabik	30	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
B18A:											
Foglake	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Hassman, depressional	30	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B19B:											
Longsiding	45	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Good
Foglake	25	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Grasston	15	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B23A:											
Effie	55	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Ashlake	40	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B24B:											
Ashlake	40	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Suomi	35	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Effie	20	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B25C:											
Suomi	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B26A:											
Daisybay	65	Very	Very	Very	Poor	Poor	Good	Good	Very	Poor	Good
Greenwood	35	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B27A:											
Mcquade	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Buhl	35	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
B28B:											
Buhl	80	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B29B:											
Hibbing	45	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Buhl	35	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
B29D:											
Hibbing	55	Fair	Good	Good	Good	Good	Very	Very	Good	Good	Very
Buhl	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
B30A:											
Sago, depressional	75	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B31D:											
Hibbing	85	Fair	Good	Good	Good	Good	Very	Very	Good	Good	Very
B31E:											
Hibbing	90	Poor	Fair	Good	Good	Good	Very	Very	Good	Good	Very
B32A:											
Mcquade	45	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Dora, depressional	30	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B33A:											
Mcquade	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Fayal, depressional	45	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B34B:											
Majestic	55	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Hibbing	20	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B35E:											
Hibbing	50	Very	Fair	Good	Good	Good	Very	Very	Good	Good	Very
Udorthents	30	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
B36B:											
Lavell	45	Fair	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor
Shawano	45	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
B37B:											
Westoo	40	Fair	Fair	Good	Fair	Fair	Poor	Poor	Fair	Fair	Poor
Lavell	35	Fair	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor
B39A:											
Meehan	80	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B40D:											
Shawano	85	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
B41B:											
Friendship	75	Poor	Fair	Good	Fair	Fair	Poor	Very	Fair	Fair	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B45A:											
Dora, depressional	80	Very	Very	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B46A:											
Dora	80	Very	Very	Very	Poor	Poor	Good	Good	Very	Poor	Good
B47A:											
Daisybay	80	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B48A:											
Mooseline	45	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Turpela	35	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B52A:											
Dora, depressional	80	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B53A:											
Dora	80	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
B54A:											
Spooner	65	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Littleswan	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B56A:											
Spooner	55	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Sax, depressional	40	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B57B:											
Littleswan	70	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Baudette	25	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B58B:											
Wurtsmith	45	Poor	Fair	Good	Fair	Fair	Poor	Very	Fair	Fair	Poor
Meehan	40	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B61A:											
Cathro, depressional	65	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Barber	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B62A:											
Wabuse	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Vasso	25	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
B63B:											
Urban land	50	---	---	---	---	---	---	---	---	---	---
Buhl	20	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Mcquade	20	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B64B:											
Vasso	40	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B64B:											
Keenan	35	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
B65A:											
Merwin	80	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B66C:											
Udifluvents, occasionally flooded	30	Fair	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
Udifluvents, frequently flooded	20	Poor	Fair	Fair	Fair	Fair	Fair	Fair	Fair	Fair	Fair
Udipsamments, rarely flooded	20	Poor	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very
Fluvaquents, frequently flooded	15	Poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Good
B67A:											
Rifle	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B68A:											
Roscommon, depressional	50	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Roscommon, depressional, loamy substratum	30	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B72A:											
Barber	55	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Wabuse	35	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B73A:											
Spooner	30	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Buhl	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
Littleswan	25	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
B74A:											
Kapla, depressional	50	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Wabuse	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
B80A:											
Rifle	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B82A:											
Greenwood	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Greenwood,	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B83A:											
Rifle, depressional	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B83A:											
Tacoosh, depressional	35	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle	15	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B84B:											
Eutrudepts, occasionally flooded	50	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
Greaney, frequently flooded	30	Poor	Very	Fair	Fair	Fair	Good	Good	Poor	Fair	Good
B99A:											
Cathro, depressional	50	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Sago, depressional	40	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B100A:											
Greenwood,	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Merwin, depressional	35	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Greenwood	15	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B108A:											
Cathro, depressional	80	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B119A:											
Tacoosh	80	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
B147A:											
Rifle	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Rifle, depressional	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
B152A:											
Greenwood	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Greenwood,	45	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
Daisybay	10	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
F1C:											
Eaglesnest, very	80	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F2B:											
Eaglesnest, bouldery	45	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Wahlsten, bouldery	30	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F3D:											
Eveleth, bouldery	40	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Eaglesnest, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Conic, bouldery	20	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F4E:											
Eveleth, bouldery	55	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F4E:											
Conic, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Rock outcrop	15	---	---	---	---	---	---	---	---	---	---
F5B:											
Babbitt, bouldery	40	Very	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
Wahlsten, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Aquepts, rubbly	15	Very	Very	Poor	Poor	Poor	Good	Good	Very	Poor	Good
F6B:											
Soudan, bouldery	45	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Babbitt, bouldery	25	Very	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
Eaglesnest, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F7B:											
Biwabik	55	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Graycalm	35	Poor	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very
F8D:											
Biwabik	40	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Graycalm	40	Poor	Poor	Fair	Poor	Poor	Very	Very	Poor	Poor	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F8D:											
Friendship,	15	Poor	Fair	Good	Fair	Fair	Poor	Very	Fair	Fair	Very
F9A:											
Cloquet	80	Fair	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
F9B:											
Cloquet	80	Fair	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
F10D:											
Cloquet	75	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
Pequaywan	15	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
F10E:											
Cloquet	75	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Pequaywan	15	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
F11B:											
Eaglesnest, bouldery	75	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F12B:											
Eaglesnest, bouldery	45	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Babbitt, bouldery	40	Very	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
F13A:											
Babbitt, bouldery	45	Very	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F13A:											
Aquepts, rubbly	40	Very	Very	Poor	Poor	Poor	Good	Good	Very	Poor	Good
F14D:											
Eveleth, bouldery	85	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F15E:											
Rollins, stony	90	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
F16B:											
Shawano	85	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F17A:											
Aquepts, rubbly	75	Very	Very	Poor	Poor	Poor	Good	Good	Very	Poor	Good
F18A:											
Babbitt, bouldery	80	Very	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
F19A:											
Pequaywan	85	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor
F21D:											
Quetico, stony	45	Very	Very	Poor	Poor	Poor	Very	Very	Very	Poor	Very
Rock outcrop	30	---	---	---	---	---	---	---	---	---	---
F21F:											
Quetico, stony	45	Very	Very	Poor	Poor	Poor	Very	Very	Very	Poor	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F21F:											
Rock outcrop	35	---	---	---	---	---	---	---	---	---	---
F22F:											
Eveleth, very bouldery	60	Very	Very	Very	Fair	Fair	Very	Very	Very	Fair	Very
Conic, very bouldery	20	Very	Very	Very	Fair	Fair	Very	Very	Very	Fair	Very
F23B:											
Rollins	35	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Biwabik	30	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
F23D:											
Rollins	40	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Biwabik	35	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
F24A:											
Gnesen	85	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
F25D:											
Rollins	55	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
Cloquet	30	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
F26C:											
Shagawa, extremely bouldery	45	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F26C:											
Beargrease, extremely bouldery	35	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
F26E:											
Shagawa, extremely bouldery	45	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
Beargrease, extremely bouldery	35	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
F28B:											
Oysterlake, extremely stony	55	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Fair	Very
Oysterlake, wet, extremely stony	30	Very	Poor	Poor	Poor	Poor	Poor	Poor	Poor	Fair	Poor
F29E:											
Shagawa, extremely bouldery	40	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
Beargrease, extremely bouldery	25	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
F29G:											
Shagawa, extremely bouldery	40	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
Beargrease, extremely bouldery	30	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F30G:											
Conic, very bouldery	40	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Fair	Very
Insula, very bouldery	25	Very	Very	Very	Very	Very	Very	Very	Very	Very	Very
Rock outcrop	15	---	---	---	---	---	---	---	---	---	---
F31B:											
Oysterlake, extremely stony	60	Very	Poor	Poor	Poor	Poor	Poor	Poor	Poor	Poor	Poor
F34A:											
Cathro, depressional	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
F35D:											
Eveleth, bouldery	35	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Conic, bouldery	25	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Aquepts, rubbly	20	Very	Very	Poor	Poor	Poor	Good	Good	Very	Fair	Good
F36D:											
Conic, bouldery	40	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
Insula, bouldery	30	Poor	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
Rock outcrop	20	---	---	---	---	---	---	---	---	---	---

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F37B:											
Foglake	50	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Babbitt, bouldery	30	Very	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Poor
F38B:											
Longsiding	50	Fair	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Good
Eaglesnest, bouldery	35	Poor	Poor	Fair	Fair	Fair	Very	Very	Poor	Fair	Very
F39A:											
Foglake, bouldery	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Aquepts, rubbly	30	Very	Very	Poor	Poor	Poor	Good	Good	Very	Fair	Good
Hassman, depressional	20	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
F40B:											
Rollins	80	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
F40D:											
Rollins	80	Poor	Fair	Fair	Fair	Fair	Very	Very	Fair	Fair	Very
F41B:											
Friendship	40	Poor	Fair	Good	Fair	Fair	Poor	Very	Fair	Fair	Very
Wurtsmith	40	Poor	Fair	Good	Fair	Fair	Poor	Very	Fair	Fair	Poor

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
F42A:											
Meehan	75	Poor	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Fair
F43A:											
Roscommon, depressional	75	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
F116A:											
Mooselake	80	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
F129A:											
Tacoosh	80	Very	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
F164B:											
Beargrease, very stony	45	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
Biwabik, very stony	20	Very	Poor	Poor	Fair	Fair	Very	Very	Poor	Fair	Very
Rollins, very stony	20	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
F164E:											
Beargrease, very stony	45	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
Biwabik, very stony	20	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
Rollins, very stony	20	Very	Poor	Poor	Poor	Poor	Very	Very	Poor	Poor	Very
F176A:											
Sago, depressional	80	Very	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good

This report shows only the major soils in each map unit

Wildlife Habitat (MN)

St. Louis County, Minnesota, Virginia Part

Map symbol and soil name	Pct. of map unit	Potential for habitat elements: Grain and seed crops	Grasses and legumes	Wild herbaceous plants	Hardwood trees	Coniferous trees	Wetland plants	Shallow water areas	Potential as habitat for--: Openland wildlife	Woodland wildlife	Wetland wildlife
GP:											
Pits, sand and gravel	100	---	---	---	---	---	---	---	---	---	---
M-W:											
Water, miscellaneous	100	---	---	---	---	---	---	---	---	---	---
USFS:											
USFS and other lands	100	---	---	---	---	---	---	---	---	---	---
W:											
Water	100	---	---	---	---	---	---	---	---	---	---

This report shows only the major soils in each map unit