

Carver County Crop Productivity Index (CPI) by Map Unit Name

| Mapunit Symbol | Map Unit Name | CPI |
|----------------|--|-----|
| BY | Biscay loam | 69 |
| BH | Blue Earth mucky silt loam | 15 |
| CT | Canisteo clay loam | 93 |
| CS | Canisteo silty clay loam, depressional | 86 |
| CH | Chaska loam, occasionally flooded | 86 |
| CU | Coland clay loam, frequently flooded | 20 |
| CL | Coland clay loam, occasionally flooded | 83 |
| CO | Cordova clay loam | 87 |
| CW | Cordova-Webster complex | 89 |
| DA | Dakota and Rasset sandy loams, 0 to 2 percent slopes | 65 |
| DB | Dakota and Rasset sandy loams, 2 to 6 percent slopes | 65 |
| IA | Dickman sandy loam, 0 to 2 percent slopes | 49 |
| IB2 | Dickman sandy loam, 2 to 6 percent slopes, eroded | 49 |
| IC2 | Dickman sandy loam, 6 to 12 percent slopes, eroded | 40 |
| EX | Essexville sandy loam | 30 |
| EA | Estherville sandy loam, 0 to 2 percent slopes | 44 |
| EB | Estherville sandy loam, 2 to 6 percent slopes | 44 |
| EB2 | Estherville sandy loam, 2 to 6 percent slopes, eroded | 44 |
| HD | Estherville-Hawick sandy loams, 12 to 18 percent slopes | 27 |
| HC | Estherville-Hawick sandy loams, 6 to 12 percent slopes | 36 |
| HC2 | Estherville-Hawick sandy loams, 6 to 12 percent slopes, eroded | 36 |
| FA | Fairhaven silt loam, 0 to 2 percent slopes | 78 |
| FB | Fairhaven silt loam, 2 to 6 percent slopes | 71 |
| FC2 | Fairhaven silt loam, 6 to 12 percent slopes, eroded | 60 |
| GL | Glencoe clay loam | 86 |
| HM | Hamel loam | 94 |
| HN | Hanlon loam | 82 |
| KL | Hanlon-Kalmarville complex, frequently flooded | 20 |
| AE | Hawick loamy sand, 18 to 40 percent slopes | 18 |
| AD | Hawick sandy loam, 18 to 25 percent slopes | 18 |
| MK | Houghton and Muskego soils | 74 |
| BA | Kasota loam, 0 to 2 percent slopes | 63 |
| BB2 | Kasota loam, 2 to 6 percent slopes, eroded | 57 |
| AA | Kasota sandy loam, 0 to 2 percent slopes | 63 |
| AB2 | Kasota sandy loam, 2 to 6 percent slopes, eroded | 57 |
| KB | Kilkenny-Lester loams, 2 to 6 percent slopes | 84 |
| MP | Klossner and Muskego soils, ponded | 5 |
| PM | Klossner muck, 0 to 1 percent slopes | 77 |
| PS | Klossner muck, sandy substratum | 15 |
| LS | Le Sueur loam | 97 |
| LA | Le Sueur-Lester loams, 1 to 4 percent slopes | 95 |
| CD3 | Lester clay loam, 12 to 18 percent slopes, severely eroded | 67 |
| CE3 | Lester clay loam, 18 to 25 percent slopes, severely eroded | 34 |
| CC3 | Lester clay loam, 6 to 12 percent slopes, severely eroded | 76 |
| LD | Lester loam, 12 to 18 percent slopes | 67 |

| | | |
|-----|--|----|
| LD2 | Lester loam, 12 to 18 percent slopes, eroded | 67 |
| LE2 | Lester loam, 18 to 25 percent slopes, eroded | 34 |
| LB2 | Lester loam, 2 to 6 percent slopes | 91 |
| LF | Lester loam, 25 to 40 percent slopes | 15 |
| LC | Lester loam, 6 to 12 percent slopes | 82 |
| LC2 | Lester loam, 6 to 12 percent slopes, eroded | 82 |
| ND3 | Lester-Kilkenny clay loams, 12 to 18 percent slopes, severely eroded | 69 |
| NE3 | Lester-Kilkenny clay loams, 18 to 25 percent slopes, severely eroded | 41 |
| NC3 | Lester-Kilkenny clay loams, 6 to 12 percent slopes, severely eroded | 78 |
| KD | Lester-Kilkenny loams, 12 to 18 percent slopes | 69 |
| KD2 | Lester-Kilkenny loams, 12 to 18 percent slopes, eroded | 69 |
| KE2 | Lester-Kilkenny loams, 18 to 25 percent slopes, eroded | 41 |
| KB2 | Lester-Kilkenny loams, 2 to 6 percent slopes, eroded | 84 |
| KF | Lester-Kilkenny loams, 25 to 40 percent slopes | 14 |
| KC | Lester-Kilkenny loams, 6 to 12 percent slopes | 78 |
| KC2 | Lester-Kilkenny loams, 6 to 12 percent slopes, eroded | 78 |
| SD2 | Lester-Storden complex, 12 to 18 percent slopes, eroded | 68 |
| SC2 | Lester-Storden complex, 6 to 12 percent slopes, eroded | 79 |
| MY | Mayer loam | 72 |
| MN | Minneiska loam | 65 |
| KM | Minneiska-Kalmarville complex, frequently flooded | 20 |
| OS | Oshawa silty clay loam | 20 |
| GP | Pits-Udipsamments complex | 0 |
| RB | Rasset sandy loam, 0 to 6 percent slopes | 61 |
| RD | Rasset sandy loam, 12 to 18 percent slopes | 45 |
| RC | Rasset sandy loam, 6 to 12 percent slopes | 53 |
| XD | Rasset-Lester complex, 12 to 18 percent slopes | 53 |
| XE | Rasset-Lester complex, 18 to 25 percent slopes | 16 |
| XB | Rasset-Lester complex, 2 to 6 percent slopes | 75 |
| XC | Rasset-Lester complex, 6 to 12 percent slopes | 64 |
| XC2 | Rasset-Lester complex, 6 to 12 percent slopes, eroded | 60 |
| YD | Rasset-Lester-Kilkenny complex, 12 to 18 percent slopes | 52 |
| YE | Rasset-Lester-Kilkenny complex, 18 to 25 percent slopes | 16 |
| YB | Rasset-Lester-Kilkenny complex, 2 to 6 percent slopes | 70 |
| YC | Rasset-Lester-Kilkenny complex, 6 to 12 percent slopes | 61 |
| YC2 | Rasset-Lester-Kilkenny complex, 6 to 12 percent slopes, eroded | 57 |
| RW | Richwood silt loam | 99 |
| PA | Sparta loamy sand, 0 to 2 percent slopes | 39 |
| PD | Sparta loamy sand, 12 to 18 percent slopes | 23 |
| PB | Sparta loamy sand, 2 to 6 percent slopes | 39 |
| PC | Sparta loamy sand, 6 to 12 percent slopes | 35 |
| SV | Spillville loam, occasionally flooded | 91 |
| TT | Talcot silty clay loam | 72 |
| TB | Terril loam, 0 to 6 percent slopes | 99 |
| TC | Terril loam, 6 to 12 percent slopes | 90 |
| US | Udipsamments, sloping | 0 |
| WA | Wadena loam, 0 to 2 percent slopes | 66 |

| | | |
|-----|---|----|
| WB | Wadena loam, 2 to 6 percent slopes | 65 |
| WC2 | Wadena loam, 6 to 12 percent slopes, eroded | 57 |
| W | Water | 0 |
| M-W | Water, miscellaneous | 0 |