

**Dakota County Crop Productivity Index (CPI) by Map Unit Name**

Mapunit Symbol	Map Unit Name	CPI
1821	Alganssee sandy loam, occasionally flooded	42
49B	Antigo silt loam, 1 to 8 percent slopes	65
1055	Aquolls and Histosols, ponded	5
189	Auburndale silt loam	20
382B	Blooming silt loam, 1 to 6 percent slopes	91
81E	Boone loamy fine sand, 12 to 40 percent slopes	9
81B	Boone loamy fine sand, 2 to 6 percent slopes	22
81C	Boone loamy fine sand, 6 to 12 percent slopes	21
522	Boots muck	15
880F	Brodale-Rock outcrop complex, 18 to 45 percent slopes	4
151D	Burkhardt sandy loam, 12 to 18 percent slopes	32
151C	Burkhardt sandy loam, 6 to 12 percent slopes	33
1895B	Carmi loam, 2 to 8 percent slopes	60
155E	Chetek sandy loam, 15 to 25 percent slopes	7
155B	Chetek sandy loam, 3 to 8 percent slopes	36
155C	Chetek sandy loam, 8 to 15 percent slopes	34
98	Colo silt loam, occasionally flooded	81
100A	Copaston loam, 0 to 2 percent slopes	31
100B	Copaston loam, 2 to 6 percent slopes	31
100C	Copaston loam, 6 to 12 percent slopes	27
109	Cordova silty clay loam	87
449B	Crystal Lake silt loam, 1 to 8 percent slopes	89
129	Cylinder loam	65
27A	Dickinson sandy loam, 0 to 2 percent slopes	60
27B	Dickinson sandy loam, 2 to 6 percent slopes	60
12C	Emmert very gravelly sandy loam, 3 to 15 percent slopes	21
41A	Estherville sandy loam, 0 to 2 percent slopes	44
41B	Estherville sandy loam, 2 to 6 percent slopes	44
409B	Etter fine sandy loam, 2 to 6 percent slopes	48
409C	Etter fine sandy loam, 6 to 12 percent slopes	45
1898F	Etter-Brodale complex, 25 to 60 percent slopes	6
408	Faxon silty clay loam	22
173F	Frontenac silt loam, 25 to 40 percent slopes	11
176	Garwin silty clay loam	86
114	Glencoe silty clay loam	86
177A	Gotham loamy fine sand, 0 to 2 percent slopes	49
177B	Gotham loamy fine sand, 2 to 6 percent slopes	47
177C	Gotham loamy fine sand, 6 to 12 percent slopes	33
414	Hamel silt loam	94
611D	Hawick coarse sandy loam, 12 to 18 percent slopes	31
611C	Hawick coarse sandy loam, 6 to 12 percent slopes	32
611E	Hawick loamy sand, 18 to 25 percent slopes	18
611F	Hawick loamy sand, 25 to 50 percent slopes	3
7A	Hubbard loamy sand, 0 to 1 percent slopes	38
7B	Hubbard loamy sand, 1 to 6 percent slopes	36

7D	Hubbard loamy sand, 12 to 18 percent slopes	27
7C	Hubbard loamy sand, 6 to 12 percent slopes	34
1902B	Jewett silt loam, 1 to 6 percent slopes	81
203B	Joy silt loam, 1 to 5 percent slopes	98
465	Kalmarville sandy loam, frequently flooded	20
415A	Kanaranzi loam, 0 to 2 percent slopes	57
415B	Kanaranzi loam, 2 to 6 percent slopes	54
415C	Kanaranzi loam, 6 to 12 percent slopes	51
208	Kato silty clay loam	75
250	Kennebec silt loam	100
1816	Kennebec variant silt loam	100
342E	Kingsley sandy loam, 15 to 25 percent slopes	29
342F	Kingsley sandy loam, 25 to 40 percent slopes	13
342B	Kingsley sandy loam, 3 to 8 percent slopes	87
342C	Kingsley sandy loam, 8 to 15 percent slopes	70
888D	Kingsley-Lester complex, 12 to 18 percent slopes	62
888B	Kingsley-Lester complex, 2 to 6 percent slopes	89
888C	Kingsley-Lester complex, 6 to 12 percent slopes	72
896E	Kingsley-Mahtomedi complex, 15 to 25 percent slopes	26
896F	Kingsley-Mahtomedi complex, 25 to 40 percent slopes	11
895B	Kingsley-Mahtomedi-Spencer complex, 3 to 8 percent slopes	70
895C	Kingsley-Mahtomedi-Spencer complex, 8 to 15 percent slopes	56
213B	Klinger silt loam, 1 to 5 percent slopes	98
539	Klossner muck, 0 to 1 percent slopes	77
226	Lawson silt loam	92
239	Le Sueur loam	97
106D2	Lester loam, 12 to 18 percent slopes, eroded	67
106B	Lester loam, 2 to 6 percent slopes	91
106C	Lester loam, 6 to 12 percent slopes	76
106C2	Lester loam, 6 to 12 percent slopes, eroded	76
301B	Lindstrom silt loam, 1 to 4 percent slopes	99
454E	Mahtomedi loamy sand, 15 to 25 percent slopes	19
454B	Mahtomedi loamy sand, 3 to 8 percent slopes	33
454C	Mahtomedi loamy sand, 8 to 15 percent slopes	27
251D	Marlean loam, 12 to 18 percent slopes	35
251E	Marlean loam, 18 to 25 percent slopes	18
252	Marshan silty clay loam	62
253	Maxcreek silty clay loam	88
378	Maxfield silty clay loam	83
318	Mayer loam, swales	66
255	Mayer silt loam	72
377B	Merton silt loam, 1 to 6 percent slopes	97
463	Minneiska loam, occasionally flooded	65
317	Oshawa silty clay loam	20
2B	Ostrander loam, 1 to 6 percent slopes	98
2C	Ostrander loam, 6 to 12 percent slopes	90
1896B	Ostrander-Carmi loams, 2 to 6 percent slopes	83

279B	Otterholt silt loam, 1 to 6 percent slopes	89
279C	Otterholt silt loam, 6 to 15 percent slopes	80
1029	Pits, gravel	0
1013	Pits, quarry	0
283A	Plainfield loamy sand, 0 to 2 percent slopes	32
283B	Plainfield loamy sand, 2 to 6 percent slopes	32
283D	Plainfield loamy sand, 6 to 18 percent slopes	30
285A	Port Byron silt loam, 0 to 2 percent slopes	99
285B	Port Byron silt loam, 2 to 6 percent slopes	98
285C	Port Byron silt loam, 6 to 12 percent slopes	91
344	Quam silt loam	15
1824	Quam silt loam, ponded	5
299A	Rockton loam, 0 to 2 percent slopes	58
299B	Rockton loam, 2 to 6 percent slopes	53
299C	Rockton loam, 6 to 12 percent slopes	45
545	Rondeau muck	15
42C	Salida gravelly coarse sandy loam, 2 to 12 percent slopes	23
540	Seelyeville muck	15
1825C	Seelyeville muck, sloping	5
8A	Sparta loamy fine sand, 0 to 1 percent slopes	39
8B	Sparta loamy fine sand, 1 to 6 percent slopes	39
1848B	Sparta loamy sand, bedrock substratum, 2 to 8 percent slopes	39
150B	Spencer silt loam, 2 to 6 percent slopes	90
313	Spillville loam, occasionally flooded	91
320B	Tallula silt loam, 2 to 6 percent slopes	89
320C2	Tallula silt loam, 6 to 12 percent slopes, eroded	82
94C	Terril loam, 4 to 12 percent slopes	90
963D2	Timula-Bold silt loams, 12 to 18 percent slopes, eroded	63
963E2	Timula-Bold silt loams, 18 to 25 percent slopes, eroded	31
963C2	Timula-Bold silt loams, 6 to 12 percent slopes, eroded	76
1072	Udorthents, moderately shallow	0
1027	Udorthents, wet	0
1039	Urban land	0
858C	Urban land-Chetek complex, 1 to 15 percent slopes	0
865B	Urban land-Hubbard complex, 0 to 6 percent slopes	0
861E	Urban land-Kingsley complex, 15 to 25 percent slopes	0
861C	Urban land-Kingsley complex, 3 to 15 percent slopes	0
860C	Urban land-Lester complex, 3 to 15 percent slopes	0
857A	Urban land-Waukegan complex, 0 to 1 percent slopes	0
857B	Urban land-Waukegan complex, 1 to 8 percent slopes	0
39A	Wadena loam, 0 to 2 percent slopes	66
39D	Wadena loam, 12 to 18 percent slopes	46
39B	Wadena loam, 2 to 6 percent slopes	65
39B2	Wadena loam, 2 to 6 percent slopes, eroded	65
39C	Wadena loam, 6 to 12 percent slopes	57
39C2	Wadena loam, 6 to 12 percent slopes, eroded	57
889D	Wadena-Hawick complex, 12 to 18 percent slopes	36

889B	Wadena-Hawick complex, 2 to 6 percent slopes	53
889C	Wadena-Hawick complex, 6 to 12 percent slopes	46
W	Water	0
411A	Waukegan silt loam, 0 to 1 percent slopes	75
411B	Waukegan silt loam, 1 to 6 percent slopes	75
411C	Waukegan silt loam, 6 to 12 percent slopes	62
1827A	Waukegan silt loam, bedrock substratum, 0 to 2 percent slopes	70
1827B	Waukegan silt loam, bedrock substratum, 2 to 6 percent slopes	70
1827C	Waukegan silt loam, bedrock substratum, 6 to 12 percent slopes	57
113	Webster clay loam	93
1894B	Winnebago loam, 2 to 6 percent slopes	84
495	Zumbro fine sandy loam	58
1815	Zumbro loamy fine sand	58