

Hennepin County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
L37B	Angus loam, 2 to 6 percent slopes	90
L40B	Angus-Kilkenny complex, 2 to 6 percent slopes	83
L17B	Angus-Malardi complex, 2 to 6 percent slopes	75
L60B	Angus-Moon complex, 2 to 5 percent slopes	89
D1B	Anoka and Zimmerman soils, terrace, 2 to 6 percent slopes	44
D1C	Anoka and Zimmerman soils, terrace, 6 to 12 percent slopes	41
L6A	Biscay loam, 0 to 2 percent slopes	69
L7A	Biscay loam, depressional, 0 to 1 percent slopes	15
D18B	Braham loamy fine sand, terrace, 2 to 5 percent slopes	57
L43A	Brouillett loam, 0 to 2 percent slopes, occasionally flooded	88
D12B	Bygland silt loam, map >25, 2 to 6 percent slopes	86
D12C2	Bygland silt loam, map >25, 6 to 12 percent slopes, eroded	71
L21A	Canisteo loam, 0 to 2 percent slopes	92
L23A	Cordova loam, 0 to 2 percent slopes	87
L4B	Crowfork loamy sand, 1 to 6 percent slopes	43
L4D	Crowfork loamy sand, 12 to 18 percent slopes	32
L4C	Crowfork loamy sand, 6 to 12 percent slopes	41
L8A	Darfur sandy loam, 0 to 2 percent slopes	82
D4A	Dorset sandy loam, 0 to 2 percent slopes	46
D4B	Dorset sandy loam, 2 to 6 percent slopes	46
D4C	Dorset sandy loam, 6 to 12 percent slopes	44
D27A	Dorset sandy loam, loamy substratum, 0 to 2 percent slopes	61
D37F	Dorset, bedrock substratum-Rock outcrop complex, 25 to 65 percent slopes	6
D5D	Dorset-Two Inlets complex, 12 to 18 percent slopes	34
D5B	Dorset-Two Inlets complex, 2 to 6 percent slopes	45
D5C	Dorset-Two Inlets complex, 6 to 12 percent slopes	44
D17A	Duelm loamy sand, 0 to 2 percent slopes	42
L45A	Dundas-Cordova complex, 0 to 3 percent slopes	90
L47B	Eden Prairie sandy loam, 2 to 6 percent slopes	36
L47A	Eden Prairie sandy loam, 0 to 2 percent slopes	37
L47C	Eden Prairie sandy loam, 6 to 12 percent slopes	32
D3A	Elkriver fine sandy loam, 0 to 2 percent slopes, occasionally flooded	62
D2A	Elkriver fine sandy loam, 0 to 2 percent slopes, rarely flooded	72
D35A	Elkriver-Fordum complex, 0 to 2 percent slopes, occasionally flooded	57
L20B	Fedji loamy fine sand, silty substratum, 2 to 8 percent slopes	56
D26A	Foldahl loamy sand, map >25, 0 to 3 percent slopes	65
D10A	Forada sandy loam, 0 to 2 percent slopes	65
D19A	Fordum-Winterfield complex, 0 to 2 percent slopes, frequently flooded	20
L59A	Forestcity-Lundlake, depressional, complex, 0 to 3 percent slopes	88
L24A	Glencoe loam, depressional, 0 to 1 percent slopes	86
D43A	Gonvick loam, terrace, 1 to 3 percent slopes	92
L11B	Grays very fine sandy loam, 2 to 8 percent slopes	90
L36A	Hamel, overwash-Hamel complex, 1 to 4 percent slopes	97
L132A	Hamel-Glencoe, depressional, complex, 0 to 3 percent slopes	93
L29A	Hanlon fine sandy loam, 0 to 2 percent slopes, occasionally flooded	82

L32D	Hawick loamy sand, 12 to 18 percent slopes	31
L32F	Hawick loamy sand, 18 to 40 percent slopes	18
L50A	Houghton and Muskego soils, depressional, 0 to 1 percent slopes	15
L14A	Houghton muck, depressional, 0 to 1 percent slopes	74
D67A	Hubbard loamy sand, Mississippi River Valley, 0 to 2 percent slopes	38
D67B	Hubbard loamy sand, Mississippi River Valley, 2 to 6 percent slopes	36
D67C	Hubbard loamy sand, Mississippi River Valley, 6 to 12 percent slopes	34
D20A	Isan sandy loam, 0 to 2 percent slopes	36
D21A	Isan sandy loam, depressional, 0 to 1 percent slopes	15
L10B	Kasota silty clay loam, 1 to 6 percent slopes	57
L42D	Kingsley-Gotham complex, 12 to 18 percent slopes	52
L42E	Kingsley-Gotham complex, 18 to 25 percent slopes	28
L42B	Kingsley-Gotham complex, 2 to 6 percent slopes	73
L42F	Kingsley-Gotham complex, 25 to 35 percent slopes	16
L42C	Kingsley-Gotham complex, 6 to 12 percent slopes	60
L13A	Klossner muck, 0 to 1 percent slopes	77
L49A	Klossner soils, depressional, 0 to 1 percent slopes	15
L15A	Klossner, Okoboji, and Glencoe soils, ponded, 0 to 1 percent slopes	5
L58D2	Koronis-Kingsley complex, 12 to 18 percent slopes, eroded	63
L58E	Koronis-Kingsley complex, 18 to 25 percent slopes	37
L58B	Koronis-Kingsley complex, 2 to 6 percent slopes	85
L58C2	Koronis-Kingsley complex, 6 to 12 percent slopes, eroded	73
L62D2	Koronis-Kingsley-Malardi complex, 12 to 18 percent slopes, eroded	51
L62E	Koronis-Kingsley-Malardi complex, 18 to 35 percent slopes	30
L62B	Koronis-Kingsley-Malardi complex, 2 to 6 percent slopes	73
L62C2	Koronis-Kingsley-Malardi complex, 6 to 12 percent slopes, eroded	62
D40A	Kratka loamy fine sand, thick solum, 0 to 2 percent slopes	77
D13A	Langola loamy fine sand, terrace, 0 to 2 percent slopes	56
D13B	Langola loamy fine sand, terrace, 2 to 6 percent slopes	54
L25A	Le Sueur loam, 1 to 3 percent slopes	97
L35A	Lerdal loam, 1 to 3 percent slopes	80
L22D2	Lester loam, morainic, 12 to 18 percent slopes, eroded	69
L22E	Lester loam, morainic, 18 to 25 percent slopes	41
L22F	Lester loam, morainic, 25 to 35 percent slopes	19
L22C2	Lester loam, morainic, 6 to 12 percent slopes, eroded	82
L41D2	Lester-Kilkenny complex, 12 to 18 percent slopes, eroded	69
L41E	Lester-Kilkenny complex, 18 to 25 percent slopes	41
L41F	Lester-Kilkenny complex, 25 to 35 percent slopes	14
L41C2	Lester-Kilkenny complex, 6 to 12 percent slopes, eroded	78
L70D2	Lester-Malardi complex, 12 to 18 percent slopes, eroded	61
L70E	Lester-Malardi complex, 18 to 35 percent slopes	39
L70C2	Lester-Malardi complex, 6 to 12 percent slopes, eroded	70
L61D2	Lester-Metea complex, 12 to 18 percent slopes, eroded	63
L61E	Lester-Metea complex, 18 to 25 percent slopes	43
L61C2	Lester-Metea complex, 6 to 12 percent slopes, eroded	73
L110E	Lester-Ridgeton complex, 18 to 25 percent slopes	41
L110F	Lester-Ridgeton complex, 25 to 45 percent slopes	17

D11A	Lindaas silt loam, 0 to 2 percent slopes	75
L131A	Litchfield loamy fine sand, 0 to 3 percent slopes	67
L72A	Lundlake loam, depressional, 0 to 1 percent slopes	86
L2B	Malardi-Hawick complex, 1 to 6 percent slopes	39
L2D	Malardi-Hawick complex, 12 to 18 percent slopes	34
L2E	Malardi-Hawick complex, 18 to 35 percent slopes	22
L2C	Malardi-Hawick complex, 6 to 12 percent slopes	37
L30A	Medo soils, depressional, 0 to 1 percent slopes	15
L31A	Medo, Dassel, and Biscay soils, ponded, 0 to 1 percent slopes	5
L71C	Metea loamy fine sand, 6 to 12 percent slopes	57
L39A	Minneiska fine sandy loam, 0 to 2 percent slopes, occasionally flooded	65
L9A	Minnetonka silty clay loam, 0 to 2 percent slopes	77
L19B	Moon loamy fine sand, 2 to 5 percent slopes	76
L56A	Muskego and Klossner soils, 0 to 1 percent slopes, frequently flooded	20
L16A	Muskego, Blue Earth, and Houghton soils, ponded, 0 to 1 percent slopes	5
L12A	Muskego, Blue Earth, and Houghton soils, ponded, 0 to 1 percent slopes, frequently flooded	5
L44A	Nessel loam, 1 to 3 percent slopes	92
GP	Pits, gravel-Udipsamments complex	0
L3A	Rasset sandy loam, 0 to 2 percent slopes	61
L3B	Rasset sandy loam, 2 to 6 percent slopes	61
L3C	Rasset sandy loam, 6 to 12 percent slopes	53
L38A	Rushriver very fine sandy loam, 0 to 2 percent slopes, occasionally flooded	60
D8D	Sandberg loamy coarse sand, 12 to 18 percent slopes	24
D8E	Sandberg loamy coarse sand, 18 to 35 percent slopes	17
D8B	Sandberg loamy coarse sand, 2 to 6 percent slopes	32
D8C	Sandberg loamy coarse sand, 6 to 12 percent slopes	30
D24A	Sedgeville loam, 0 to 2 percent slopes, occasionally flooded	78
D30A	Seelyeville and Markey soils, depressional, 0 to 1 percent slopes	15
D16A	Seelyeville and Markey soils, ponded, 0 to 1 percent slopes	5
D15A	Seelyeville-Markey complex, depressional, 0 to 1 percent slopes	72
L18A	Shields silty clay loam, 0 to 3 percent slopes	84
L26A	Shorewood silty clay loam, 1 to 3 percent slopes	95
L26B	Shorewood silty clay loam, 3 to 6 percent slopes	95
L26C2	Shorewood silty clay loam, 6 to 12 percent slopes, eroded	83
D25A	Soderville loamy fine sand, terrace, 0 to 3 percent slopes	49
D23A	Southhaven loam, 0 to 2 percent slopes	95
L28A	Suckercreek fine sandy loam, 0 to 2 percent slopes, occasionally flooded	64
L27A	Suckercreek loam, 0 to 2 percent slopes, frequently flooded	20
L64A	Tadkee-Tadkee, depressional, complex, 0 to 2 percent slopes	47
L46A	Tomall loam, 0 to 2 percent slopes	86
U3B	Udorthents (cut and fill land), 0 to 6 percent slopes	0
U2A	Udorthents, wet substratum, 0 to 2 percent slopes	0
D28B	Urban land-Bygland, map >25, complex, 1 to 6 percent slopes	0
D33B	Urban land-Dorset complex, 0 to 8 percent slopes	0
D33C	Urban land-Dorset complex, 8 to 18 percent slopes	0
D31A	Urban land-Duelm complex, 0 to 2 percent slopes	0
L54A	Urban land-Dundas complex, 0 to 3 percent slopes	0

D64B	Urban land-Hubbard complex, Mississippi River Valley, 0 to 8 percent slopes	36
D29B	Urban land-Hubbard, bedrock substratum complex, 0 to 8 percent slopes	0
L52E	Urban land-Lester complex, 18 to 35 percent slopes	0
L52C	Urban land-Lester complex, 2 to 18 percent slopes	0
L55B	Urban land-Malardi complex, 0 to 8 percent slopes	0
L55C	Urban land-Malardi complex, 8 to 18 percent slopes	0
L53B	Urban land-Moon complex, 2 to 8 percent slopes	0
U4A	Urban land-Udipsamments (cut and fill land) complex, 0 to 2 percent slopes	0
U6B	Urban land-Udorthents (cut and fill land) complex, 0 to 6 percent slopes	0
U1A	Urban land-Udorthents, wet substratum, complex, 0 to 2 percent slopes	0
U5A	Urban land-Udorthents, wet substratum, complex, 0 to 2 percent slopes, rarely flooded	0
D41C	Urban land-Waukon complex, 6 to 18 percent slopes	0
D6A	Verndale sandy loam, acid substratum, 0 to 2 percent slopes	49
D6B	Verndale sandy loam, acid substratum, 2 to 6 percent slopes	49
D6C	Verndale sandy loam, acid substratum, 6 to 12 percent slopes	46
W	Water	0
M-W	Water, miscellaneous	0