

Practice Payment Schedule, Fiscal Year 2014

EQIP

Effective Date: January 31, 2014

Practice Code	Cost Share Program	Practice Name	Component	Unit Type	Unit Cost	Cost Type	Share Rate
472	EQIP	Access Control	Deferred Use	Ac	13.19	PR	100
560	EQIP	Access Road	New Earth Road in Dry, Level Terrain	LnFt	5.04	PR	100
560	EQIP	Access Road	New 6-inch Gravel Road in Wet, Level Terrain	LnFt	10.03	PR	100
560	EQIP	Access Road	Rehabilitation of Existing 6-inch Gravel Road in Wet, Level Terrain	LnFt	3.33	PR	100
316	EQIP	Animal Mortality Facility	Static Pile, Wood Bin(s)	SqFt	10.09	PR	100
316	EQIP	Animal Mortality Facility	Static Pile, Concrete Bin	SqFt	22.13	PR	100
316	EQIP	Animal Mortality Facility	Static Pile, Concrete Pad	SqFt	5.1	PR	100
575	EQIP	Animal Trail or Walkway	Natural Trail or Walkway	SqFt	.20	PR	100
396	EQIP	Aquatic Organism Passage	Earthen Dam Removal	CuYd	49.24	PR	100
396	EQIP	Aquatic Organism Passage	Blockage Removal	CuYd	37.21	PR	100
396	EQIP	Aquatic Organism Passage	Nature-Like Fishway	Ac	72265.9	PR	100
396	EQIP	Aquatic Organism Passage	Simple Denil Ladder	VFt	3103.61	PR	100
396	EQIP	Aquatic Organism Passage	Low Water Crossing	CuYd	511.45	PR	100
314	EQIP	Brush Management	Mechanical, Hand tools	Ac	116.2	PR	100
314	EQIP	Brush Management	Mechanical, Large Shrub	Ac	272.26	PR	100
314	EQIP	Brush Management	Mechanical and Chemical, Cut Stump plus Chemical Treatment, Pile and Burn, Chip, etc.	Ac	599.16	PR	100
314	EQIP	Brush Management	Chemical, Individual Plant Treatment	Ac	25.75	PR	100
584	EQIP	Channel Bed Stabilization	Cross-Vane, Boulder	CuYd	46.03	PR	100
584	EQIP	Channel Bed Stabilization	Cross-Vane, Log	Ea	1882.97	PR	100
584	EQIP	Channel Bed Stabilization	Stream Restoration with Gravel	CuYd	29.14	PR	100
584	EQIP	Channel Bed Stabilization	Stream Restoration with Rock Structure	CuYd	45.11	PR	100
584	EQIP	Channel Bed Stabilization	Less than 50 cfs Bankfull Gravel Substrate	LnFt	2.9	PR	100
317	EQIP	Composting Facility	Composter, Windrow, All-Weather Surface	SqFt	.87	PR	100
317	EQIP	Composting Facility	Bins, wood or concrete walls on concrete slab	SqFt	11.93	PR	100
317	EQIP	Composting Facility	Composter, Windrow, with Compacted Earth Floor	SqFt	.35	PR	100
328	EQIP	Conservation Crop Rotation	Flexible Crop, maximum payment: \$8,608	Ac	26.90	PR	100
328	EQIP	Conservation Crop Rotation	Standard Rotation, maximum payment: \$3,789	Ac	8.42	PR	100
340	EQIP	Cover Crop	Cover Crop, maximum payment: \$21,474	Ac	47.72	PR	100
342	EQIP	Critical Area Planting	Introduced Species, Drilled (includes tillage, seed, fertilizer and drilling)	Ac	54.51	PR	100
342	EQIP	Critical Area Planting	Native Species, Drilled (includes tillage, seed, fertilizer and drilling)	Ac	58.9	PR	100
342	EQIP	Critical Area Planting	Introduced Species, Aerial Application	Ac	52.03	PR	100
342	EQIP	Critical Area Planting	Native Species, Aerial Application	Ac	77.25	PR	100
348	EQIP	Dam Diversion	Earth Fill	CuYd	3.9	PR	100
348	EQIP	Dam Diversion	Rock Structure	CuYd	91.41	PR	100
348	EQIP	Dam Diversion	Concrete Structure	CuYd	783	PR	100
348	EQIP	Dam Diversion	Wood Structure	Ft	325.9	PR	100
356	EQIP	Dike	Material Haul, less than or equal to 1 Mile	CuYd	3.2	PR	100
356	EQIP	Dike	Material Haul, greater than 1 Mile	CuYd	3.52	PR	100
362	EQIP	Diversion	Diversion, Earth Berm (cubic yard)	CuYd	4.82	PR	100
362	EQIP	Diversion	Diversion, Concrete Tee Wall	LnFt	56.27	PR	100
362	EQIP	Diversion	Diversion, Excavation	CuYd	3.43	PR	100
647	EQIP	Early Successional Habitat Development and Management	Mowing	Ac	170.66	PR	100
647	EQIP	Early Successional Habitat Development and Management	Disking	Ac	70.92	PR	100
382	EQIP	Fence	Barbed/Smooth Wire	Ft	1.4	PR	100
382	EQIP	Fence	Wire Difficult	Ft	1.74	PR	100
382	EQIP	Fence	Woven Wire	Ft	1.79	PR	100
382	EQIP	Fence	Electric	Ft	1.06	PR	100
382	EQIP	Fence	Safety	Ft	3.47	PR	100
382	EQIP	Fence	Protection-Sensitive Areas	Ft	3.64	PR	100
386	EQIP	Field Border	Native	Ac	49.34	PR	100
386	EQIP	Field Border	Introduced	Ac	46.31	PR	100
386	EQIP	Field Border	Pollinator	Ac	56.84	PR	100
386	EQIP	Field Border	Organic Seed	Ac	41.4	PR	100
393	EQIP	Filter Strip	Introduced Species	Ac	46.17	PR	100
393	EQIP	Filter Strip	Native Species	Ac	55.26	PR	100
394	EQIP	Firebreak	Constructed, Light Equipment	Ft	.03	PR	100
394	EQIP	Firebreak	Constructed, Medium Equipment, Flat to Medium Slopes	Ft	.2	PR	100
394	EQIP	Firebreak	Constructed, Medium Equipment, Steep Slopes	Ft	.84	PR	100
394	EQIP	Firebreak	Vegetated, Permanent	Ft	.34	PR	100
512	EQIP	Forage and Biomass Planting	Seedbed Preparation, Seed and Seeding, Introduced Perennial Cool Season Grasses with Legume	Ac	47.82	PR	100
512	EQIP	Forage and Biomass Planting	Pollinator Friendly	Ac	55.17	PR	100
511	EQIP	Forage Harvest Management	Improved Forage Quality, maximum payment: \$68.00	Ac	1.35	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, High Intensity	Ac	399.32	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, Mastication	Ac	397.94	PR	100
666	EQIP	Forest Stand Improvement	Improved Forest Health	Ac	242.32	PR	100
666	EQIP	Forest Stand Improvement	Aspen Regeneration	Ac	218.09	PR	100

Practice Payment Schedule, Fiscal Year 2014

EQIP

Effective Date: January 31, 2014

Practice Code	Cost Share Program	Practice Name	Component	Unit Type	Unit Cost	Cost Type	Share Rate
655	EQIP	Forest Trails and Landings	Trail and Landing Installation	Ft	1.69	PR	100
383	EQIP	Fuel Break	Structure	Ac	993.11	PR	100
383	EQIP	Fuel Break	Forested	Ac	683.32	PR	100
383	EQIP	Fuel Break	National FS/NRCS Partnership	Ac	1359.13	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, with a Principal Spillway Pipe greater than 12 inches	CuYd	3.87	PR	100
410	EQIP	Grade Stabilization Structure	Grade Control, Large	CuYd	797.71	PR	100
412	EQIP	Grassed Waterway	Base Waterway	Ac	2561.01	PR	100
412	EQIP	Grassed Waterway	Grassed Waterway with Fabric Check Structures	Ac	3172.89	PR	100
548	EQIP	Grazing Land Mechanical Treatment	Range, Mechanical Treatment	Ac	17.62	PR	100
561	EQIP	Heavy Use Area Protection	Rock and Gravel on Geotextile	SqFt	1.13	PR	100
561	EQIP	Heavy Use Area Protection	Portable Fabricated Wind Shelter, less than 8 foot	LnFt	23.71	PR	100
561	EQIP	Heavy Use Area Protection	Portable Fabricated Wind Shelter, equal to or greater than 8 foot	LnFt	32.96	PR	100
561	EQIP	Heavy Use Area Protection	Permanent Fabricated Wind Shelter	LnFt	26.84	PR	100
315	EQIP	Herbaceous Weed Control	Mechanical, Hand Tools	Ac	44.54	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Spot Treatment	Ac	80.5	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Ground Application	Ac	52.53	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Aerial Application	Ac	21.56	PR	100
315	EQIP	Herbaceous Weed Control	Biological Control - Insects	Ac	18.97	PR	100
603	EQIP	Herbaceous Wind Barriers	Annual Species	Ft	.07	PR	100
603	EQIP	Herbaceous Wind Barriers	Perennial species	Ft	.08	PR	100
595	EQIP	Integrated Pest Management	Basic, Small or Diversified Systems (CSA, organic), Farm, MORE than ONE resource concern	Ea	325.83	PR	100
320	EQIP	Irrigation Canal or Lateral	Irrigation Canal	CuYd	1.47	PR	100
320	EQIP	Irrigation Canal or Lateral	Relocate Canal or Lateral	CuYd	2.35	PR	100
428	EQIP	Irrigation Ditch Lining	Concrete Lining	SqYd	6.67	PR	100
428	EQIP	Irrigation Ditch Lining	Flexible Lining	SqYd	6.05	PR	100
428	EQIP	Irrigation Ditch Lining	Buried Flexible Liner	SqYd	10.48	PR	100
428	EQIP	Irrigation Ditch Lining	GCL Liner	SqYd	9.29	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, less than 2.5 cubic feet per second	LnFt	.27	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, 2.5 to 10 cubic feet per second	LnFt	.48	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, 10 to 20 cubic feet per second	LnFt	.87	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch, Ditch Capacity greater than 20 cubic feet per second	LnFt	1.21	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land Leveling, less than or equal to 50 acres	Ac	439.96	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land Leveling, greater than 50 acres	CuYd	1.08	PR	100
430	EQIP	Irrigation Pipeline	Polyvinyl Chloride (PVC), Iron Pipe Size (IPS), less than or equal to 8 inch	Lb	1.31	PR	100
430	EQIP	Irrigation Pipeline	Polyvinyl Chloride (PVC), Iron Pipe Size (IPS), greater than or equal to 10 inch	Lb	1.03	PR	100
430	EQIP	Irrigation Pipeline	Polyvinyl Chloride (PVC), Plastic Irrigation Pipe (PIP), less than or equal to 8 inch	Lb	1.68	PR	100
430	EQIP	Irrigation Pipeline	Polyvinyl Chloride (PVC), Plastic Irrigation Pipe (PIP), greater than or equal to 10 inch	Lb	1.18	PR	100
430	EQIP	Irrigation Pipeline	High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing, less than or equal to 8 inch	Lb	2.29	PR	100
430	EQIP	Irrigation Pipeline	High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing, greater than or equal to 10 inch	Lb	2.1	PR	100
430	EQIP	Irrigation Pipeline	Surface High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	Lb	2.25	PR	100
430	EQIP	Irrigation Pipeline	High Density Polyethylene (HDPE), Corrugated Plastic Pipe	Lb	1.33	PR	100
430	EQIP	Irrigation Pipeline	Steel, Iron Pipe Size (IPS), less than or equal to 8 inch	Lb	1.07	PR	100
430	EQIP	Irrigation Pipeline	Steel, Iron Pipe Size (IPS), greater than or equal to 10 inch	Lb	.99	PR	100
430	EQIP	Irrigation Pipeline	Surface Steel, Iron Pipe Size (IPS)	Lb	.97	PR	100
430	EQIP	Irrigation Pipeline	Steel, Corrugated Steel Pipe	Lb	.6	PR	100
430	EQIP	Irrigation Pipeline	Surface Aluminum, Aluminum Irrigation Pipe	Lb	2.84	PR	100
430	EQIP	Irrigation Pipeline	Alfalfa Valve, less than or equal to 8 inch	Ea	213.7	PR	100
430	EQIP	Irrigation Pipeline	Alfalfa Valve, greater than or equal to 10 inch	Ea	323.23	PR	100
430	EQIP	Irrigation Pipeline	Horizontal Boring	LnFt	49.7	PR	100
441	EQIP	Irrigation System, Microirrigation	Subsurface Drip Irrigation (SDI)	Ac	818.42	PR	100
441	EQIP	Irrigation System, Microirrigation	Surface PE with Emitters	Ac	1178.57	PR	100
441	EQIP	Irrigation System, Microirrigation	Micro-jet	Ac	1274.12	PR	100
441	EQIP	Irrigation System, Microirrigation	Shelterbelt Drip	SqFt	.05	PR	100
441	EQIP	Irrigation System, Microirrigation	Orchard System	Ac	1184.33	PR	100
441	EQIP	Irrigation System, Microirrigation	High Tunnel	SqFt	.18	PR	100
441	EQIP	Irrigation System, Microirrigation	Truck Garden	Ac	2321.72	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot, less than 600 feet	Ac	1113.63	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot, 600 to 800 feet	Ac	896.65	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot, 801 to 1,200 feet	Ac	618.68	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot, greater than 1,200 feet	Ac	476.02	PR	100
442	EQIP	Irrigation System, Sprinkler	Linear Move System	LnFt	46.13	PR	100
442	EQIP	Irrigation System, Sprinkler	Wheel Line System	LnFt	7.98	PR	100
442	EQIP	Irrigation System, Sprinkler	Pod System	Ea	130.13	PR	100
442	EQIP	Irrigation System, Sprinkler	Renovation of Existing Sprinkler System	LnFt	2.91	PR	100
442	EQIP	Irrigation System, Sprinkler	Handline	Ft	1.95	PR	100

Practice Payment Schedule, Fiscal Year 2014

EQIP

Effective Date: January 31, 2014

Practice Code	Cost Share Program	Practice Name	Component	Unit Type	Unit Cost	Cost Type	Share Rate
442	EQIP	Irrigation System, Sprinkler	Traveling Gun System, greater than 3-inch Hose	Ea	32398.11	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Surge Valve with Controller	Ea	1076.54	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Polyvinyl Chloride (PVC) Gated Pipe	Lb	.71	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Polyvinyl Chloride (PVC) Gated Pipe and Surge Valve with Controller	Lb	1.03	PR	100
449	EQIP	Irrigation Water Management	Basic IWM	Ea	336.69	PR	100
449	EQIP	Irrigation Water Management	Basic IWM, Contracted	Ea	537.64	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM, Year 1	Ea	1588.81	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM, Years 2 and 3	Ea	1066.19	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM, Year 1, Contracted	Ea	1520.06	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM, Years 2 and 3, Contracted	Ea	997.42	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Year 1	Ea	2226.47	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Years 2 and 3	Ea	729.49	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Year 1, Contracted	Ea	2628.37	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM, Years 2 and 3, Contracted	Ea	1131.39	PR	100
449	EQIP	Irrigation Water Management	Basic Orchard	Ea	1312.36	PR	100
449	EQIP	Irrigation Water Management	Orchard, with Weather Station	Ea	2931.9	PR	100
770	EQIP	Livestock Confinement	Livestock Confinement	Ft	10.89	PR	100
516	EQIP	Livestock Pipeline	Polyvinyl Chloride (PVC), Iron Pipe Size (IPS)	LnFt	1.73	PR	100
516	EQIP	Livestock Pipeline	High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	LnFt	2.49	PR	100
516	EQIP	Livestock Pipeline	Surface High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	LnFt	1.63	PR	100
516	EQIP	Livestock Pipeline	Steel, Iron Pipe Size (IPS)	LnFt	4.75	PR	100
516	EQIP	Livestock Pipeline	Surface Steel, Iron Pipe Size (IPS)	LnFt	3.91	PR	100
516	EQIP	Livestock Pipeline	Below Frost Line, High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	LnFt	3.2	PR	100
516	EQIP	Livestock Pipeline	Below Frost Line, Polyvinyl Chloride (PVC), Iron Pipe Size (IPS)	LnFt	2.32	PR	100
516	EQIP	Livestock Pipeline	Adverse Conditions	LnFt	5.3	PR	100
516	EQIP	Livestock Pipeline	Horizontal Boring	LnFt	4.15	PR	100
484	EQIP	Mulching	Natural Material, Full Coverage	Ac	85.29	PR	100
484	EQIP	Mulching	Erosion Control Blanket	SqFt	.03	PR	100
484	EQIP	Mulching	Tree and Shrub	SqFt	.19	PR	100
484	EQIP	Mulching	Orchards	Ac	1416.62	PR	100
590	EQIP	Nutrient Management	Basic System, maximum payment: \$2,835	Ac	5.67	PR	100
590	EQIP	Nutrient Management	Small Farm/Diversified	Ea	284.7	PR	100
590	EQIP	Nutrient Management	Advanced Precision System, maximum payment: \$15,680	Ac	31.36	PR	100
590	EQIP	Nutrient Management	Adaptive System	Ea	1299.87	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Fence	LnFt	.2	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Steel and/or Concrete Structures	SqFt	10.84	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Wood Structures	SqFt	11.29	PR	100
500	EQIP	Obstruction Removal	Feedlot Fence Removal	LnFt	5.27	PR	100
582	EQIP	Open Channel	Excavation, Normal Conditions	CuYd	1.31	PR	100
582	EQIP	Open Channel	Excavation, Difficult Conditions	CuYd	1.77	PR	100
582	EQIP	Open Channel	Excavation and Fill, Normal Conditions	CuYd	3.53	PR	100
582	EQIP	Open Channel	Excavation and Fill, Difficult Conditions	CuYd	3.99	PR	100
582	EQIP	Open Channel	Less than 50 cfs Bankfull Channel Flow	LnFt	3.97	PR	100
378	EQIP	Pond	Excavated Pit	CuYd	2.99	PR	100
378	EQIP	Pond	Embankment Pond with Corrugated Metal Pipe (CMP) OR High Density Polyethylene (HDPE) Pipe	CuYd	2.91	PR	100
521C	EQIP	Pond Sealing or Lining, Bentonite Sealant	Bentonite Treatment, Covered	SqFt	.26	PR	100
521D	EQIP	Pond Sealing or Lining, Compacted Clay Treatment	Ag Waste Liner	CuYd	9.02	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Uncovered without liner drainage or venting	SqYd	7.04	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Covered without liner drainage or venting	SqYd	10.47	PR	100
462	EQIP	Precision Land Forming	Shaping Existing Lot Acre	Ac	3163.25	PR	100
338	EQIP	Prescribed Burning	Understory Burn	Ac	96.53	PR	100
338	EQIP	Prescribed Burning	Site Preparation	Ac	24.88	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Herbaceous and/or Low-Volatile Woody Fuel, less than or equal to 640 acres	Ac	9.44	PR	100
338	EQIP	Prescribed Burning	Level Terrain, High-Volatile Woody Fuel, less than 4-foot tall, less than or equal to 640 acres	Ac	13.18	PR	100
528	EQIP	Prescribed Grazing	Range, Standard, 80 to 1,500 Acres	Ac	1.3	PR	100
528	EQIP	Prescribed Grazing	Range, Standard, 1,501 to 10,000 Acres	Ac	.57	PR	100
528	EQIP	Prescribed Grazing	Range, Standard, greater than 10,000 Acres	Ac	.28	PR	100
528	EQIP	Prescribed Grazing	Habitat Management, Standard	Ac	2.11	PR	100
528	EQIP	Prescribed Grazing	Habitat Management, Rest Rotation	Ac	5.13	PR	100
528	EQIP	Prescribed Grazing	Pasture, Intensive	Ac	9.87	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump ≤ 3 Hp	BHP	1130.01	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump ≤ 3 HP with Pressure Tank	BHP	1454.1	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump >3 to 10 HP	BHP	306.62	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump >10 to 40 HP	BHP	202.28	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump >40 HP	BHP	130.34	PR	100

Practice Payment Schedule, Fiscal Year 2014

EQIP

Effective Date: January 31, 2014

Practice Code	Cost Share Program	Practice Name	Component	Unit Type	Unit Cost	Cost Type	Share Rate
533	EQIP	Pumping Plant	Variable Frequency Drive	BHP	111.76	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump ≤ 7½ HP	BHP	334.59	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump > 7½ to 75 HP	BHP	308.64	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump > 75 HP	BHP	185.46	PR	100
533	EQIP	Pumping Plant	Tractor Power Take Off (PTO) Pump	BHP	86.47	PR	100
533	EQIP	Pumping Plant	Lagoon PTO	Ea	6785.92	PR	100
533	EQIP	Pumping Plant	Windmill-Powered Pump	Ft	735.7	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump ≤ 250 ft total head	Ea	3572.82	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump 251-400 ft total head	Ea	5186.27	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump >400 ft total head	Ea	6799.72	PR	100
533	EQIP	Pumping Plant	Water Ram Pump	In	739.65	PR	100
533	EQIP	Pumping Plant	Turbine Pump Bowl Replacement	BHP	129.28	PR	100
550	EQIP	Range Planting	Native, Standard Preparation	Ac	50.26	PR	100
550	EQIP	Range Planting	Native, Wildlife or Pollinator	Ac	58.85	PR	100
345	EQIP	Res. & Tillage Mgt, Mulch-till	Mulch Till, Irrigated, maximum payment: \$10,262	Ac	51.31	PR	100
329	EQIP	Residue and Tillage Management - No-Till/ Strip Till/ Direct Seed	No-Till/Strip-Till, maximum payment: \$4,736	Ac	7.4	PR	100
643	EQIP	Restoration and Management of Rare and Declining Habitats	Monitoring, Management, High Intensity and Complexity	Ac	17.85	PR	100
391	EQIP	Riparian Forest Buffer	Per Plant, Tree and/or Shrub, Hand Planted with Protection Tubes	Ea	9.41	PR	100
391	EQIP	Riparian Forest Buffer	Per Plant, Tree and/or Shrub, Machine Planted with Protection Tubes	Ea	7.4	PR	100
390	EQIP	Riparian Herbaceous Cover	Aquatic Wildlife	Ac	3048.2	PR	100
390	EQIP	Riparian Herbaceous Cover	Cool Season Grasses with Forbs	Ac	695.35	PR	100
558	EQIP	Roof Runoff Structure	4- to 6-Inch Aluminum Roof Gutter	LnFt	8.47	PR	100
558	EQIP	Roof Runoff Structure	7- to 9-Inch Aluminum Roof Gutter	LnFt	28.27	PR	100
558	EQIP	Roof Runoff Structure	Concrete Curb	LnFt	10.15	PR	100
558	EQIP	Roof Runoff Structure	Trench Drain	LnFt	7.25	PR	100
367	EQIP	Roofs and Covers	Flexible Roof	SqFt	10.36	PR	100
367	EQIP	Roofs and Covers	Timber or Steel Sheet Roof	SqFt	8.85	PR	100
367	EQIP	Roofs and Covers	Flexible Membrane Cover	SqFt	1.51	PR	100
367	EQIP	Roofs and Covers	Wood Framed Roof and Building (for manure handling equipment in locations with sub-zero winter conditions)	SqFt	45.94	PR	100
610	EQIP	Salinity and Sodic Soil Management	Dryland Monitor Wells, Year 1	Ac	57.58	PR	100
610	EQIP	Salinity and Sodic Soil Management	Dryland Electromagnetic Induction (EMI), Year 1	Ac	23.73	PR	100
610	EQIP	Salinity and Sodic Soil Management	Prevent Dry Intense Cropping	Ac	50.72	PR	100
574	EQIP	Spring Development	Spring Development	Ea	2635.44	PR	100
570	EQIP	Stormwater Runoff Control	Silt Fence	LnFt	1.1	PR	100
570	EQIP	Stormwater Runoff Control	Straw Bale Dam	LnFt	5.52	PR	100
570	EQIP	Stormwater Runoff Control	Straw Wattles	LnFt	3.1	PR	100
578	EQIP	Stream Crossing	Hard-armored Low-water Crossing	SqFt	3.1	PR	100
578	EQIP	Stream Crossing	Culvert Installation	DialnFt	2.7	PR	100
578	EQIP	Stream Crossing	Low-water Stream using Prefabricated Products	SqFt	5.28	PR	100
578	EQIP	Stream Crossing	Pivot Crossing	LnFt	35.52	PR	100
580	EQIP	Streambank and Shoreline Protection	Bioengineered w/Vegetation	LnFt	15.44	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Toewood w/Vegetation	LnFt	48.49	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Riprap w/Vegetation	CuYd	46.81	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Riprap Stream Barb with Vegetation	CuYd	49.15	PR	100
580	EQIP	Streambank and Shoreline Protection	Bioengineered w/Vegetation ≤ 50 cfs bankfull flow	LnFt	8.87	PR	100
587	EQIP	Structure for Water Control	Inline Flashboard Riser, Metal	DialnFt	1.88	PR	100
587	EQIP	Structure for Water Control	Culvert <30 inches HDPE	DialnFt	1.02	PR	100
587	EQIP	Structure for Water Control	Culvert <30 inches CMP	DialnFt	1.17	PR	100
587	EQIP	Structure for Water Control	Slide Gate	Ft	972.31	PR	100
587	EQIP	Structure for Water Control	CMP Turnout	Ea	355.64	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Mechanical Index	In	65.32	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Electronic Index	In	88.55	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Extra Small	Ea	1872.5	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Small	Ea	3752.7	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Medium	Ea	5756.52	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Large	Ea	11247.66	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Very Large	CuYd	805.92	PR	100
587	EQIP	Structure for Water Control	Concrete pr Steel Pipe, greater than or equal to 30 inch diameter	DialnFt	1.73	PR	100
587	EQIP	Structure for Water Control	Stationary Screen	CFS	1547.33	PR	100
587	EQIP	Structure for Water Control	Active Screen	Ea	2913.53	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	5.7	PR	100
606	EQIP	Subsurface Drain	Enveloped Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	7.14	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, greater than or equal to 8-inch	Lb	2.5	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Twin-Wall, greater than or equal to 8-inch	Lb	3.21	PR	100
606	EQIP	Subsurface Drain	Pond Perimeter Drain	Ft	21.15	PR	100

Practice Payment Schedule, Fiscal Year 2014

EQIP

Effective Date: January 31, 2014

Practice Code	Cost Share Program	Practice Name	Component	Unit Type	Unit Cost	Cost Type	Share Rate
612	EQIP	Tree & Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted	Ea	.53	PR	100
612	EQIP	Tree & Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted with Protection Tubes	Ea	2.26	PR	100
612	EQIP	Tree & Shrub Establishment	Riparian Area, Per Plant, Tree/Shrub, Hand Planted	Ea	5.87	PR	100
612	EQIP	Tree & Shrub Establishment	Riparian Area, Per Plant, Tree/Shrub, Machine Planted	Ea	4.52	PR	100
490	EQIP	Tree & Shrub Site Preparation	Mechanical, Light	Ac	85.43	PR	100
490	EQIP	Tree & Shrub Site Preparation	Chemical, Hand Application	Ac	73.15	PR	100
660	EQIP	Tree Pruning	High Height	Ac	241.41	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 4-inch with Riser	LnFt	3.13	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 6-inch	LnFt	3.81	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 6-inch, with Riser	LnFt	3.09	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch	LnFt	4.96	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch, with Riser	LnFt	5.7	PR	100
620	EQIP	Underground Outlet	Approved Plastic Pipe, greater than 12-inch to less than or equal to 18-inch	LnFt	11.88	PR	100
645	EQIP	Upland Wildlife Habitat Management	Wildlife Structures of Low Intensity with Low Complexity	Ac	22.44	PR	100
645	EQIP	Upland Wildlife Habitat Management	Fence Markers	LnFt	.08	PR	100
645	EQIP	Upland Wildlife Habitat Management	Escape Ramps	Ea	51.37	PR	100
645	EQIP	Upland Wildlife Habitat Management	Snag Creation, TreeTopping Or Tree Girdling	Ac	126.32	PR	100
635	EQIP	Vegetated Treatment Area	Existing VTA with wastewater delivered via a weir system	Ac	1276.51	PR	100
635	EQIP	Vegetated Treatment Area	Existing Area, Pod Sprinkler System Distribution	Ac	1963.45	PR	100
635	EQIP	Vegetated Treatment Area	Existing VTA with wastewater delivered via gated pipe	Ac	1399.97	PR	100
635	EQIP	Vegetated Treatment Area	Constructed VTA with runoff delivered via gravel filled spreader trench	Ac	2612.32	PR	100
635	EQIP	Vegetated Treatment Area	Constructed VTA with runoff delivered via gated pipe	Ac	2737.48	PR	100
360	EQIP	Waste Facility Closure	Feedlot Closure, Soil Remediation	CuFt	.19	PR	100
360	EQIP	Waste Facility Closure	Demolition of Concrete Waste Storage Structure	CuFt	2.03	PR	100
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Closure with 75% Liquids and 25% Solids	CuFt	.17	PR	100
360	EQIP	Waste Facility Closure	Liquid Waste Impoundment Conversion to Fresh Water Storage with 75% Liquids and 25% Solids	CuFt	.13	PR	100
632	EQIP	Waste Separation Facility	Mechanical Separation, screw press	Ea	22406.72	PR	100
632	EQIP	Waste Separation Facility	Mechanical Separation, screw press	Ea	31469.79	PR	100
632	EQIP	Waste Separation Facility	Earthen Settling Structure <=0.5 ac-ft design storage	CuFt	.47	PR	100
632	EQIP	Waste Separation Facility	Earthen Settling Structure >0.5 ac-ft design storage	CuFt	.21	PR	100
632	EQIP	Waste Separation Facility	Concrete Basin	CuFt	3.97	PR	100
313	EQIP	Waste Storage Facility	Earthen Storage Facility, less than 50,000 cubic foot storage	CuFt	.3	PR	100
313	EQIP	Waste Storage Facility	Earthen Storage Facility, greater than or equal to 50,000 cubic foot storage	CuFt	.2	PR	100
313	EQIP	Waste Storage Facility	Earthen Storage Facility, High Water Table	CuFt	.92	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, less than 25,000 cubic foot storage	CuFt	2.27	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, 25,000 to 100,000 cubic foot storage	CuFt	1.5	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, greater than 100,000 cubic foot storage	CuFt	1.07	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Concrete Floor, NO Walls	SqFt	3.39	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, Concrete Floor, Concrete Walls	SqFt	7.59	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, less than 5,000 cubic foot storage	CuFt	6.34	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 5,000 to 14,999 cubic foot storage	CuFt	4.89	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 15,000 to 24,999 cubic foot storage	CuFt	4.16	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 25,000 to 49,999 cubic foot storage	CuFt	3.37	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 50,000 to 74,999 cubic foot storage	CuFt	2.76	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, 75,000 to 109,999 cubic foot storage	CuFt	2.52	PR	100
313	EQIP	Waste Storage Facility	Concrete Tank with Lid, Buried, equal to or greater than 110,000 cubic foot storage	CuFt	2.23	PR	100
634	EQIP	Waste Transfer	Wastewater catch basin < 1000 gal.	Gal	5.35	PR	100
634	EQIP	Waste Transfer	Wastewater reception pit or basin 1000 to 5000 gal.	Gal	2.23	PR	100
634	EQIP	Waste Transfer	Concrete Channel with push-off wall at pond and safety gate	SqFt	8.26	PR	100
634	EQIP	Waste Transfer	Concrete Channel	SqFt	4.93	PR	100
634	EQIP	Waste Transfer	Hopper inlet with 24 inch-diameter gravity pipeline to waste storage facility	Ft	84.26	PR	100
634	EQIP	Waste Transfer	Agitator-small used for mixing a basin or pit < 10 ft. deep.	Ea	5697.73	PR	100
634	EQIP	Waste Transfer	Agitator-medium used for mixing a basin 10 to 15 ft. deep.	Ea	8794.83	PR	100
634	EQIP	Waste Transfer	Agitator-large used for mixing a tank over 15 ft. deep.	Ea	12854.58	PR	100
634	EQIP	Waste Transfer	Pressure Pipe at Headquarters	Ft	13.55	PR	100
634	EQIP	Waste Transfer	Pressure flow through pipeline from waste storage pond to waste application site.	Ft	6.08	PR	100
634	EQIP	Waste Transfer	Conveyor System	Ft	47.86	PR	100
634	EQIP	Waste Transfer	Hard hose reel system	Ea	13706.4	PR	100
634	EQIP	Waste Transfer	Hard hose reel system with booster incorporated into traveler	Ea	21540.12	PR	100
638	EQIP	Water & Sediment Control Basin	WASCOB, Basic	CuYd	1.22	PR	100
638	EQIP	Water & Sediment Control Basin	WASCOB, Topsoil	CuYd	5.31	PR	100
642	EQIP	Water Well	Shallow Well, 100-foot depth or less	LnFt	38.99	PR	100
642	EQIP	Water Well	Typical Well, 100- to 600-foot depth with 4-inch Casing	LnFt	30.68	PR	100
642	EQIP	Water Well	Typical Well, 100- to 600-foot depth with 6-inch Casing	LnFt	30.71	PR	100
642	EQIP	Water Well	Deep Well, 600-foot depth or greater with 4-inch Casing	LnFt	25.62	PR	100

Practice Payment Schedule, Fiscal Year 2014

EQIP

Effective Date: January 31, 2014

Practice Code	Cost Share Program	Practice Name	Component	Unit Type	Unit Cost	Cost Type	Share Rate
642	EQIP	Water Well	Deep Well, 600-foot depth or greater with 6-inch Casing	LnFt	38.54	PR	100
351	EQIP	Water Well Decommissioning	Shallow Well, 25-foot depth or less	LnFt	37.68	PR	100
351	EQIP	Water Well Decommissioning	Drilled Well, 300-foot depth or less	LnFt	2.83	PR	100
351	EQIP	Water Well Decommissioning	Drilled Well, greater than 300-foot depth	LnFt	2.69	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, less than 500 Gallons	Gal	2.63	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, 500 to 1,000 Gallons	Gal	2.09	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, 1,000 to 5,000 Gallons	Gal	1.86	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, greater than 5,000 Gallons	Gal	.71	PR	100
614	EQIP	Watering Facility	Winter, with Storage	Gal	3.26	PR	100
614	EQIP	Watering Facility	Storage Tank	Gal	.9	PR	100
614	EQIP	Watering Facility	Automatic or Winter, No Storage, less than 450 Gallons	Ea	932.33	PR	100
355	EQIP	Well Water Testing	Basic Water Quality Test	Ea	33.39	PR	100
659	EQIP	Wetland Enhancement	Mineral Flat	Ac	166.58	PR	100
659	EQIP	Wetland Enhancement	Riverine Levee Removal and Floodplain Features	Ac	473.63	PR	100
659	EQIP	Wetland Enhancement	Depression Sediment Removal and Ditch Plug	Ac	1077.28	PR	100
659	EQIP	Wetland Enhancement	Riverine Channel and Floodplain Restoration	Ac	525.3	PR	100
657	EQIP	Wetland Restoration	Riverine Levee Removal and Floodplain Features	Ac	430.22	PR	100
657	EQIP	Wetland Restoration	Depression Sediment Removal and Ditch Plug	Ac	1077.28	PR	100
657	EQIP	Wetland Restoration	Riverine Channel and Floodplain Restoration	Ac	525.3	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	Per Plant, Three Rows or More, Trees, Machine Planted	Ea	4.01	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Sod Release	LnFt	.06	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Thinning	LnFt	.52	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Pruning	LnFt	.45	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Tree/Shrub Removal with Chainsaw	LnFt	.45	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Removal with Skidsteer, less than or equal to 8-inch Tree Diameter at Breast Height (DBH)	LnFt	.97	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Removal with Dozer, greater than 8-inch Tree Diameter at Breast Height (DBH)	LnFt	1.47	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Supplemental Plantings, Bare-root (partial windbreak)	Ea	3.48	PR	100
384	EQIP	Woody Residue Treatment	Chipping	Ac	314	PR	100
384	EQIP	Woody Residue Treatment	Pile and Burn	Ac	294.44	PR	100