

Becker County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
26	Aazdahl clay loam	100
753D	Abbeylake loamy sand, 12 to 20 percent slopes	27
753E	Abbeylake loamy sand, 20 to 30 percent slopes	7
1250C	Abbeylake-Verndale complex, 6 to 12 percent slopes	43
711B	Arvilla-Sandberg complex, 2 to 6 percent slopes	39
711C	Arvilla-Sandberg complex, 6 to 12 percent slopes	32
747B	Audubon silty clay loam, 0 to 6 percent slopes	91
780B	Audubon-Boyerlake complex, 1 to 6 percent slopes	91
780D2	Audubon-Boyerlake complex, 12 to 20 percent slopes, eroded	59
780C2	Audubon-Boyerlake complex, 6 to 12 percent slopes, eroded	75
767	Auganaush loam	81
503B	Balmlake fine sandy loam, 1 to 8 percent slopes	80
503E	Balmlake fine sandy loam, 15 to 30 percent slopes	8
503C	Balmlake fine sandy loam, 8 to 15 percent slopes	62
33B	Barnes loam, 2 to 6 percent slopes	89
903B	Barnes-Langhei complex, 2 to 6 percent slopes	80
903C2	Barnes-Langhei complex, 6 to 12 percent slopes, eroded	76
125	Beltrami loam	93
1137B	Birchlake silty clay loam, 1 to 6 percent slopes	84
1137D	Birchlake silty clay loam, 12 to 20 percent slopes, eroded	60
1137E	Birchlake silty clay loam, 20 to 30 percent slopes	14
1137C	Birchlake silty clay loam, 6 to 12 percent slopes, eroded	81
1320B	Blowers soils, 1 to 5 percent slopes	87
315A	Bootlake sandy loam, 0 to 2 percent slopes	46
315B	Bootlake sandy loam, 2 to 5 percent slopes	45
1252B	Bootlake-Eagleview complex, 1 to 8 percent slopes	45
1127A	Bootlake-Graycalm complex, 0 to 2 percent slopes	45
1127B	Bootlake-Graycalm complex, 2 to 8 percent slopes	43
422B	Bygland silty clay loam, 1 to 6 percent slopes	86
422C	Bygland silty clay loam, 6 to 15 percent slopes	71
544	Cathro muck	15
1128	Cathro muck, frequently flooded	5
20E	Chapett fine sandy loam, 15 to 30 percent slopes	16
20B	Chapett fine sandy loam, 2 to 8 percent slopes	87
20C2	Chapett fine sandy loam, 8 to 15 percent slopes, eroded	78
47	Colvin silty clay loam	89
351	Colvin silty clay loam, depressional	86
721E	Corliss loamy sand, 20 to 35 percent slopes	5
1247D	Corliss-Dorset complex, 12 to 20 percent slopes	22
133A	Dalbo silt loam, 0 to 2 percent slopes	88
133E	Dalbo silt loam, 15 to 30 percent slopes	20
133B	Dalbo silt loam, 2 to 8 percent slopes	84
133C	Dalbo silt loam, 8 to 15 percent slopes	78
1318	Darnen loam	99
406A	Dorset sandy loam, 0 to 2 percent slopes	46

406B	Dorset sandy loam, 2 to 6 percent slopes	46
778B	Dorset-Corliss complex, 1 to 6 percent slopes	40
778C	Dorset-Corliss complex, 6 to 12 percent slopes	34
137	Dovray silty clay	82
1236B	Eagleview loamy sand, 1 to 8 percent slopes	43
1236E	Eagleview loamy sand, 15 to 30 percent slopes	8
1236C	Eagleview loamy sand, 8 to 15 percent slopes	40
1132B	Eagleview-Balmlake complex, 1 to 8 percent slopes	60
1132E	Eagleview-Balmlake complex, 15 to 30 percent slopes	8
1132C	Eagleview-Balmlake complex, 8 to 15 percent slopes	50
1263C	Eagleview-Bootlake complex, 8 to 15 percent slopes	41
1140B	Eagleview-Snellman complex, 1 to 8 percent slopes	62
1140C	Eagleview-Snellman complex, 8 to 15 percent slopes	57
141B	Egeland fine sandy loam, 1 to 6 percent slopes	68
141C	Egeland fine sandy loam, 6 to 12 percent slopes	62
1200	Egglake loam	81
1211	Egglake-Cathro complex	58
191	Epoufette sandy loam	30
36	Flom silty clay loam	92
375	Forada loam	65
1942	Forada mucky loam, depressional	15
339	Fordville loam	64
168D2	Forman clay loam, 12 to 20 percent slopes, eroded	67
168B	Forman clay loam, 2 to 6 percent slopes	94
168E	Forman clay loam, 20 to 30 percent slopes	14
168C2	Forman clay loam, 6 to 12 percent slopes, eroded	83
171B	Formdale clay loam, 2 to 5 percent slopes	99
1234B	Formdale-Buse complex, 2 to 6 percent slopes	92
1235B	Formdale-Buse-Sandberg complex, 2 to 6 percent slopes	69
931C2	Formdale-Langhei complex, 6 to 12 percent slopes, eroded	80
579C2	Formdale-Langhei-Sandberg complex, 6 to 12 percent slopes, eroded	68
1135	Foxlake silty clay loam	86
564	Friendship loamy sand	37
180	Gonvick loam	98
1249C	Graycalm-Bootlake complex, 8 to 15 percent slopes	39
867B	Graycalm-Menahga complex, 1 to 8 percent slopes	40
867E	Graycalm-Menahga complex, 15 to 30 percent slopes	10
867C	Graycalm-Menahga complex, 8 to 15 percent slopes	37
1149	Hamerly clay loam	89
184	Hamerly loam	89
1967	Hamerly-Vallers complex	89
785	Hamerly-Winger complex	91
1878	Hamre muck	15
111	Hangaard sandy loam	29
1230	Haslie and Nidaros soils, ponded	5
746	Haslie muck	15
1113	Haslie, Seelyeville, and Cathro soils, ponded	5

1365	Hillview fine sandy loam	82
1306	Karlstad sandy loam	40
1938	Lakepark clay loam	94
1251	Lamoure silt loam, channeled, frequently flooded	5
418	Lamoure silty clay loam, occasionally flooded	78
942D2	Langhei-Barnes complex, 12 to 20 percent slopes, eroded	62
943D2	Langhei-Formdale complex, 12 to 20 percent slopes, eroded	60
943E	Langhei-Formdale complex, 20 to 30 percent slopes	14
1196B	Lida-Two Inlets complex, 1 to 8 percent slopes	45
1196E	Lida-Two Inlets complex, 15 to 30 percent slopes	14
1196C	Lida-Two Inlets complex, 8 to 15 percent slopes	38
1129	Lindaas silty clay loam, morainic	85
108	McIntosh silt loam	90
202	Meehan loamy sand	42
797	Mooselake and Lupton soils	5
718E	Naytahwaush loam, 15 to 30 percent slopes	19
718B	Naytahwaush loam, 2 to 8 percent slopes	79
718C	Naytahwaush loam, 8 to 15 percent slopes	63
40E	Nebish loam, 15 to 30 percent slopes	28
40B	Nebish loam, 2 to 8 percent slopes	83
40C	Nebish loam, 8 to 15 percent slopes	69
951E	Nebish-Sugarbush complex, 15 to 30 percent slopes	21
951B	Nebish-Sugarbush complex, 2 to 8 percent slopes	69
951C	Nebish-Sugarbush complex, 8 to 15 percent slopes	58
1136	Nidaros muck	15
1111	Nidaros muck, frequently flooded	5
207D	Nymore loamy sand, 12 to 20 percent slopes	26
1248C	Nymore-Verndale complex, 6 to 12 percent slopes	38
413	Osakis sandy loam	45
1975	Oylen sandy loam	50
1321	Paddock-Becida, stony, complex, 0 to 3 percent slopes	78
1210	Paddock-Epoufette complex	62
1030	Pits, gravel-Udipsamments complex	0
344	Quam silty clay loam	88
1227	Quam, Cathro, and Urness soils, ponded	5
541	Rifle mucky peat	15
63	Rockwell loam	87
1319D	Rockwood soils, 12 to 20 percent slopes	60
1319B	Rockwood soils, 2 to 6 percent slopes	85
1319C	Rockwood soils, 6 to 12 percent slopes	76
624	Rosy sandy loam	90
701	Runeberg mucky loam, depressional	15
1138	Rushlake and Hangaard soils, lake beaches	34
1242D	Sandberg-Arvilla complex, 12 to 20 percent slopes	25
1291	Sedgeville loam, frequently flooded	20
540	Seelyeville muck	15
1825B	Seelyeville muck, seepand, 1 to 10 percent slopes	5

765	Smiley loam	94
267E	Snellman sandy loam, 15 to 30 percent slopes	27
267B	Snellman sandy loam, 2 to 8 percent slopes	82
267C	Snellman sandy loam, 8 to 15 percent slopes	68
776E	Snellman-Sugarbush complex, 15 to 30 percent slopes	20
776B	Snellman-Sugarbush complex, 2 to 8 percent slopes	69
776C	Snellman-Sugarbush complex, 8 to 15 percent slopes	57
1243E	Sol sandy loam, 15 to 30 percent slopes, very stony	7
1243B	Sol sandy loam, 2 to 8 percent slopes, very stony	32
1243C	Sol sandy loam, 8 to 15 percent slopes, very stony	28
1244E	Sol-Sugarbush complex, 15 to 30 percent slopes, very stony	6
1244B	Sol-Sugarbush complex, 2 to 8 percent slopes, very stony	30
1244C	Sol-Sugarbush complex, 8 to 15 percent slopes, very stony	27
332B	Sugarbush sandy loam, 1 to 8 percent slopes	45
1201E	Sugarbush-Snellman complex, 15 to 35 percent slopes	12
1201C	Sugarbush-Snellman complex, 8 to 15 percent slopes	44
775B	Sugarbush-Two Inlets complex, 1 to 8 percent slopes	39
775C	Sugarbush-Two Inlets complex, 8 to 15 percent slopes	34
1125B	Sverdrup-Abbeylake complex, 1 to 6 percent slopes	45
1125C	Sverdrup-Abbeylake complex, 6 to 12 percent slopes	40
1195E	Sybil-Eagleview complex, 15 to 30 percent slopes	17
1195B	Sybil-Eagleview complex, 2 to 8 percent slopes	42
1195C	Sybil-Eagleview complex, 8 to 15 percent slopes	37
1238E	Two Inlets-Sugarbush complex, 15 to 30 percent slopes	7
1015	Udipsamments, cut and fill land	0
1016	Udorthents, loamy, cut and fill land	0
1027	Udorthents, wet substratum (fill land)	0
335	Urness mucky silt loam	69
1317	Vallers silty clay loam	90
1997	Vallers-Hamerly-Winger complex	73
567A	Verndale sandy loam, 0 to 2 percent slopes	49
567B	Verndale sandy loam, 2 to 6 percent slopes	49
1131B	Verndale-Abbeylake complex, 1 to 6 percent slopes	47
1126B	Verndale-Nymore complex, 1 to 6 percent slopes	43
W	Water	0
1356	Water, miscellaneous	0
38E	Waukon loam, 15 to 30 percent slopes	32
38B	Waukon loam, 2 to 8 percent slopes	89
38C	Waukon loam, 8 to 15 percent slopes	74
1104B	Waukon-Dorset complex, 1 to 8 percent slopes	66
1104C	Waukon-Dorset complex, 8 to 15 percent slopes	61
1246	Winger silty clay loam	90
398	Winger silty clay loam, depressional	86
786	Winger-Hamerly-Colvin complex	75
1130	Wolverton fine sandy loam	76
121	Wykeham fine sandy loam	87
1225	Wykeham-Karlstad complex	71

