

**Koochiching County Crop Productivity Index (CPI) by Map Unit Name**

Mapunit Symbol	Map Unit Name	CPI
B3B	Alango-Indus complex, 1 to 4 percent slopes	58
B5B	Alango-Taylor-Woodslake, depressional, complex, 0 to 6 percent slopes	55
F195B	Aquepts-Wahlsten-Rock outcrop complex, 1 to 8 percent slopes, very stony	12
F190B	Ashlake-Effie complex, 0 to 4 percent slopes	78
A16B	Ashlake-Suomi-Effie complex, mlra 57, 0 to 4 percent slopes	78
B24B	Ashlake-Suomi-Effie complex, mlra 88, 1 to 4 percent slopes	78
F192B	Baudette-Littleswan complex, 1 to 8 percent slopes	92
A25A	Beltrami-Talmoon complex, 0 to 3 percent slopes	87
A40A	Beseman and Merwin soils, nebish catena, 0 to 1 percent slopes	5
B255A	Beseman and Merwin soils, suomi catena, 0 to 1 percent slopes	5
F7B	Biwabik-Graycalm complex, 1 to 8 percent slopes	35
F8D	Biwabik-Graycalm-Friendship complex, pitted, 0 to 18 percent slopes	32
A33A	Blomford-Northwood complex, 0 to 2 percent slopes	40
B51A	Blomford-Northwood complex, mlra 88, 0 to 2 percent slopes	40
1020A	Bowstring and Fluvaquents, loamy, 0 to 2 percent slopes, frequently flooded	5
A38A	Cathro and Tacoosh soils, nebish catena, 0 to 1 percent slopes	5
B276A	Cathro and Tacoosh soils, spooner catena, 0 to 1 percent slopes	5
B256A	Cathro and Tacoosh soils, suomi catena, 0 to 1 percent slopes	5
F36D	Conic, bouldery-Insula, bouldery-Rock outcrop complex, 8 to 25 percent slopes	3
B249A	Cormant-Leafriver complex, 0 to 1 percent slopes	32
F197B	Cutaway-Biwabik complex, 1 to 8 percent slopes	52
A39B	Cutaway-Ricelake complex, mlra 57, 2 to 8 percent slopes	60
B44B	Cutaway-Ricelake complex, mlra 88, 2 to 6 percent slopes	60
F199B	Cutaway-Suomi complex, 1 to 8 percent slopes	65
F198D	Cutaway-Suomi-Conic complex, 6 to 25 percent slopes	38
B261A	Daisybay and Terric Haplosaprist soils, kab catena, 0 to 1 percent slopes	5
B76A	Deford-Leafriver complex, 0 to 2 percent slopes	25
B262A	Dora and Terric Haplohemist soils, kab catena, 0 to 1 percent slopes	5
B46A	Dora mucky peat, taylor catena, 0 to 1 percent slopes	5
F2B	Eaglesnest-Wahlsten complex, 2 to 8 percent slopes, bouldery	10
A18A	Effie, depressional-Hamre complex, mlra 57, 0 to 1 percent slopes	55
A15A	Effie-Ashlake complex, mlra 57, 0 to 3 percent slopes	77
B23A	Effie-Ashlake complex, mlra 88, 0 to 2 percent slopes	77
F193A	Effie-Hamre complex, 0 to 2 percent slopes	55
B243A	Effie-Hamre complex, mlra 88, 0 to 1 percent slopes	55
F3D	Eveleth-Eaglesnest-Conic complex, 6 to 18 percent slopes, bouldery	7
1057	Fluvaquents, frequently flooded-Hapludalfs complex, 0 to 35 percent slopes	28
B18A	Foglake-Hassman, depressional, complex, 0 to 2 percent slopes	50
F168A	Foglake-Hassman, depressional, complex, mlra 93A, 0 to 2 percent slopes	50
B78B	Graycalm-Grettum complex, 1 to 8 percent slopes	41
B259A	Greenwood soils, kab catena, 0 to 1 percent slopes	5
A36A	Greenwood soils, nebish catena, 0 to 1 percent slopes	5
B277A	Greenwood soils, suomi catena, 0 to 1 percent slopes	5
B82A	Greenwood soils, taylor catena, 0 to 1 percent slopes	5
B257A	Greenwood-Lobo complex, kab catena, 0 to 1 percent slopes	5

A32A	Greenwood-Lobo complex, nebish catena, 0 to 1 percent slopes	5
B278A	Greenwood-Lobo complex, suomi catena, 0 to 2 percent slopes	5
B242C	Haystore-Hapludalfs complex, 8 to 15 percent slopes	75
B42C	Haystore-Kooch complex 1 to 15 percent slopes	77
B42B	Haystore-Kooch complex, 1 to 8 percent slopes	81
B4A	Indus-Dora, depressional, complex, 0 to 2 percent slopes	35
B2A	Indus-Woodslake, depressional, complex, 0 to 1 percent slopes	41
B151A	Kab-Kooch complex, 0 to 4 percent slopes	68
B146A	Kab-Ratroot complex, 0 to 2 percent slopes	57
A20B	Kelliher-Beltrami complex, 1 to 6 percent slopes	83
B49B	Kooch-Hapludalfs complex, 1 to 8 percent slopes	71
B55A	Kooch-Kab-Ratroot complex, 0 to 4 percent slopes	70
B247A	Leafriver-Cormant-Markey complex, 0 to 1 percent slopes	15
B71A	Leafriver-Deford, depressional-Markey complex, 0 to 1 percent slopes	15
B263A	Lindford-Littlefork complex, 0 to 3 percent slopes, flooded	88
B264B	Littlefork-Lindford complex, 0 to 8 percent slopes, flooded	90
B57B	Littleswan-Baudette complex, 1 to 6 percent slopes	92
F191A	Littleswan-Spooner complex, 0 to 3 percent slopes	87
B19B	Longsiding-Foglake-Grasston complex, 0 to 6 percent slopes	73
F169B	Longsiding-Grasston complex, 1 to 6 percent slopes	72
B279A	Markey and Lougee soils, 0 to 1 percent slopes	5
B77A	Meehan-Deford complex, 0 to 3 percent slopes	39
B6B	Morcom-Thistledew complex, 0 to 6 percent slopes	43
A30C	Nebish-Kelliher complex, 3 to 15 percent slopes	79
NOTCOM	No Digital Data Available	
A31A	Northwood-Berner complex, mlra 57, 0 to 1 percent slopes	15
B43A	Northwood-Berner complex, mlra 88, 0 to 1 percent slopes	15
F200A	Northwood-Hassman-Cathro soils, 0 to 1 percent slopes	15
GP	Pits, gravel-Udipsamments complex	0
F21D	Quetico, stony-Rock outcrop complex, 15 to 35 percent slopes	2
F21C	Quetico, stony-Rock outcrop complex, 2 to 15 percent slopes	6
B50A	Ratroot-Dora complex, 0 to 1 percent slopes	20
B250A	Redby-Cormant complex, 0 to 3 percent slopes	45
A35A	Ricelake-Blomford complex, mlra 57, 0 to 3 percent slopes	68
B70A	Ricelake-Blomford complex, mlra 88, 0 to 3 percent slopes	68
F202B	Ricelake-Cutaway complex, 1 to 4 percent slopes	62
A37B	Ricelake-Cutaway complex, mlra 57, 1 to 4 percent slopes	62
B60B	Ricelake-Cutaway complex, mlra 88, 1 to 4 percent slopes	62
B260A	Rifle soils, kab catena, 0 to 1 percent slopes	5
A34A	Rifle soils, nebish catena, 0 to 1 percent slopes	5
B274A	Rifle soils, spooner catena, 0 to 1 percent slopes	5
B275A	Rifle soils, suomi catena, 0 to 1 percent slopes	5
B80A	Rifle soils, taylor catena, 0 to 1 percent slopes	5
F201B	Rollins-Biwabik-Friendship complex, 0 to 8 percent slopes	25
B248A	Soderville-Redby complex, 0 to 3 percent slopes	48
B54A	Spooner-Littleswan complex, 0 to 3 percent slopes	77
F196A	Spooner-Sax complex, 0 to 1 percent slopes	55

B56A	Spooner-Sax, depressional, complex, 0 to 2 percent slopes	55
B79B	Sugarbush-Graycalm complex, 2 to 8 percent slopes	41
B79D	Sugarbush-Graycalm complex, 8 to 18 percent slopes	37
F194D	Suomi loam, 8 to 18 percent slopes	62
F189B	Suomi-Ashlake complex, 1 to 8 percent slopes	81
A17C	Suomi-Ashlake complex, mlra 57, 1 to 15 percent slopes	77
A17D	Suomi-Ashlake complex, mlra 57, 1 to 35 percent slopes	58
A17B	Suomi-Ashlake complex, mlra 57, 1 to 8 percent slopes	81
B25B	Suomi-Ashlake complex, mlra 88, 1 to 8 percent slopes	81
B25C	Suomi-Ashlake complex, mlra 88, 6 to 15 percent slopes	77
B25D	Suomi-Ashlake complex, mlra 88, 6 to 35 percent slopes	40
A19A	Talmoon, depressional-Hamre complex, 0 to 1 percent slopes	8
A22A	Talmoon-Beltrami complex, 0 to 3 percent slopes	84
B1D	Taylor silty clay loam, 12 to 25 percent slopes	44
B1C	Taylor silty clay loam, 4 to 12 percent slopes	62
B12D	Taylor-Greaney, frequently flooded, complex, 0 to 25 percent slopes	24
1007	Udorthents, shallow (sanitary landfill)	0
B265B	Urban land-Kooch-Kab complex, 0 to 4 percent slopes	0
F167B	Wahlsten, bouldery-Insula, bouldery-Rock outcrop complex, 1 to 10 percent slopes	8
B258A	Waskish peat, kab catena, 0 to 2 percent slopes	5
B273A	Waskish peat, suomi catena, 0 to 2 percent slopes	5
W	Water	0
I-W	Water, intermittent	0
M-W	Water, miscellaneous	0
F41B	Wurtsmith-Friendship complex, mlra 93A, 1 to 4 percent slopes	38
B58B	Wurtsmith-Meehan complex, 0 to 4 percent slopes	38
B251B	Zimmerman-Soderville complex, 2 to 8 percent slopes	43
B280A	Zippel silt loam, 0 to 2 percent slopes	92