Becker County, Minnesota

musym	muname	RUSLE2 slope factors slope_%	slope_length_ft.
20B	Chapett fine sandy loam, 2 to 8 percent slopes	4	125
20C2	Chapett fine sandy loam, 8 to 15 percent slopes, eroded	12	125
20E	Chapett fine sandy loam, 15 to 30 percent slopes	22	102
26	Aazdahl clay loam	2	125
33B	Barnes loam, 2 to 6 percent slopes	4	125
36	Flom silty clay loam	1	125
38B	Waukon loam, 2 to 8 percent slopes	4	125
38C	Waukon loam, 8 to 15 percent slopes	12	125
38E	Waukon loam, 15 to 30 percent slopes	22	102
40B	Nebish loam, 2 to 8 percent slopes	4	125
40C	Nebish loam, 8 to 15 percent slopes	12	125
40E	Nebish loam, 15 to 30 percent slopes	22	102
47	Colvin silty clay loam	1	125
63	Rockwell loam	1	125
108	McIntosh silt loam	2	125
111	Hangaard sandy loam	1	125
121	Wykeham fine sandy loam	2	125
125	Beltrami loam	2	125
133A	Dalbo silt loam, 0 to 2 percent slopes	1	151
133B	Dalbo silt loam, 2 to 8 percent slopes	4	151
133C	Dalbo silt loam, 8 to 15 percent slopes	12	151
133E	Dalbo silt loam, 15 to 30 percent slopes	22	125
137	Dovray silty clay	1	125
141B	Egeland fine sandy loam, 1 to 6 percent slopes	4	125
141C	Egeland fine sandy loam, 6 to 12 percent slopes	9	125
168B	Forman clay loam, 2 to 6 percent slopes	4	125
168C2	Forman clay loam, 6 to 12 percent slopes, eroded	9	125
168D2	Forman clay loam, 12 to 20 percent slopes, eroded	16	102
168E	Forman clay loam, 20 to 30 percent slopes	25	102
171B	Formdale clay loam, 2 to 5 percent slopes	4	125
180	Gonvick loam	3	125
184	Hamerly loam	2	125

Becker County, Minnesota

musym	muname	RUSLE2 slope factors slope_%	slope_length_ft.
191	Epoufette sandy loam	1	125
202	Meehan loamy sand	2	125
207D	Nymore loamy sand, 12 to 20 percent slopes	16	102
267B	Snellman sandy loam, 2 to 8 percent slopes	4	125
267C	Snellman sandy loam, 8 to 15 percent slopes	11	125
267E	Snellman sandy loam, 15 to 30 percent slopes	22	102
315A	Bootlake sandy loam, 0 to 2 percent slopes	1	125
315B	Bootlake sandy loam, 2 to 5 percent slopes	4	125
332B	Sugarbush sandy loam, 1 to 8 percent slopes	4	125
335	Urness mucky silt loam	1	125
339	Fordville loam	2	125
344	Quam silty clay loam	1	125
351	Colvin silty clay loam, depressional	1	125
375	Forada loam	1	125
398	Winger silty clay loam, depressional	1	125
406A	Dorset sandy loam, 0 to 2 percent slopes	1	125
406B	Dorset sandy loam, 2 to 6 percent slopes	4	125
413	Osakis sandy loam	1	125
418	Lamoure silty clay loam, occasionally flooded	1	125
422B	Bygland silty clay loam, 1 to 6 percent slopes	4	125
422C	Bygland silty clay loam, 6 to 15 percent slopes	10	203
503B	Balmlake fine sandy loam, 1 to 8 percent slopes	4	125
503C	Balmlake fine sandy loam, 8 to 15 percent slopes	12	125
503E	Balmlake fine sandy loam, 15 to 30 percent slopes	22	102
508	Wyndmere fine sandy loam	1	125
540	Seelyeville muck	1	125
541	Rifle mucky peat	1	125
544	Cathro muck	1	125
564	Friendship loamy sand	2	125
567A	Verndale sandy loam, 0 to 2 percent slopes	1	125
567B	Verndale sandy loam, 2 to 6 percent slopes	4	125
579C2	Formdale-Langhei-Sandberg complex, 6 to 12 percent slopes, eroded	9	125

Becker County, Minnesota

musym	muname	RUSLE2 slope factors slope_%	slope_length_ft.
624	Rosy sandy loam	1	125
701	Runeberg mucky loam, depressional	1	125
711B	Arvilla-Sandberg complex, 2 to 6 percent slopes	4	125
711C	Arvilla-Sandberg complex, 6 to 12 percent slopes	9	125
718B	Naytahwaush loam, 2 to 8 percent slopes	4	151
718C	Naytahwaush loam, 8 to 15 percent slopes	12	151
718E	Naytahwaush loam, 15 to 30 percent slopes	22	125
721E	Corliss loamy sand, 20 to 35 percent slopes	28	102
746	Haslie muck	1	125
747B	Audubon silty clay loam, 0 to 6 percent slopes	3	125
753D	Abbeylake loamy sand, 12 to 20 percent slopes	16	102
753E	Abbeylake loamy sand, 20 to 30 percent slopes	25	102
765	Smiley loam	1	125
767	Auganaush loam	1	125
775B	Sugarbush-Two Inlets complex, 1 to 8 percent slopes	4	125
775C	Sugarbush-Two Inlets complex, 8 to 15 percent slopes	12	125
776B	Snellman-Sugarbush complex, 2 to 8 percent slopes	5	125
776C	Snellman-Sugarbush complex, 8 to 15 percent slopes	12	125
776E	Snellman-Sugarbush complex, 15 to 30 percent slopes	22	102
778B	Dorset-Corliss complex, 1 to 6 percent slopes	4	125
778C	Dorset-Corliss complex, 6 to 12 percent slopes	9	125
780B	Audubon-Boyerlake complex, 1 to 6 percent slopes	3	151
780C2	Audubon-Boyerlake complex, 6 to 12 percent slopes, eroded	9	151
780D2	Audubon-Boyerlake complex, 12 to 20 percent slopes, eroded	15	125
785	Hamerly-Winger complex	2	125
786	Winger-Hamerly-Colvin complex	1	125
797	Mooselake and Lupton soils	1	125
867B	Graycalm-Menahga complex, 1 to 8 percent slopes	4	125
867C	Graycalm-Menahga complex, 8 to 15 percent slopes	12	125
867E	Graycalm-Menahga complex, 15 to 30 percent slopes	22	125
903B	Barnes-Langhei complex, 2 to 6 percent slopes	4	125
903C2	Barnes-Langhei complex, 6 to 12 percent slopes, eroded	9	125

Becker County, Minnesota

musym	muname	RUSLE2 slope factors slope_%	slope_length_ft.
931C2	Formdale-Langhei complex, 6 to 12 percent slopes, eroded	9	125
942D2	Langhei-Barnes complex, 12 to 20 percent slopes, eroded	16	102
943D2	Langhei-Formdale complex, 12 to 20 percent slopes, eroded	15	102
943E	Langhei-Formdale complex, 20 to 30 percent slopes	25	125
951B	Nebish-Sugarbush complex, 2 to 8 percent slopes	4	125
951C	Nebish-Sugarbush complex, 8 to 15 percent slopes	12	125
951E	Nebish-Sugarbush complex, 15 to 30 percent slopes	22	102
1015	Udipsamments, cut and fill land	5	0
1016	Udorthents, loamy, cut and fill land	25	0
1027	Udorthents, wet substratum (fill land)	3	0
1030	Pits, gravel-Udipsamments complex	26	0
1104B	Waukon-Dorset complex, 1 to 8 percent slopes	4	125
1104C	Waukon-Dorset complex, 8 to 15 percent slopes	12	125
1111	Nidaros muck, frequently flooded	1	125
1113	Haslie, Seelyeville, and Cathro soils, ponded	1	125
1125B	Sverdrup-Abbeylake complex, 1 to 6 percent slopes	4	125
1125C	Sverdrup-Abbeylake complex, 6 to 12 percent slopes	9	125
1126B	Verndale-Nymore complex, 1 to 6 percent slopes	4	125
1127A	Bootlake-Graycalm complex, 0 to 2 percent slopes	1	125
1127B	Bootlake-Graycalm complex, 2 to 8 percent slopes	4	125
1128	Cathro muck, frequently flooded	1	125
1129	Lindaas silty clay loam, morainic	1	125
1130	Wolverton fine sandy loam	1	125
1131B	Verndale-Abbeylake complex, 1 to 6 percent slopes	4	125
1132B	Eagleview-Balmlake complex, 1 to 8 percent slopes	4	125
1132C	Eagleview-Balmlake complex, 8 to 15 percent slopes	12	125
1132E	Eagleview-Balmlake complex, 15 to 30 percent slopes	22	102
1135	Foxlake silty clay loam	1	125
1136	Nidaros muck	1	125
1137B	Birchlake silty clay loam, 1 to 6 percent slopes	3	125
1137C	Birchlake silty clay loam, 6 to 12 percent slopes, eroded	9	125
1137D	Birchlake silty clay loam, 12 to 20 percent slopes, eroded	15	102

Becker County, Minnesota

musym	muname	RUSLE2 slope factors slope_%	slope_length_ft.
1137E	Birchlake silty clay loam, 20 to 30 percent slopes	25	102
1138	Rushlake and Hangaard soils, lake beaches	1	102
1140B	Eagleview-Snellman complex, 1 to 8 percent slopes	4	125
1140C	Eagleview-Snellman complex, 8 to 15 percent slopes	12	125
1149	Hamerly clay loam	1	125
1195B	Sybil-Eagleview complex, 2 to 8 percent slopes	5	125
1195C	Sybil-Eagleview complex, 8 to 15 percent slopes	11	125
1195E	Sybil-Eagleview complex, 15 to 30 percent slopes	22	102
1196B	Lida-Two Inlets complex, 1 to 8 percent slopes	4	125
1196C	Lida-Two Inlets complex, 8 to 15 percent slopes	11	125
1196E	Lida-Two Inlets complex, 15 to 30 percent slopes	22	102
1200	Egglake loam	1	125
1201C	Sugarbush-Snellman complex, 8 to 15 percent slopes	11	125
1201E	Sugarbush-Snellman complex, 15 to 35 percent slopes	22	102
1210	Paddock-Epoufette complex	1	125
1211	Egglake-Cathro complex	1	125
1225	Wykeham-Karlstad complex	2	125
1227	Quam, Cathro, and Urness soils, ponded	1	125
1230	Haslie and Nidaros soils, ponded	1	125
1234B	Formdale-Buse complex, 2 to 6 percent slopes	5	125
1235B	Formdale-Buse-Sandberg complex, 2 to 6 percent slopes	4	125
1236B	Eagleview loamy sand, 1 to 8 percent slopes	5	125
1236C	Eagleview loamy sand, 8 to 15 percent slopes	12	125
1236E	Eagleview loamy sand, 15 to 30 percent slopes	22	102
1238E	Two Inlets-Sugarbush complex, 15 to 30 percent slopes	22	102
1242D	Sandberg-Arvilla complex, 12 to 20 percent slopes	18	102
1243B	Sol sandy loam, 2 to 8 percent slopes, very stony	4	125
1243C	Sol sandy loam, 8 to 15 percent slopes, very stony	11	125
1243E	Sol sandy loam, 15 to 30 percent slopes, very stony	22	102
1244B	Sol-Sugarbush complex, 2 to 8 percent slopes, very stony	4	125
1244C	Sol-Sugarbush complex, 8 to 15 percent slopes, very stony	12	125
1244E	Sol-Sugarbush complex, 15 to 30 percent slopes, very stony	22	102

Becker County, Minnesota

musym	muname	RUSLE2 slope factors slope_%	slope_length_ft.
1246	Winger silty clay loam	1	125
1247D	Corliss-Dorset complex, 12 to 20 percent slopes	15	102
1248C	Nymore-Verndale complex, 6 to 12 percent slopes	9	125
1249C	Graycalm-Bootlake complex, 8 to 15 percent slopes	12	125
1250C	Abbeylake-Verndale complex, 6 to 12 percent slopes	9	125
1251	Lamoure silt loam, channeled, frequently flooded	1	151
1252B	Bootlake-Eagleview complex, 1 to 8 percent slopes	4	125
1263C	Eagleview-Bootlake complex, 8 to 15 percent slopes	12	125
1291	Sedgeville loam, frequently flooded	1	125
1306	Karlstad sandy loam	2	125
1317	Vallers silty clay loam	1	125
1318	Darnen loam	2	125
1319B	Rockwood soils, 2 to 6 percent slopes	4	79
1319C	Rockwood soils, 6 to 12 percent slopes	9	79
1319D	Rockwood soils, 12 to 20 percent slopes	16	59
1320B	Blowers soils, 1 to 5 percent slopes	3	203
1321	Paddock-Becida, stony, complex, 0 to 3 percent slopes	1	125
1356	Water, miscellaneous		0
1365	Hillview fine sandy loam	1	125
1825B	Seelyeville muck, seepland, 1 to 10 percent slopes	5	102
1878	Hamre muck	1	125
1938	Lakepark clay loam	1	125
1942	Forada mucky loam, depressional	1	125
1967	Hamerly-Vallers complex	2	125
1975	Oylen sandy loam	1	125
1997	Vallers-Hamerly-Winger complex	1	125
W	Water		0