

Hubbard County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
82B	Redeye loamy sand, 1 to 6 percent slopes	3	121
82C	Redeye loamy sand, 6 to 12 percent slopes	8	102
133B	Dalbo silt loam, 2 to 8 percent slopes	4	102
133C	Dalbo silt loam, 8 to 15 percent slopes	10	82
139B	Huntersville loamy fine sand, 1 to 6 percent slopes	3	121
147	Spooner silt loam, 0 to 2 percent slopes	1	151
158B	Zimmerman loamy fine sand, 1 to 6 percent slopes	3	121
158C	Zimmerman loamy fine sand, 6 to 12 percent slopes	8	102
167A	Baudette silt loam, 1 to 3 percent slopes	2	121
170	Blomford loamy fine sand, 0 to 2 percent slopes	1	151
202	Meehan loamy sand, map 22-30, 0 to 3 percent slopes	1	151
207B	Nymore loamy sand, 2 to 6 percent slopes	3	121
207C	Nymore loamy sand, 6 to 12 percent slopes	8	102
207D	Nymore loamy sand, 12 to 20 percent slopes	14	82
260	Duelm loamy sand, 0 to 2 percent slopes	1	151
261	Isan loamy sand, depressional, 0 to 1 percent slopes	1	151
267B	Snellman sandy loam, 2 to 8 percent slopes	4	102
346	Talmoon loam, 0 to 2 percent slopes	1	151
406A	Dorset sandy loam, 0 to 2 percent slopes	1	151
488	Becida fine sandy loam, morainic, 0 to 2 percent slopes, stony	1	151
526C	Steamboat-Two Inlets-Seelyeville complex, pitted, 0 to 15 percent slopes	8	102
526E	Steamboat-Two Inlets-Seelyeville complex, pitted, 0 to 35 percent slopes	18	82
540	Seelyeville muck, depressional, map 22-30, 0 to 1 percent slopes	1	151
541	Rifle mucky peat, depressional, map 22-30, 0 to 1 percent slopes	1	151
545	Rondeau muck, depressional, 0 to 1 percent slopes	1	151
567A	Verndale sandy loam, 0 to 2 percent slopes	1	151
574G	Steamboat-Two Inlets complex, pitted, 35 to 65 percent slopes	50	59
628	Talmoon muck, depressional, 0 to 1 percent slopes	1	151
672	Willossippi loam, 0 to 2 percent slopes	1	151
675C	Two Inlets-Eagleview-Steamboat complex, pitted, 3 to 15 percent slopes	10	82
675E	Two Inlets-Eagleview-Steamboat complex, pitted, 15 to 35 percent slopes	25	82
675G	Two Inlets-Eagleview-Steamboat complex, pitted, 35 to 65 percent slopes	50	59

Hubbard County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
701	Runeberg mucky loam, depressional, 0 to 1 percent slopes	1	151
709B	Lengby fine sandy loam, 2 to 8 percent slopes	4	102
709C	Lengby fine sandy loam, 8 to 15 percent slopes	10	82
719B	Rondeau muck (seepland), 1 to 6 percent slopes	3	121
731A	Sanburn loamy sand, 0 to 3 percent slopes	1	151
744B	Debs-Akeley complex, 1 to 8 percent slopes	4	121
746	Haslie muck, depressional, 0 to 1 percent slopes	1	151
775B	Sugarbush-Two Inlets complex, 1 to 8 percent slopes	4	102
775C	Sugarbush-Two Inlets complex, 8 to 15 percent slopes	10	82
778B	Dorset-Corliss complex, 1 to 6 percent slopes	3	121
778C	Dorset-Corliss complex, 6 to 12 percent slopes	8	102
797	Mooselake and Lupton soils, 0 to 1 percent slopes	1	151
799	Seelyeville and Bowstring soils, 0 to 1 percent slopes, frequently flooded	1	151
820B	Potatolake very fine sandy loam, 1 to 8 percent slopes	5	82
820C	Potatolake very fine sandy loam, 8 to 15 percent slopes	10	82
831C	Akeley-Debs complex, 8 to 15 percent slopes	10	82
831E	Akeley-Debs complex, 15 to 35 percent slopes	25	82
844B	Sanburn-Graycalm complex, 3 to 8 percent slopes	5	102
867B	Graycalm-Menahga complex, 1 to 8 percent slopes	4	121
867C	Graycalm-Menahga complex, 8 to 15 percent slopes	10	82
867E	Graycalm-Menahga complex, 15 to 30 percent slopes	20	82
867F	Graycalm-Menahga complex, 30 to 45 percent slopes	35	59
1015	Udipsamments (cut and fill land)	1	151
1016	Udorthents, loamy (cut and fill land)	1	151
1021C	Graycalm-Sanburn complex, 8 to 15 percent slopes	10	82
1027	Udorthents, wet substratum (fill land)	1	151
1030	Pits, gravel-Udipsamments complex	1	151
1111	Nidaros muck, 0 to 1 percent slopes, frequently flooded	1	151
1113	Haslie, Seelyeville, and Cathro soils, ponded, 0 to 1 percent slopes	1	151
1126B	Verndale-Nymore complex, 1 to 6 percent slopes	3	121
1127A	Bootlake-Graycalm complex, 0 to 2 percent slopes	1	151
1127B	Bootlake-Graycalm complex, 2 to 8 percent slopes	4	102

Hubbard County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
1136	Nidaros muck, depressional, 0 to 1 percent slopes	1	151
1164	Zerkel loam, 1 to 3 percent slopes	2	121
1200	Egglake loam, 0 to 2 percent slopes	1	151
1230	Haslie and Nidaros soils, ponded, 0 to 1 percent slopes	1	151
1238E	Two Inlets-Sugarbush complex, 15 to 30 percent slopes	20	82
1238F	Two Inlets-Sugarbush complex, 30 to 45 percent slopes	35	59
1244B	Sol-Sugarbush complex, 2 to 8 percent slopes, very stony	4	102
1244C	Sol-Sugarbush complex, 8 to 15 percent slopes, very stony	10	82
1244E	Sol-Sugarbush complex, 15 to 30 percent slopes, very stony	20	82
1247D	Corliss-Dorset complex, 12 to 20 percent slopes	16	82
1248C	Nymore-Verndale complex, 6 to 12 percent slopes	8	102
1249C	Graycalm-Bootlake complex, 8 to 15 percent slopes	10	82
1271	Roscommon mucky loamy sand, depressional, map 22-30, 0 to 1 percent slopes	1	151
1272B	Sol fine sandy loam, 2 to 6 percent slopes	3	121
1294	Nary fine sandy loam, 1 to 3 percent slopes	2	121
1319B	Rockwood soils, 2 to 6 percent slopes	4	79
1319C	Rockwood soils, 6 to 12 percent slopes	9	79
1319D	Rockwood soils, 12 to 20 percent slopes	16	59
1320B	Blowers soils, 1 to 5 percent slopes	3	203
1321	Paddock-Becida, stony, complex, 0 to 3 percent slopes	1	125
1332B	Rockwood fine sandy loam, morainic, 3 to 8 percent slopes, stony	5	102
1332C	Rockwood fine sandy loam, morainic, 8 to 15 percent slopes, stony	10	82
1332E	Rockwood fine sandy loam, morainic, 15 to 30 percent slopes, stony	20	82
1334	Huntersville loamy sand, 1 to 3 percent slopes	2	121
1336	Blowers fine sandy loam, morainic, 1 to 3 percent slopes, stony	2	121
1356	Water, miscellaneous		0
1421B	Rockwood-Two Inlets, morainic, complex, 3 to 8 percent slopes, stony	5	102
1421C	Rockwood-Two Inlets, morainic, complex, 8 to 15 percent slopes, stony	10	82
1421E	Rockwood-Two Inlets, morainic, complex, 15 to 30 percent slopes, stony	20	82
1438B	Braham loamy fine sand, moderately wet, 2 to 6 percent slopes	3	121
1439	Cathro muck, depressional, map 22-30, 0 to 1 percent slopes	1	151
1440B	Redeye loamy sand, morainic, 3 to 8 percent slopes	5	102

Hubbard County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
1440C	Redeye loamy sand, morainic, 8 to 15 percent slopes	10	82
1444	Wurtsmith loamy sand, map 22-30, 0 to 3 percent slopes	1	151
1445	Markey muck, depressional, map 22-30, 0 to 1 percent slopes	1	151
1447	Beltrami very fine sandy loam, 1 to 3 percent slopes	2	121
1450B	Sanburn very stony loamy sand, 1 to 8 percent slopes, bouldery	4	121
1450C	Sanburn very stony loamy sand, 8 to 15 percent slopes, bouldery	10	82
1450E	Sanburn very stony loamy sand, 15 to 30 percent slopes, bouldery	20	82
1460B	Nebish very fine sandy loam, moderately wet, 2 to 6 percent slopes	3	121
1460C	Nebish very fine sandy loam, 6 to 12 percent slopes	8	102
1943	Roscommon loamy sand, map 22-30, 0 to 2 percent slopes	1	151
1956	Staples loamy sand, 0 to 2 percent slopes	1	151
1968	Ewart loam, 0 to 1 percent slopes, occasionally flooded	1	151
1969	Ewart-lsan complex, channeled, 0 to 1 percent slopes, frequently flooded	1	151
W	Water		0