

## Red Lake County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
B109A	Bowstring and Fluvaquents soils, mlra 88, 0 to 2 percent slopes, frequently flooded	1	151
B200A	Garnes fine sandy loam, 0 to 3 percent slopes	2	151
B201A	Chilgren fine sandy loam, 0 to 2 percent slopes	1	151
B202A	Cathro muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
B203A	Northwood muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
B204A	Roliss loam, mlra 88, 0 to 2 percent slopes	1	151
B205A	Berner muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
B206A	Hamre muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
I1A	Augsburg loam, 0 to 2 percent slopes	1	151
I2A	Augsburg very fine sandy loam, clayey till substratum, 0 to 2 percent slopes	1	151
I3A	Berner muck, 0 to 1 percent slopes	1	151
I4A	Berner, Rosewood, and Strathcona soils, seepy, 0 to 2 percent slopes	1	151
I5A	Borup loam, 0 to 2 percent slopes	1	151
I6A	Borup very fine sandy loam, 0 to 2 percent slopes	1	151
I7A	Bowstring-Fluvaquents complex, 0 to 2 percent slopes, frequently flooded	1	151
I8A	Cathro muck, 0 to 1 percent slopes	1	151
I9A	Clearwater clay, 0 to 2 percent slopes	1	151
I10A	Clearwater mucky clay loam, 0 to 1 percent slopes	1	151
I11A	Deerwood muck, 0 to 1 percent slopes	1	151
I12A	Eckvoll loamy fine sand, 0 to 3 percent slopes	2	151
I13A	Espelie fine sandy loam, till substratum, 0 to 2 percent slopes	1	151
I14B	Fairdale silt loam, 1 to 6 percent slopes, occasionally flooded	4	75
I14D	Fairdale silt loam, 6 to 15 percent slopes, occasionally flooded	11	75
I15A	Hecla loamy fine sand, 0 to 3 percent slopes	2	151
I16F	Fluvaquents,frequently flooded-Hapludolls complex, 0 to 30 percent slopes	1	151
I17A	Foldahl fine sandy loam, loamy till substratum, 0 to 3 percent slopes	2	151
I18A	Foldahl loamy fine sand, loamy till substratum, 0 to 3 percent slopes	2	151
I19A	Foxhome sandy loam, 0 to 3 percent slopes	2	151
I20A	Foxlake loam, 0 to 2 percent slopes	1	151
I21A	Fram loam, 1 to 3 percent slopes	2	151
I22A	Glyndon loam, 0 to 2 percent slopes	1	151
I23A	Glyndon very fine sandy loam, 0 to 2 percent slopes	1	151

## Red Lake County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
I24A	Grimstad fine sandy loam, 0 to 3 percent slopes	2	151
I25A	Hamar loamy fine sand, 0 to 2 percent slopes	1	151
I26A	Hamerly loam, 0 to 2 percent slopes	2	151
I27A	Hamre muck, 0 to 1 percent slopes	1	151
I28A	Hangaard sandy loam, 0 to 2 percent slopes	1	151
I29A	Hattie clay, 0 to 3 percent slopes	2	75
I29D	Hattie clay, 6 to 18 percent slopes	12	151
I30A	Hedman loam, 0 to 2 percent slopes	1	151
I31A	Hedman-Fram complex, 0 to 3 percent slopes	1	151
I32A	Hilaire fine sandy loam, clayey till substratum, 0 to 3 percent slopes	2	151
I33A	Hilaire loamy fine sand, 0 to 3 percent slopes	2	151
I34A	Huot fine sandy loam, clayey till substratum, 0 to 3 percent slopes	2	151
I35A	Karlsruhe sandy loam, 0 to 3 percent slopes	2	151
I37A	Kratka and Strathcona soils, 0 to 1 percent slopes	1	151
I38A	Kratka fine sandy loam, 0 to 2 percent slopes	1	151
I39A	Linveltdt fine sandy loam, 0 to 3 percent slopes	2	151
I40B	Maddock loamy fine sand, 1 to 6 percent slopes	4	75
I40F	Maddock loamy fine sand, 12 to 30 percent slopes	21	151
I41A	Markey muck, 0 to 1 percent slopes	1	151
I42A	Markey muck, ponded, 0 to 1 percent slopes	1	151
I43A	Mavie fine sandy loam, 0 to 2 percent slopes	1	151
I44A	Newfolden loam, 0 to 3 percent slopes	2	151
I45A	Northwood muck, 0 to 1 percent slopes	1	151
I47A	Poppleton fine sand, 0 to 2 percent slopes	1	151
I48A	Radium loamy sand, 0 to 3 percent slopes	2	151
I49A	Rauville silty clay loam, 0 to 2 percent slopes, frequently flooded	1	151
I50A	Reiner fine sandy loam, 0 to 3 percent slopes	2	151
I51A	Reiner loamy fine sand, 0 to 3 percent slopes	2	151
I52A	Reis-Clearwater complex, 0 to 2 percent slopes	1	151
I53A	Roliss loam, 0 to 2 percent slopes	1	151
I54A	Roliss loam, very poorly drained, 0 to 1 percent slopes	1	151
I55A	Rosewood fine sandy loam, 0 to 2 percent slopes	1	151

## Red Lake County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
I56A	Rosewood-Venlo complex, 0 to 1 percent slopes	1	151
I57B	Sandberg-Radium complex, 1 to 6 percent slopes	4	151
I58A	Seelyeville muck, 0 to 1 percent slopes	1	151
I59A	Smiley loam, 0 to 2 percent slopes	1	151
I60A	Smiley mucky loam, 0 to 1 percent slopes	1	151
I61A	Strandquist loam, 0 to 2 percent slopes	1	151
I62A	Syrene sandy loam, 0 to 2 percent slopes	1	151
I63A	Thiefriever fine sandy loam, clayey till substratum, 0 to 2 percent slopes	1	151
I64A	Ulen fine sandy loam, 0 to 3 percent slopes	2	151
I65A	Ulen loamy fine sand, 0 to 3 percent slopes	2	151
I66A	Vallers loam, 0 to 2 percent slopes	1	151
I67A	Wheatville loam, 0 to 3 percent slopes	1	151
I68A	Wheatville very fine sandy loam, clayey till substratum, 0 to 3 percent slopes	2	151
I69A	Wyandotte clay loam, 0 to 2 percent slopes	1	151
I70A	Strathcona fine sandy loam, 0 to 2 percent slopes	1	151
I690A	Kittson loam, wet, 0 to 3 percent slopes	1	151
I906F	Orthents-Aquents-Urban Land, highway complex, 0 to 35 percent slopes	8	0
IGp	Pits, gravel and sand	30	0
IM-W	Miscellaneous water		0
IWa	Water		0
W	Water		