HIGHLY ERODIBLE SOIL MAP UNIT LIST FOR SIBLEY COUNTY, MN

C =.12, R = 130

musym	muname	HELC	T	K	I	slope %	slope_l	LS
35	Blue Earth mucky silt loam	NHEL	5	0.28	86	0.5	100	0.09
86	Canisteo clay loam	NHEL	5	0.24	86	1.0	100	0.13
109	Cordova clay loam	NHEL	5	0.28	48	1.0	100	0.13
110	Marna silty clay loam	NHEL	5	0.28	86	1.0	100	0.12
112	Harps clay loam	NHEL	5	0.24	86	1.0	100	0.13
113	Webster clay loam	NHEL	5	0.24	48	1.0	100	0.13
114	Glencoe clay loam	NHEL	5	0.28	48	0.5	100	0.10
118	Crippin loam	NHEL	5	0.24	86	2.0	100	0.20
130	Nicollet clay loam	NHEL	5	0.24	48	2.0	150	0.22
134	Okoboji silty clay loam	NHEL	5	0.32	86	0.5	100	0.10
239	Le Sueur clay loam	NHEL	5	0.24	48	2.0	150	0.22
317	Oshawa silty clay loam, frequently flooded	NHEL	5	0.28	0	0.5	100	0.10
329	Chaska loam, occasionally flooded	NHEL	5	0.28	86	1.0	125	0.13
336	Delft clay loam	NHEL	5	0.24	48	2.0	100	0.20
386	Okoboji mucky silty clay loam	NHEL	5	0.32	48	0.5	100	0.09
525	Muskego muck	NHEL	4	0.00	134	0.5	100	0.09
539	Klossner muck	NHEL	5	0.00	134	0.5	100	0.09
743	Glencoe clay loam, stratified substratum	NHEL	5	0.28	48	0.5	100	0.09
919	Canisteo-Mayer complex	NHEL	5	0.24	86	1.0	100	0.12
946	Nicollet-Linder complex	NHEL	5	0.24	48	1.0	100	0.12
956	Canisteo-Glencoe complex	NHEL	5	0.24	86	1.0	100	0.12
978	Cordova-Rolfe complex	NHEL	5	0.28	48	1.0	100	0.13
1016	Udorthents, loamy	NHEL	5	0.28	86	2.0	100	0.20
1030	Udorthents-Pits, gravel, complex	NHEL	5	0.10	134	10.0	25	0.69
1075	Klossner and Muskego soils, ponded	NHEL	5	0.00	134	0.5	100	0.09
1081	Minneiska-Abscota complex, occasionally flooded	NHEL	5	0.20	86	1.0	150	0.14
1093	Webster-Biscay complex	NHEL	5	0.24	48	1.0	150	0.14
1833	Coland clay loam, occasionally flooded	NHEL	5	0.24	48	1.0	150	0.14
1834	Coland clay loam, frequently flooded	NHEL	5	0.24	48	1.0	150	0.14
1999	Minneiska-Kalmarville complex, frequently flooded	NHEL	5	0.20	86	1.0	100	0.13
102B	Clarion loam, 2 to 6 percent slopes	NHEL	5	0.24	48	4.0	125	0.43
106B	Lester loam, 2 to 6 percent slopes	NHEL	5	0.24	48	4.0	125	0.43
106C2	Lester loam, 6 to 12 percent slopes, eroded	PHEL	5	0.28	48	9.0	125	1.31
1901B	Lester-Le Sueur complex, 1 to 6 percent slopes	NHEL	5	0.28	48	3.5	125	0.37
222B	Lasa loamy fine sand, 2 to 8 percent slopes	NHEL	5	0.17	134	5.0	125	0.60
27B	Dickinson loam, 2 to 6 percent slopes	NHEL	4	0.28	56	1.0	100	0.12
463B	Minneiska loam, 1 to 4 percent slopes	NHEL	5	0.28	86	2.5	150	0.28

HIGHLY ERODIBLE SOIL MAP UNIT LIST FOR SIBLEY COUNTY, MN

C =.12, R = 130

musym	muname	HELC	T	K	I	slope %	slope_l	LS
5B	Dakota loam, 1 to 6 percent slopes	NHEL	4	0.24	56	3.5	175	0.42
772F	Swanlake-Lasa complex, 18 to 65 percent slopes	HEL	5	0.28	86	40.0	150	15.00
887B	Clarion-Swanlake complex, 3 to 6 percent slopes	NHEL	5	0.28	48	4.5	150	0.56
920B	Clarion-Hawick complex, 3 to 6 percent slopes	NHEL	5	0.24	48	5.0	125	0.60
920C2	Clarion-Hawick-Storden complex, 6 to 12 percent slopes, eroded	PHEL	5	0.28	48	9.0	125	1.31
921C2	Clarion-Storden complex, 6 to 12 percent slopes, eroded	PHEL	5	0.28	48	9.0	125	1.31
944B	Lester-Hawick complex, 2 to 6 percent slopes	NHEL	5	0.28	48	4.0	125	0.43
944C2	Lester-Hawick-Swanlake complex, 6 to 12 percent slopes, eroded	PHEL	5	0.28	48	10.0	150	1.68
945D2	Lester-Storden complex, 12 to 18 percent slopes, eroded	HEL	5	0.28	48	15.0	150	3.13
945F	Lester-Storden complex, 18 to 65 percent slopes	HEL	5	0.28	48	40.0	150	15.00
94B	Terril loam, 2 to 6 percent slopes	NHEL	5	0.24	48	4.0	200	0.53
L107A	Canisteo-glencoe, depressional complex, 0 to 2 percent slopes	NHEL	5	0.24	86	1.0	100	0.12
L13A	Klossner muck, depressional, 0 to 1 percent slopes	NHEL	5	0.00	134	0.5	100	0.09
L163A	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	NHEL	5	0.32	86	0.5	100	0.10
L83A	Webster clay loam, 0 to 2 percent slopes	NHEL	5	0.24	48	1.0	100	0.13
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	NHEL	5	0.28	48	0.5	100	0.10
L85A	Nicollet clay loam, 1 to 3 percent slopes	NHEL	5	0.24	48	2.0	150	0.22
1356	Water, miscellaneous							
W	Water							