

Prime and other Important Farmlands

This table lists the map units in the survey area that are considered important farmlands. Important farmlands consist of prime farmland, unique farmland, and farmland of statewide or local importance. This list does not constitute a recommendation for a particular land use.

In an effort to identify the extent and location of important farmlands, the Natural Resources Conservation Service, in cooperation with other interested Federal, State, and local government organizations, has inventoried land that can be used for the production of the Nation's food supply.

Prime farmland is of major importance in meeting the Nation's short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil quality, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. The water supply is dependable and of adequate quality. Prime farmland is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

For some of the soils identified in the table as prime farmland, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures.

A recent trend in land use in some areas has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

Unique farmland is land other than prime farmland that is used for the production of specific high-value food and fiber crops, such as citrus, tree nuts, olives, cranberries, and other fruits and vegetables. It has the special combination of soil quality, growing season, moisture supply, temperature, humidity, air drainage, elevation, and aspect needed for the soil to economically produce sustainable high yields of these crops when properly managed. The water supply is dependable and of adequate quality. Nearness to markets is an additional consideration. Unique farmland is not based on national criteria. It commonly is in areas where there is a special microclimate, such as the wine country in California.

In some areas, land that does not meet the criteria for prime or unique farmland is considered to be *farmland of statewide importance* for the production of food, feed, fiber, forage, and oilseed crops. The criteria for defining and delineating farmland of statewide importance are determined by the appropriate State agencies.

Generally, this land includes areas of soils that nearly meet the requirements for prime farmland and that economically produce high yields of crops when treated and managed according to acceptable farming methods. Some areas may produce as high a yield as prime farmland if conditions are favorable. Farmland of statewide importance may include tracts of land that have been designated for agriculture by State law.

In some areas that are not identified as having national or statewide importance, land is considered to be *farmland of local importance* for the production of food, feed, fiber, forage, and oilseed crops. This farmland is identified by the appropriate local agencies. Farmland of local importance may include tracts of land that have been designated for agriculture by local ordinance.

Report—Prime and other Important Farmlands

Prime and other Important Farmlands—Nassau County, Florida		
Map Symbol	Map Unit Name	Farmland Classification
2	Arents, nearly level	Not prime farmland
3	Beaches	Not prime farmland
4	Echaw fine sand	Not prime farmland
5	Fripp fine sand, rolling	Not prime farmland
6	Hurricane-Pottsburg fine sands, 0 to 5 percent slopes	Not prime farmland
7	Kingsland mucky peat, frequently flooded	Not prime farmland
8	Kureb fine sand, 0 to 5 percent slopes	Not prime farmland
9	Leon fine sand	Not prime farmland
10	Mandarin fine sand, 0 to 2 percent slopes	Not prime farmland
11	Chaires fine sand	Not prime farmland
12	Newhan-Corolla, rarely flooded, fine sands, rolling	Not prime farmland
13	Goldhead fine sand	Not prime farmland
14	Rutlege mucky fine sand, frequently flooded	Not prime farmland
15	Buccaneer clay, frequently flooded	Not prime farmland
16	Ellabelle mucky fine sand, frequently flooded	Not prime farmland
17	Urban land	Not prime farmland
18	Lynn Haven-Wesconnett-Leon complex, depressional	Not prime farmland
19	Leon fine sand, tidal	Not prime farmland
20	Ortega fine sand, 0 to 5 percent slopes	Not prime farmland
21	Blanton fine sand, 0 to 5 percent slopes	Not prime farmland
22	Sapelo-Leon fine sand	Not prime farmland
23	Ocilla fine sand, 0 to 5 percent slopes	Not prime farmland
24	Kingsferry fine sand	Not prime farmland

Prime and other Important Farmlands--Nassau County, Florida		
Map Symbol	Map Unit Name	Farmland Classification
25	Maurepas muck, frequently flooded	Not prime farmland
26	Centenary fine sand, 0 to 5 percent slopes	Not prime farmland
27	Ridgewood fine sand, 0 to 5 percent slopes	Not prime farmland
28	Tisonia mucky peat, tidal	Not prime farmland
29	Resota fine sand, 0 to 5 percent slopes	Not prime farmland
30	Kureb-Resota fine sands, rolling	Not prime farmland
31	Kershaw fine sand, 2 to 8 percent slopes	Not prime farmland
32	Aqualfs, loamy	Not prime farmland
33	Goldhead-Meadowbrook fine sands, depressional	Not prime farmland
34	Croatan muck, frequently flooded	Not prime farmland
36	Boulogne fine sand	Not prime farmland
37	Meggett loamy fine sand	Not prime farmland
38	Meggett fine sandy loam, rarely flooded	Not prime farmland
39	Evergreen-Leon mucks, depressional	Not prime farmland
40	Brookman mucky fine sandy loam, depressional	Not prime farmland
44	Corolla fine sand, 2 to 6 percent slopes, rarely flooded	Not prime farmland
45	Meggett loamy fine sand, depressional	Not prime farmland
46	Buccaneer clay, rarely flooded	Not prime farmland
47	Leefield fine sand, 0 to 5 percent slopes	Not prime farmland
49	Ousley and Mandarin fine sands, occasionally flooded	Not prime farmland
50	Blanton fine sand, 12 to 20 percent slopes	Not prime farmland
51	Albany fine sand, 0 to 5 percent slopes	Not prime farmland
52	Osier loamy fine sand, frequently flooded	Not prime farmland
53	Meadowbrook fine sand	Not prime farmland
54	Sapelo fine sand	Not prime farmland
55	Meadowbrook-Goldhead-Meggett complex, 2 to 5 percent slopes	Not prime farmland
56	Blanton-Ortega fine sands, 5 to 12 percent slopes	Not prime farmland
57	Penney fine sand, 0 to 5 percent slopes	Not prime farmland
99	Water	Not prime farmland
100	Waters of the Atlantic Ocean	Not prime farmland

Data Source Information

Soil Survey Area: Nassau County, Florida
 Survey Area Data: Version 12, Dec 13, 2013