

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 1 Data Collect Surface Year 1-QAPP

Scenario Description: **Actual Scenario # 1** **National**

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and one treatment site with an average of 20 samples per year per station. The scenario requires the creation of a survey to site a monitoring station, preparation of monitoring plan and a quality assurance project plan to detail how data will be collected, handled and analyzed, provides for the data collection, analysis, semiannual report, and annual report. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP need to be prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will not have a plan or quality assurance project plan prepared for installing equipment nor collecting data for sediment and nutrients leaving the edge of field.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual report, and annual report for one control and one treatment site. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have been prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring Sites

| | | | | |
|-------------------------------|---|------|---------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$22,411.68 |
|-------------------------------|---|------|---------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|------------|
| Labor | CAP Labor, Skilled | 130 | Hour | \$36.10 | \$4,693.00 |
| Labor | CAP Labor, agronomist | 100 | Hour | \$78.50 | \$7,850.00 |
| Labor | CAP Labor, small surveying crew | 16 | Hour | \$103.63 | \$1,658.08 |
| Labor | CAP Labor, professional engineer | 20 | Hour | \$80.53 | \$1,610.60 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, SSC (Suspended | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, Blanks Samples | 4 | Each | \$150.00 | \$600.00 |

Total Cost: \$22,411.68

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$16,808.76 | EQIP-HU | \$20,170.51 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 2 Data Collect Surface Year 1 - NO QAPP

Scenario Description: Actual Scenario # 2

National

This practice scenario provides for the use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and one treatment site. The scenario requires the collection and analysis of edge-of-field water quality data with an average sample collection of 20 per year for surface systems. The data will be transferred through semi-annual submittal and annual report which include some preliminary annual analysis. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP will be not prepared as this is for an existing monitoring system that has been accepted as meeting both Activity 201 and 202. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and one treatment site. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have been prepared as part of an existing monitoring system installation where the QAPP and monitoring plan meets Activity 201 requirements and no major changes are needed to meet Activity 202 requirements. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring Site

| | | | | |
|-------------------------------|---|------|----------------------|--------------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$16,003.00 |
|-------------------------------|---|------|----------------------|--------------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|------------|
| Labor | CAP Labor, Skilled | 130 | Hour | \$36.10 | \$4,693.00 |
| Labor | CAP Labor, agronomist | 60 | Hour | \$78.50 | \$4,710.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, SSC (Suspended | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, Blanks Samples | 4 | Each | \$150.00 | \$600.00 |

Total Cost: \$16,003.00

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$12,002.25 | EQIP-HU | \$14,402.70 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 3 Data Collect Surface Year 2+

Scenario Description: Actual Scenario # 3

National

This practice scenario provides for the use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and one treatment site. The scenario requires the collection and analysis of edge-of-field water quality data with an average sample collection of 20 per year for surface systems. The data will be transferred through semi-annual submittal and annual report which include some preliminary annual analysis. This scenario will normally be used in year 2 to next to the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and one treatment site. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring Site

| | | | | |
|-------------------------------|---|------|---------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$16,003.00 |
|-------------------------------|---|------|---------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|------------|
| Labor | CAP Labor, Skilled | 130 | Hour | \$36.10 | \$4,693.00 |
| Labor | CAP Labor, agronomist | 60 | Hour | \$78.50 | \$4,710.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, SSC (Suspended | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, Blanks Samples | 4 | Each | \$150.00 | \$600.00 |

Total Cost: \$16,003.00

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$12,002.25 | EQIP-HU | \$14,402.70 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 4 Data Collect Surface Last Year

Scenario Description: Actual Scenario # 4

National

This practice scenario provides for the use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and one treatment site with an average of 20 samples per year per station. The scenario requires the collection and analysis of edge-of-field water quality data along with a comprehensive report to statistically prove relationship between select conservation practices and water quality. The data will be transferred through semi-annual submittal and annual report and a comprehensive report of practice effectiveness. This scenario will be used in the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and one treatment site. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201 to provide a comprehensive report of statistical testing of data collected to complete monitoring period.

Scenario Feature Measure:

Measuring Site

| | | | | |
|-------------------------------|---|------|----------------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$19,143.00 |
|-------------------------------|---|------|----------------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|--------------------------------------|----------|------|-----------|------------|
| Labor | CAP Labor, Skilled | 130 | Hour | \$36.10 | \$4,693.00 |
| Labor | CAP Labor, agronomist | 100 | Hour | \$78.50 | \$7,850.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 40 | Each | \$25.00 | \$1,000.00 |
| Materials | Testing, WQ, SSC (Suspended) | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, TSS (Total Suspended) | 20 | Each | \$25.00 | \$500.00 |
| Materials | Testing, WQ, Blanks Samples | 4 | Each | \$150.00 | \$600.00 |

Payment types:

Total Cost: \$19,143.00

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$14,357.25 | EQIP-HU | \$17,228.70 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 5 Data Collect Tile Year 1-QAPP

Scenario Description: **Actual Scenario # 5** **National**

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and one treatment site with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The scenario requires the creation of a survey to site a monitoring station, preparation of monitoring plan and a quality assurance project plan to detail how data will be collected, handled and analyzed, provides for the data collection, analysis, semiannual report, and annual report. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP need to be prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will not have a plan or quality assurance project plan prepared for installing equipment nor collecting data for sediment and nutrients leaving the edge of field.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual report, and annual report for one control and one treatment site. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have been prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring Site

| | | | | |
|-------------------------------|---|------|----------------------|--------------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$44,536.88 |
|-------------------------------|---|------|----------------------|--------------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|--------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 312 | Hour | \$36.10 | \$11,263.20 |
| Labor | CAP Labor, agronomist | 130 | Hour | \$78.50 | \$10,205.00 |
| Labor | CAP Labor, small surveying crew | 16 | Hour | \$103.63 | \$1,658.08 |
| Labor | CAP Labor, professional engineer | 20 | Hour | \$80.53 | \$1,610.60 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, SSC (Suspended) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TSS (Total Suspended) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Blanks Samples | 12 | Each | \$150.00 | \$1,800.00 |

Total Cost: \$44,536.88

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$33,402.66 | EQIP-HU | \$40,083.19 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 6 Data Collect Tile Year 1 - NO QAPP

Scenario Description: Actual Scenario # 6

National

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and one treatment site with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The data will be transferred through semi-annual submittal and annual reports, which include some preliminary annual analysis. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP will be not prepared as this is for an existing monitoring system be accepted as meeting both Activity 201 and 202. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and one treatment site. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have been prepared as part of an existing monitoring system installation where the QAPP and monitoring plan meets Activity 201 requirements and no major changes are needed to meet Activity 202 requirements. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring Site

| | | | | |
|-------------------------------|---|------|---------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$38,128.20 |
|-------------------------------|---|------|---------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 312 | Hour | \$36.10 | \$11,263.20 |
| Labor | CAP Labor, agronomist | 90 | Hour | \$78.50 | \$7,065.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, SSC (Suspended | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Blanks Samples | 12 | Each | \$150.00 | \$1,800.00 |

Total Cost: \$38,128.20

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$28,596.15 | EQIP-HU | \$34,315.38 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 7 Data Collect Tile Year 2+

Scenario Description: Actual Scenario # 7

National

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and one treatment site with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The data will be transferred through semi-annual submittal and annual report, which include some preliminary annual analysis. This scenario will normally be used in year 2 to next to the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will not have a plan or quality assurance project plan prepared for installing equipment nor collecting data for sediment and nutrients leaving the edge of field.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual report, and annual report for one control and one treatment site. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|---------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$38,128.20 |
|-------------------------------|---|------|---------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|--------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 312 | Hour | \$36.10 | \$11,263.20 |
| Labor | CAP Labor, agronomist | 90 | Hour | \$78.50 | \$7,065.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, SSC (Suspended) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TSS (Total Suspended) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Blanks Samples | 12 | Each | \$150.00 | \$1,800.00 |

Payment types:

Total Cost: \$38,128.20

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$28,596.15 | EQIP-HU | \$34,315.38 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 8 Data Collect Tile Last Year

Scenario Description: Actual Scenario # 8

National

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and one treatment site with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The scenario requires the collection and analysis of edge-of-field water quality data along with a comprehensive report to statistically prove relationship between select conservation practices and water quality. The data will be transferred through semi-annual submittal and annual report and a comprehensive report of practice effectiveness. This scenario will be used in the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and one treatment site. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201 to provide a comprehensive report of statistical testing of data collected during to complete monitoring period.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|----------------------|--------------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$41,268.20 |
|-------------------------------|---|------|----------------------|--------------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 312 | Hour | \$36.10 | \$11,263.20 |
| Labor | CAP Labor, agronomist | 130 | Hour | \$78.50 | \$10,205.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, Soluble Reactive P | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 120 | Each | \$25.00 | \$3,000.00 |
| Materials | Testing, WQ, SSC (Suspended | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Blanks Samples | 12 | Each | \$150.00 | \$1,800.00 |

Total Cost: \$41,268.20

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$30,951.15 | EQIP-HU | \$37,141.38 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 9 Data Collect Surface Year 1-QAPP with two treatment Sites

Scenario Description: **Actual Scenario # 9** **National**

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and two treatment sites with an average of 20 samples per year per station. The scenario requires the creation of a survey to site a monitoring station, preparation of monitoring plan and a quality assurance project plan to detail how data will be collected, handled and analyzed, provides for the data collection, analysis, semiannual report, and annual report. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP need to be prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will not have a plan or quality assurance project plan prepared for installing equipment nor collecting data for sediment and nutrients leaving the edge of field.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual report, and annual report for one control and one treatment site. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have been prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring Sites

| | | | | |
|-------------------------------|---|------|---------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$30,639.62 |
|-------------------------------|---|------|---------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 156 | Hour | \$36.10 | \$5,631.60 |
| Labor | CAP Labor, agronomist | 130 | Hour | \$78.50 | \$10,205.00 |
| Labor | CAP Labor, small surveying crew | 24 | Hour | \$103.63 | \$2,487.12 |
| Labor | CAP Labor, professional engineer | 30 | Hour | \$80.53 | \$2,415.90 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, Blanks Samples | 6 | Each | \$150.00 | \$900.00 |

Total Cost: \$30,639.62

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$22,979.72 | EQIP-HU | \$27,575.66 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 10 Data Collect Surface Year 1 less QAPP (pre-install information) with two treatment sites

Scenario Description: **Actual Scenario # 10** **National**

This practice scenario provides for the use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and two treatment sites. The scenario requires the collection and analysis of edge-of-field water quality data with an average sample collection of 20 per year for each surface system. The data will be transferred through semi-annual submittal and annual report, which include some preliminary annual analysis. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP will not be prepared as this is for an existing monitoring system be accepted as meeting both Activity 201 and 202. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and two treatment sites. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have been prepared as part of an existing monitoring system installation where the QAPP and monitoring plan meets Activity 201 requirements and no major changes are needed to meet Activity 202 requirements. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|----------------------|--------------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$22,596.60 |
|-------------------------------|---|------|----------------------|--------------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|------------|
| Labor | CAP Labor, Skilled | 156 | Hour | \$36.10 | \$5,631.60 |
| Labor | CAP Labor, agronomist | 90 | Hour | \$78.50 | \$7,065.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, Blanks Samples | 6 | Each | \$150.00 | \$900.00 |

Total Cost: \$22,596.60

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$16,947.45 | EQIP-HU | \$20,336.94 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 11 Data Collect Surface Year 2+ with two treatment sites

Scenario Description: Actual Scenario # 11

National

This practice scenario provides for the use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and two treatment sites. The scenario requires the collection and analysis of edge-of-field water quality data with an average sample collection of 20 per year for each surface system. The data will be transferred through semi-annual submittal and annual report, which include some preliminary annual analysis. This scenario will normally be used in year 2 to next to the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and two treatment sites. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|---------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$22,596.60 |
|-------------------------------|---|------|---------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|------------|
| Labor | CAP Labor, Skilled | 156 | Hour | \$36.10 | \$5,631.60 |
| Labor | CAP Labor, agronomist | 90 | Hour | \$78.50 | \$7,065.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, Blanks Samples | 6 | Each | \$150.00 | \$900.00 |

Total Cost: \$22,596.60

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$16,947.45 | EQIP-HU | \$20,336.94 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 12 Data Collect Surface Last Year with two treatment sites

Scenario Description: Actual Scenario # 12

National

This practice scenario provides for the use of an edge-of-field WQ monitoring station(s) for surface run-off for one control and two treatment sites with an average of 20 samples per year per station. The scenario requires the collection and analysis of edge-of-field water quality data along with a comprehensive report to statistically prove relationship between select conservation practices and water quality. The data will be transferred through semi-annual submittal and annual report and a comprehensive report of practice effectiveness. This scenario will be used in the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and two treatment sites. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201 to provide a comprehensive report of statistical testing of data collected during to complete monitoring period.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|----------------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$27,306.60 |
|-------------------------------|---|------|----------------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|--------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 156 | Hour | \$36.10 | \$5,631.60 |
| Labor | CAP Labor, agronomist | 150 | Hour | \$78.50 | \$11,775.00 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 60 | Each | \$25.00 | \$1,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 30 | Each | \$25.00 | \$750.00 |
| Materials | Testing, WQ, Blanks Samples | 6 | Each | \$150.00 | \$900.00 |

Total Cost: \$27,306.60

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$20,479.95 | EQIP-HU | \$24,575.94 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 13 Data Collect Tile Year 1 with two treatment sites and QAPP

Scenario Description: **Actual Scenario # 13** **National**

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and two treatment sites with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The scenario requires the creation of a survey to site monitoring stations, preparation of monitoring plan and a quality assurance project plan (QAPP) to detail how data will be collected, handled and analyzed, provides for the data collection, analysis, semiannual report, and annual report. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP need to be prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will not have a plan or quality assurance project plan prepared for installing equipment nor collecting data for sediment and nutrients leaving the edge of field.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual report, and annual report for one control and two treatment sites. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have not been prepared prior to installation under Edge-of-Field Water Quality Monitoring - System Installation (202). The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|----------------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$61,480.92 |
|-------------------------------|---|------|----------------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|--------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 364 | Hour | \$36.10 | \$13,140.40 |
| Labor | CAP Labor, agronomist | 175 | Hour | \$78.50 | \$13,737.50 |
| Labor | CAP Labor, small surveying crew | 24 | Hour | \$103.63 | \$2,487.12 |
| Labor | CAP Labor, professional engineer | 30 | Hour | \$80.53 | \$2,415.90 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, Blanks Samples | 18 | Each | \$150.00 | \$2,700.00 |

Total Cost: \$61,480.92

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$46,110.69 | EQIP-HU | \$55,332.83 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 14 Data Collect Tile Year 1 less QAPP (pre-install information) with two treatment sites

Scenario Description: **Actual Scenario # 14** **National**

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and two treatment sites with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The data will be transferred through semi-annual submittal and annual reports, which include some preliminary annual analysis. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP will not be prepared as this is for an existing monitoring system be accepted as meeting both Activity 201 and 202. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and two treatment sites. This scenario will normally be used in year 1 of the contract when a monitoring plan and QAPP have been prepared as part of an existing monitoring system installation where the QAPP and monitoring plan meets Activity 201 requirements and no major changes are needed to meet Activity 202 requirements. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|----------------------|-------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$53,437.90 |
|-------------------------------|---|------|----------------------|-------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 364 | Hour | \$36.10 | \$13,140.40 |
| Labor | CAP Labor, agronomist | 135 | Hour | \$78.50 | \$10,597.50 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, Blanks Samples | 18 | Each | \$150.00 | \$2,700.00 |

Total Cost: \$53,437.90

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$40,078.43 | EQIP-HU | \$48,094.11 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 15 Data Collect Tile Year 2+ with two treatment sites

Scenario Description: **Actual Scenario # 15** **National**

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and two treatment sites with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The data will be transferred through semi-annual submittal and annual report, which include some preliminary annual analysis. This scenario will normally be used in year 2 to next to the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual report, and annual report for one control and two treatment sites. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|----------------------|--------------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$53,437.90 |
|-------------------------------|---|------|----------------------|--------------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|--------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 364 | Hour | \$36.10 | \$13,140.40 |
| Labor | CAP Labor, agronomist | 135 | Hour | \$78.50 | \$10,597.50 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, Blanks Samples | 18 | Each | \$150.00 | \$2,700.00 |

Payment types:

Total Cost: \$53,437.90

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$40,078.43 | EQIP-HU | \$48,094.11 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |

Practice: 201 - Edge of Field Water Quality Monitoring Data Collection and Evaluation

Scenario # 16 Data Collect Tile Last Year with two treatment sites

Scenario Description: Actual Scenario # 16

National

This practice scenario provides for the design and use of an edge-of-field WQ monitoring station(s) for tile and subsurface drainage run-off for one control and two treatment sites with an average of 40 samples per year per station. A subsurface system also requires the addition of a surface sampling system at the same outlet to capture overland flow with 20 samples per year. Without the surface system then not all runoff is captured for calculating a true event mean concentration as per the 201 Standard. The scenario requires the collection and analysis of edge-of-field water quality data along with a comprehensive report to statistically prove relationship between select conservation practices and water quality. The data will be transferred through semi-annual submittal and annual report and a comprehensive report of practice effectiveness. This scenario will be used in the last year of monitoring. THIS IS PLACED IN A PAIRED SITUATION IF THE CONTROL AND TREATMENT ARE ON DIFFERENT LANDOWNERS FIELDS THEN A JOINT CONTRACT WILL BE NECESSARY.

Before Practice Situation:

The agricultural operation prior to installing this practice will have an existing system for collecting water quality data but not have been operating with a long enough time frame to measure practice effectiveness.

After Practice Situation:

This practice scenario after installation of the WQ monitoring stations, provides for the data collection, analysis, semiannual submittal, and annual report for one control and two treatment sites. The operator will be able to collect field level water quality data of sufficient quality to measure loss of nutrients as listed in 201 to provide a comprehensive report of statistical testing of data collected during to complete monitoring period.

Scenario Feature Measure:

Measuring site

| | | | | |
|-------------------------------|---|------|----------------------|--------------------|
| Scenario Typical Size: | 1 | Each | Tot Unit Cost | \$58,147.90 |
|-------------------------------|---|------|----------------------|--------------------|

| Cost Category | Component Name | Quantity | Unit | Unit Cost | Cost |
|---------------|-------------------------------------|----------|------|-----------|-------------|
| Labor | CAP Labor, Skilled | 364 | Hour | \$36.10 | \$13,140.40 |
| Labor | CAP Labor, agronomist | 195 | Hour | \$78.50 | \$15,307.50 |
| Materials | Testing, WQ, NH4-N, (Ammonium) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, NO2-N + NO3-N (Nitrite | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TKN (Total Kjeldahl | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, Soluble Reactive P | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, TP (Total Phosphorus) | 180 | Each | \$25.00 | \$4,500.00 |
| Materials | Testing, WQ, SSC (Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, TSS (Total Suspended | 90 | Each | \$25.00 | \$2,250.00 |
| Materials | Testing, WQ, Blanks Samples | 18 | Each | \$150.00 | \$2,700.00 |

Total Cost: \$58,147.90

Payment types:

| PayType | Unit Payment | PayType | Unit Payment |
|---------|--------------|---------|--------------|
| EQIP | \$43,610.93 | EQIP-HU | \$52,333.11 |
| WHIP | \$0.00 | WHIP-HU | \$0.00 |