

Stevens County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
AaA	Aastad clay loam, 0 to 2 percent slopes	1	102
Af	Alluvial land, frequently flooded	1	102
Ar	Arveson fine sandy loam	1	102
BaA	Barnes loam, 0 to 2 percent slopes	1	102
BaB	Barnes loam, 2 to 6 percent slopes	4	125
BbB2	Barnes-Buse loams, 2 to 6 percent slopes, eroded	4	125
BbC2	Barnes-Buse loams, 6 to 12 percent slopes, eroded	9	125
BdA	Bearden silt loam, 0 to 2 percent slopes	1	102
Be	Biscay silty clay loam	1	102
Bf	Biscay silty clay loam, depressional	1	102
Bh	Blue Earth silt loam	1	102
Bm	Borup silt loam	1	102
BnE	Buse loam, 18 to 35 percent slopes	27	102
BoD2	Buse-Barnes loams, 12 to 18 percent slopes, eroded	15	102
BuD	Buse-Forman complex, 12 to 18 percent slopes	15	102
Co	Colvin silty clay loam	1	102
Cp	Colvin silty clay loam, depressional	1	102
Cu	Colvin-Borup complex	1	102
DaB	Darnen loam, 0 to 4 percent slopes	2	102
DIA	Doland silt loam, 0 to 2 percent slopes	1	102
DIB	Doland silt loam, 2 to 6 percent slopes	4	125
Do	Dovray clay, poorly drained	1	102
Dv	Dovray clay, very poorly drained	1	102
EcB	Eckman very fine sandy loam, 1 to 4 percent slopes	2	102
EsA	Estelline silt loam, 0 to 2 percent slopes	1	102
FdA	Fordville loam, 0 to 2 percent slopes	1	102
FmA	Forman clay loam, 0 to 2 percent slopes	1	102
FmB	Forman clay loam, 2 to 6 percent slopes	4	125
FmB2	Forman clay loam, 2 to 6 percent slopes, eroded	4	125
FuB2	Forman-Buse complex, 2 to 6 percent slopes, eroded	4	125
FuC2	Forman-Buse complex, 6 to 12 percent slopes, eroded	9	125
GdA	Glyndon silt loam, 0 to 2 percent slopes	1	102

Stevens County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
GIA	Glyndon very fine sandy loam, 0 to 2 percent slopes	1	102
GmA	Glyndon-McIntosh complex, 0 to 2 percent slopes	1	102
GP	Gravel pit		
Gr	Grimstad-Rockwell fine sandy loams	1	102
HaA	Hamerly clay loam, 0 to 3 percent slopes	2	102
HcC2	Hattie clay, 6 to 12 percent slopes, eroded	9	203
HcD2	Hattie clay, 12 to 18 percent slopes, eroded	15	203
HnB	Hattie-Nutley clays, 2 to 6 percent slopes	4	203
Ho	Hegne clay	1	102
Hw	Hidewood silty clay loam	1	102
I22A	Glyndon loam, 0 to 2 percent slopes	1	151
I23A	Glyndon very fine sandy loam, 0 to 2 percent slopes	1	151
I36A	Kittson loam, 0 to 3 percent slopes	2	151
I57B	Sandberg-Radium complex, 1 to 6 percent slopes	4	151
I198A	Antler-Mustinka clay loams, 0 to 2 percent slopes	1	151
I209A	Swenoda fine sandy loam, 0 to 3 percent slopes	1	151
I310A	Arveson fine sandy loam, 0 to 1 percent slopes	1	151
I318A	Borup silt loam, 0 to 1 percent slopes	1	151
I376A	Colvin silty clay loam, 0 to 1 percent slopes	1	151
I405A	Antler clay loam, 0 to 1 percent slopes	1	151
I467A	Bearden silt loam, 0 to 1 percent slopes	1	151
I478A	Lamoure silty clay loam, 0 to 1 percent slopes, occasionally flooded	1	151
I530A	Colvin silty clay loam, very poorly drained, 0 to 1 percent slopes	1	151
I626A	Bearden-Mustinka complex, 0 to 2 percent slopes	1	79
I631A	Colvin-Borup complex, 0 to 1 percent slopes	1	151
I639A	Fargo silty clay, 0 to 2 percent slopes	1	79
I672A	Sioux sandy loam, 0 to 2 percent slopes	1	79
I672B	Sioux sandy loam, 2 to 6 percent slopes	4	79
I710A	Winger silt loam, 0 to 1 percent slopes	1	125
I718A	McIntosh silt loam, 0 to 2 percent slopes	1	98
I755A	Grimstad-Towner fine sandy loams, 0 to 2 percent slopes	1	151
I761A	Vallers clay loam, 0 to 1 percent slopes	1	79

Stevens County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
I856A	Eckman very fine sandy loam, 1 to 4 percent slopes	2	79
IGp	Pits, gravel and sand		
INT	Water, intermittent		
Lm	Lamoure silty clay loam	1	102
Ln	Lamoure silty clay loam, frequently flooded	1	102
Lp	La Prairie loam	1	102
M-W	Water, miscellaneous		
MaB	Maddock sandy loam, 0 to 4 percent slopes	2	102
Mc	Malachy fine sandy loam, loamy subsoil variant	1	102
MfA	Malachy sandy loam, 0 to 2 percent slopes	1	102
Mh	Marsh	1	102
Mr	Marysland sandy loam	1	102
MsA	McIntosh silt loam, 0 to 3 percent slopes	2	102
Mu	Muck, shallow	1	102
Mv	Muck and peat, calcareous	1	102
Mw	Muck and peat, calcareous, flooded	1	102
NcA	Nutley clay, silty substratum, 0 to 2 percent slopes	1	102
NhA	Nutley-Hattie clays, 0 to 2 percent slopes	1	102
Om	Oldham silty clay loam	1	102
Pa	Parnell silty clay loam	1	102
Pf	Parnell and Flom soils	1	102
Ra	Rauville silty clay loam	1	102
ReA	Renshaw loam, 0 to 2 percent slopes	1	102
ReB	Renshaw loam, 2 to 6 percent slopes	4	102
RoA	Rothsay silt loam, 0 to 2 percent slopes	1	102
RzB	Rothsay-Zell silt loams, 2 to 6 percent slopes	4	102
Sa	Sandy lake beaches	1	102
SgC	Sioux gravelly sandy loam, 2 to 12 percent slopes	7	102
SsA	Sioux sandy loam, 0 to 2 percent slopes	1	102
SsB	Sioux sandy loam, 2 to 6 percent slopes	4	102
SvA	Svea loam, 0 to 2 percent slopes	1	102
SwA	Sverdrup sandy loam, 0 to 2 percent slopes	1	102

Stevens County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
SwB	Sverdrup sandy loam, 2 to 6 percent slopes	4	102
TaA	Tara silt loam, 0 to 2 percent slopes	1	102
To	Tonka loam	1	102
UDL	Udorthents, loamy (cut and fill land)		
Va	Vallers silty clay loam	1	102
W	Water		
Wn	Winger silty clay loam	1	102