

Cottonwood County Crop Productivity Index (CPI) by Map Unit Name

| Mapunit Symbol | Map Unit Name | CPI |
|----------------|---|-----|
| L218B | Amiret loam, 2 to 5 percent slopes | 98 |
| L223B | Amiret-Swanlake complex, 2 to 6 percent slopes | 92 |
| L211B | Amiret-Swanlake-Round Lake complex, 2 to 6 percent slopes | 80 |
| L225B | Annton-North Twin complex, 2 to 6 percent slopes | 91 |
| L226C2 | Annton-Storden, firm till, complex, 6 to 12 percent slopes, moderately eroded | 79 |
| L248B | Annton-Swanlake, firm till, complex, 3 to 6 percent slopes | 87 |
| 1055 | Aquents (disturbed land), ponded-Udorthents, loamy complex | 0 |
| L65B | Augusta Lake fine sandy loam, 1 to 6 percent slopes | 70 |
| L66B | Bechyn-Germantown-Rock outcrop complex, 2 to 6 percent slopes | 31 |
| L66C | Bechyn-Germantown-Rock outcrop complex, 6 to 12 percent slopes | 27 |
| L154E | Belview-Ridgeton complex, 15 to 45 percent slopes | 22 |
| L207F | Belview-Ridgeton complex, 18 to 40 percent slopes, firm till substratum | 31 |
| L230A | Biscay clay loam, loamy substratum, 0 to 2 percent slopes | 70 |
| L6A | Biscay loam, 0 to 2 percent slopes | 69 |
| L7A | Biscay loam, depressional, 0 to 1 percent slopes | 64 |
| L257A | Blue Earth mucky silt loam, sandy substratum, depressional, 0 to 1 percent slopes | 77 |
| L73A | Blue Earth mucky silty clay loam, depressional, 0 to 1 percent slopes | 77 |
| L213A | Calco silty clay loam, 0 to 2 percent slopes, frequently flooded | 20 |
| L78A | Canisteo clay loam, 0 to 2 percent slopes | 93 |
| L107A | Canisteo-Glencoe, depressional, complex, 0 to 2 percent slopes | 91 |
| L144A | Chetomba silty clay loam, 0 to 2 percent slopes | 92 |
| L79B | Clarion loam, 2 to 6 percent slopes | 95 |
| L228B | Clarion-Ocheyedan complex, 2 to 5 percent slopes | 95 |
| L162B | Clarion-Round Lake complex, 2 to 6 percent slopes | 78 |
| L99B | Clarion-Swanlake complex, 2 to 6 percent slopes | 92 |
| L224A | Coland clay loam, 0 to 2 percent slopes, frequently flooded | 20 |
| L219A | Coland clay loam, 0 to 2 percent slopes, occasionally flooded | 83 |
| L98A | Crippin-Nicollet complex, 1 to 3 percent slopes | 100 |
| L67B | Crooksford silt loam, 1 to 5 percent slopes | 99 |
| L5A | Delft, overwash-Delft complex, 1 to 4 percent slopes | 96 |
| L76E | Dickinson fine sandy loam, 18 to 30 percent slopes | 12 |
| L241B | Dickinson fine sandy loam, firm till substratum, 1 to 6 percent slopes | 55 |
| L160B | Dickinson sandy loam, loamy substratum, 1 to 6 percent slopes | 67 |
| L215A | Dickman sandy loam, 0 to 2 percent slopes | 49 |
| L215B | Dickman sandy loam, 2 to 6 percent slopes | 49 |
| L215C | Dickman sandy loam, 6 to 12 percent slopes | 40 |
| L153A | Essexville sandy loam, 0 to 2 percent slopes | 81 |
| L74A | Estherville sandy loam, 0 to 2 percent slopes | 44 |
| L96B | Estherville-Hawick complex, 2 to 6 percent slopes | 43 |
| L161C | Estherville-Pilot Grove complex, 6 to 12 percent slopes | 47 |
| L170B | Estherville-Round Lake complex, 2 to 6 percent slopes | 50 |
| L68B | Germantown clay loam, 1 to 8 percent slopes | 55 |
| L84A | Glencoe clay loam, depressional, 0 to 1 percent slopes | 86 |
| L151A | Glencoe mucky silty clay loam, ponded, 0 to 1 percent slopes | 5 |
| L69B | Grogan silt loam, 1 to 6 percent slopes | 96 |

| | | |
|--------|--|-----|
| L89A | Guckeen silty clay loam, 0 to 3 percent slopes | 95 |
| 1024A | Havelock clay loam, 0 to 2 percent slopes, occasionally flooded | 75 |
| L232A | Havelock clay loam, sandy substratum, 0 to 2 percent slopes, rarely flooded | 86 |
| L95E | Hawick gravelly coarse sandy loam, 12 to 25 percent slopes | 30 |
| L97C | Hawick-Estherville complex, 6 to 12 percent slopes | 39 |
| L142A | Jeffers clay loam, 0 to 2 percent slopes | 92 |
| L104A | Jeffers-Canisteo complex, 0 to 2 percent slopes | 92 |
| L87A | Kingston silty clay loam, 1 to 3 percent slopes | 100 |
| L159A | Knoke mucky silty clay loam, depressional, 0 to 1 percent slopes | 78 |
| L249A | Knoke silty clay loam, firm till substratum, depressional, 0 to 1 percent slopes | 78 |
| L233A | Lakefield silty clay loam, 0 to 3 percent slopes | 100 |
| L143A | Linder loam, 0 to 2 percent slopes | 60 |
| L147A | Little Cottonwood clay loam, 0 to 3 percent slopes | 32 |
| L94A | Lowlein fine sandy loam, terrace, 0 to 3 percent slopes | 81 |
| L148A | Lowlein sandy loam, 1 to 3 percent slopes | 89 |
| L152B | Lowlein-Round Lake complex, 1 to 6 percent slopes | 84 |
| L88A | Lura silty clay, depressional, 0 to 1 percent slopes | 81 |
| L86A | Madelia silty clay loam, 0 to 2 percent slopes | 94 |
| L82A | Marna silty clay loam, 0 to 2 percent slopes | 87 |
| L167A | Mayer clay loam, depressional, 0 to 1 percent slopes | 66 |
| L231A | Mayer clay loam, loamy substratum, 0 to 2 percent slopes | 80 |
| L189A | Mayer clay loam, ponded, 0 to 1 percent slopes, frequently flooded | 5 |
| L165A | Mayer loam, 0 to 2 percent slopes | 72 |
| L178A | Mayer mucky clay loam, ponded, 0 to 1 percent slopes | 5 |
| L183A | Mayer, ponded-Mayer complex, 0 to 2 percent slopes, flooded | 15 |
| L197A | Mayer-Mayer, depressional, complex, 0 to 2 percent slopes | 70 |
| L168A | Minneopa sandy loam, 0 to 3 percent slopes | 51 |
| L169A | Minneopa sandy loam, sandy substratum, 0 to 3 percent slopes | 54 |
| L173A | Moines clay loam, 1 to 3 percent slopes | 97 |
| L174A | Mound Creek clay loam, 0 to 2 percent slopes | 54 |
| L16A | Muskego, Blue Earth, and Houghton soils, ponded, 0 to 1 percent slopes | 5 |
| L85A | Nicollet clay loam, 1 to 3 percent slopes | 99 |
| L111A | Nicollet silty clay loam, 1 to 3 percent slopes | 100 |
| L201A | Normania loam, 1 to 3 percent slopes | 99 |
| L198A | North Twin-Walnut Grove complex, 0 to 2 percent slopes | 96 |
| L198B | North Twin-Walnut Grove complex, 1 to 4 percent slopes | 94 |
| L135A | Okabena silty clay loam, 1 to 3 percent slopes | 100 |
| L163A | Okoboji silty clay loam, depressional, 0 to 1 percent slopes | 86 |
| L102D2 | Omsrud-Storden complex, 12 to 18 percent slopes, moderately eroded | 76 |
| L102C2 | Omsrud-Storden complex, 6 to 12 percent slopes, moderately eroded | 88 |
| L156D2 | Omsrud-Storden-Pilot Grove complex, 12 to 18 percent slopes, moderately eroded | 65 |
| L156C2 | Omsrud-Storden-Pilot Grove complex, 6 to 12 percent slopes, moderately eroded | 73 |
| L202A | Pell Creek-Romnell complex, 0 to 2 percent slopes | 89 |
| GP | Pits, gravel-Udipsamments complex | 0 |
| 1010 | Pits, quarry | 0 |
| L150A | Prinsburg silty clay loam, 0 to 2 percent slopes | 91 |
| L239A | Revere clay loam, 0 to 2 percent slopes | 91 |

| | | |
|--------|---|----|
| L235A | Riverston clay loam, 0 to 2 percent slopes, occasionally flooded | 79 |
| L175A | Rolfe silt loam, depressional, 0 to 1 percent slopes | 84 |
| L149A | Romnell clay loam, 0 to 3 percent slopes | 93 |
| L188A | Romnell clay loam, depressional, 0 to 1 percent slopes | 87 |
| L229A | Romnell silty clay loam, depressional, 0 to 1 percent slopes | 87 |
| L234A | Romnell silty clay loam, ponded, 0 to 1 percent slopes | 5 |
| L158B | Round Lake sandy loam, 1 to 6 percent slopes | 61 |
| L203A | Seaforth loam, 1 to 3 percent slopes | 95 |
| L193A | Shandep clay loam, 0 to 2 percent slopes, frequently flooded | 20 |
| L176A | Shandep clay loam, 0 to 2 percent slopes, occasionally flooded | 82 |
| L236A | Shandep clay loam, depressional, 0 to 1 percent slopes | 76 |
| L245A | Shandep loam, 0 to 2 percent slopes | 82 |
| L240A | Shandep mucky loam, ponded, 0 to 1 percent slopes | 5 |
| L194A | Southbrook silty clay loam, 0 to 2 percent slopes, occasionally flooded | 59 |
| L196A | Spicer silty clay loam, 0 to 2 percent slopes | 91 |
| L141A | Spillville loam, 0 to 2 percent slopes, occasionally flooded | 91 |
| L172D2 | Storden, firm till-Annton complex, 12 to 18 percent slopes, moderately eroded | 64 |
| L255D2 | Storden-Ves complex, 12 to 18 percent slopes, moderately eroded | 55 |
| L256D2 | Storden-Ves-Pilot Grove complex, 12 to 18 percent slopes, moderately eroded | 55 |
| L208B | Swanlake-Round Lake complex, 2 to 6 percent slopes | 72 |
| L129B | Terril loam, 2 to 6 percent slopes | 99 |
| L242B | Terril loam, firm till substratum, 2 to 6 percent slopes | 99 |
| L46B | Tomall loam, 2 to 6 percent slopes | 92 |
| L227B | Truman silt loam, 2 to 6 percent slopes | 99 |
| 1007 | Udorthents, shallow (sanitary landfill) | 0 |
| L217C2 | Ves-Storden complex, 6 to 12 percent slopes, moderately eroded | 80 |
| L222C2 | Ves-Storden-Pilot Grove complex, 6 to 12 percent slopes, moderately eroded | 70 |
| L209A | Walnut Grove-Pell Creek complex, 0 to 2 percent slopes | 97 |
| W | Water | 0 |
| M-W | Water, miscellaneous | 0 |
| L83A | Webster clay loam, 0 to 2 percent slopes | 93 |
| L112A | Webster silty clay loam, 0 to 2 percent slopes | 94 |
| L238A | Webster-Delft complex, 0 to 3 percent slopes | 94 |