

Lincoln County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
L218B	Amiret loam, 2 to 5 percent slopes	98
L211B	Amiret-Round Lake-Swanlake complex, 2 to 6 percent slopes	80
L223B	Amiret-Swanlake complex, 2 to 6 percent slopes	92
J105A	Arvilla sandy loam, 0 to 2 percent slopes	44
J31B	Arvilla-Sandberg complex, 2 to 6 percent slopes	39
Z176B	Arvilla-Sandberg sandy loams, coteau, 2 to 6 percent slopes	39
J243A	Balaton clay loam, 1 to 3 percent slopes	96
J57A	Balaton loam, 1 to 3 percent slopes	96
J96B	Barnes-Buse complex, 3 to 6 percent slopes	88
J96C2	Barnes-Buse complex, 6 to 12 percent slopes, moderately eroded	80
J232B	Barnes-Buse-Arvilla complex, 2 to 6 percent slopes	74
J106B	Barnes-Buse-Svea complex, 1 to 6 percent slopes	88
J48A	Bigstone and Parnell soils, ponded, 0 to 1 percent slopes	5
J32A	Bigstone silty clay loam, depressional, 0 to 1 percent slopes	77
L73A	Blue Earth mucky silty clay loam, depressional, 0 to 1 percent slopes	77
J70A	Brandt silty clay loam, 0 to 2 percent slopes	80
Z181A	Brandt silty clay loam, coteau, 0 to 2 percent slopes	80
J237A	Brensall-Tress complex, 0 to 2 percent slopes	95
J237B	Brensall-Tress complex, 1 to 4 percent slopes	95
J71A	Brookings silty clay loam, 1 to 3 percent slopes	98
L212A	Burr-Nishna complex, 0 to 2 percent slopes, occasionally flooded	82
J73D2	Buse clay loam, 12 to 18 percent slopes, moderately eroded	63
J73E	Buse clay loam, 18 to 25 percent slopes	29
J73F	Buse clay loam, 25 to 40 percent slopes	24
J100D2	Buse, eroded-Wilno complex, 12 to 18 percent slopes	64
J238D2	Buse, firm till-Wilno complex, 12 to 18 percent slopes	63
J238E	Buse, firm till-Wilno complex, 18 to 25 percent slopes	37
J238F	Buse, firm till-Wilno complex, 25 to 40 percent slopes	11
J242F	Buse, firm till-Wilno-Lamoure, frequently flooded complex, 0 to 40 percent slopes	15
J227D2	Buse, moderately eroded-Sandberg complex, 12 to 18 percent slopes	51
J95E	Buse, stony-Wilno complex, 18 to 25 percent slopes	26
J95F	Buse, stony-Wilno complex, 25 to 40 percent slopes	17
J235C2	Buse-Barnes-Arvilla complex, 6 to 12 percent slopes, moderately eroded	64
J227F	Buse-Sandberg complex, 18 to 40 percent slopes	19
J92C2	Buse-Vienna complex, 6 to 12 percent slopes, moderately eroded	76
L213A	Calco silty clay loam, 0 to 2 percent slopes, frequently flooded	20
L220A	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	81
L214A	Calco-Du Page complex, 0 to 2 percent slopes, frequently flooded	20
L78A	Canisteo clay loam, 0 to 2 percent slopes	93
J26B	Darnen loam, 2 to 6 percent slopes	99
J91B	Darnen loam, stratified substratum, 2 to 6 percent slopes	97
L215B	Dickman sandy loam, 2 to 6 percent slopes	49
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	60
L221A	Du Page loam, 0 to 2 percent slopes, occasionally flooded	90
L216A	Du Page, rarely flooded-Wergeland complex, 0 to 3 percent slopes	94

Z182A	Estelline silt loam, coteau, 0 to 2 percent slopes	75
Z182B	Estelline silt loam, coteau, 2 to 6 percent slopes	70
J74A	Estelline silty clay loam, 0 to 2 percent slopes	75
L96B	Estherville-Hawick complex, 2 to 6 percent slopes	43
J75A	Fordville loam, 0 to 2 percent slopes	64
J75B	Fordville loam, 2 to 6 percent slopes	63
Z170A	Fordville loam, coteau, 0 to 2 percent slopes	64
Z170B	Fordville loam, coteau, 2 to 6 percent slopes	63
J240B	Forman-Aastad complex, 3 to 6 percent slopes	94
J250C2	Forman-Buse complex, 6 to 12 percent slopes, moderately eroded	81
J199A	Fulda silty clay, 0 to 2 percent slopes	86
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	86
J93A	Hidewood-Badger complex, 0 to 2 percent slopes	92
J236A	Highpoint Lake silty clay, 0 to 2 percent slopes	90
J101B	Hokans-Svea complex, 1 to 4 percent slopes	98
J88B	Kranzburg silty clay loam, 3 to 6 percent slopes	93
J90B	Kranzburg-Brookings complex, 1 to 4 percent slopes	95
J2A	La Prairie loam, 0 to 2 percent slopes, occasionally flooded	91
Z162A	La Prairie loam, coteau, 0 to 2 percent slopes, occasionally flooded	91
J197B	Lake Benton sandy loam, 2 to 6 percent slopes	77
J197C	Lake Benton sandy loam, 6 to 12 percent slopes	72
J99A	Lakepark clay loam, 0 to 3 percent slopes, overwash	98
J107A	Lakepark-Roliss-Parnell, depressional, complex, 0 to 3 percent slopes	93
J23A	Lamoure silty clay loam, 0 to 2 percent slopes, occasionally flooded	78
Z152A	Lamoure silty clay loam, coteau, 0 to 1 percent slopes, occasionally flooded	78
J80A	Lamoure-La Prairie complex, channeled, 0 to 2 percent slopes, frequently flooded	20
Z262A	Lamoure-La Prairie complex, coteau, channeled, 0 to 2 percent slopes, frequently flooded	20
J89B	Lanona-Swenoda complex, 2 to 6 percent slopes	89
J78A	Lismore silty clay loam, 1 to 3 percent slopes	98
L201A	Normania loam, 1 to 3 percent slopes	99
J102A	Oak Lake silty clay loam, 1 to 3 percent slopes	99
J98A	Parnell silty clay loam, 0 to 2 percent slopes	93
J1A	Parnell silty clay loam, depressional, 0 to 1 percent slopes	86
J251A	Parnell silty clay loam, firm till, 0 to 2 percent slopes	94
GP	Pits, gravel-Udipsamments complex	0
J195B	Poinsett silty clay loam, 2 to 6 percent slopes	91
J17A	Quam silty clay loam, depressional, 0 to 1 percent slopes	88
J25A	Rauville silty clay loam, 0 to 1 percent slopes, frequently flooded	20
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	20
J22A	Renshaw loam, 0 to 3 percent slopes	54
Z172A	Renshaw loam, coteau, 0 to 2 percent slopes	54
J81C2	Renshaw-Barnes complex, 6 to 12 percent slopes, moderately eroded	54
J72B	Renshaw-Sandberg complex, 2 to 6 percent slopes	48
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	48
J198C2	Rusklyn-Poinsett complex, 6 to 12 percent slopes, moderately eroded	78
J45F	Sandberg sandy loam, 12 to 40 percent slopes	20
J42C	Sandberg-Arvilla complex, 6 to 12 percent slopes	38

J83F	Sandberg-Buse-Everts complex, 12 to 40 percent slopes	23
J97B	Singsaas-Oak Lake complex, 1 to 6 percent slopes	97
Z174F	Sioux-Renshaw complex, coteau, 15 to 40 percent slopes	20
J84A	Strayhoss loam, 0 to 2 percent slopes	79
J84B	Strayhoss loam, 2 to 6 percent slopes	78
J104A	Svea loam, 1 to 3 percent slopes	99
J7B	Sverdrup sandy loam, 2 to 6 percent slopes	49
J47A	Swenoda sandy loam, 1 to 3 percent slopes	95
L129B	Terril loam, 2 to 6 percent slopes	99
J85A	Trosky silty clay loam, 0 to 2 percent slopes	83
Z288A	Trosky silty clay loam, coteau, 0 to 2 percent slopes	83
Z177	Udorthents, coteau (gravel pits)	0
J11A	Vallers clay loam, 0 to 2 percent slopes	90
L217C2	Ves-Storden complex, 6 to 12 percent slopes, moderately eroded	80
L222C2	Ves-Storden-Pilot Grove complex, 6 to 12 percent slopes, moderately eroded	70
J86B	Vienna silty clay loam, 3 to 6 percent slopes	90
J79B	Vienna-Brookings complex, 1 to 4 percent slopes	94
L139A	Wadena loam, 0 to 2 percent slopes	66
L139B	Wadena loam, 2 to 6 percent slopes	65
W	Water	0
M-W	Water, miscellaneous	0
L83A	Webster clay loam, 0 to 2 percent slopes	93
J103A	Winger silty clay loam, 0 to 2 percent slopes	90