

McLeod County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
27B	Dickinson fine sandy loam, 1 to 6 percent slopes	4	151
35	Blue Earth mucky silty clay loam	1	102
39A	Wadena loam, 0 to 2 percent slopes	1	151
39B	Wadena loam, 2 to 6 percent slopes	4	102
41A	Estherville loam, 0 to 2 percent slopes	1	151
41B	Estherville loam, 2 to 6 percent slopes	4	151
86	Canisteo clay loam	1	102
94B	Terril loam, 2 to 6 percent slopes	4	177
102B	Clarion loam, 2 to 6 percent slopes	3	98
106B	Lester loam, 2 to 6 percent slopes	4	125
109	Cordova clay loam	1	102
112	Harps clay loam	1	102
113	Webster clay loam	1	102
114	Glencoe clay loam	1	102
118	Crippin loam	2	102
238B	Kilkenny clay loam, 2 to 6 percent slopes	4	177
239	Le Sueur loam	1	151
247	Linder loam	1	151
255	Mayer loam	1	102
269	Millington clay loam, occasionally flooded	1	151
313	Spillville loam, occasionally flooded	1	151
327B	Dickman sandy loam, 1 to 6 percent slopes	4	203
336	Delft clay loam	2	102
362	Millington loam, frequently flooded	1	102
386	Okoboji mucky silty clay loam	1	102
392	Biscay clay loam	1	151
414	Hamel loam	1	102
517	Shandep clay loam	1	102
525	Muskego soils, 0 to 1 percent slopes	0	689
611C	Hawick coarse sandy loam, 4 to 12 percent slopes	9	151
887B	Clarion-Swanlake complex, 2 to 6 percent slopes	4	125
920B	Clarion-Estherville complex, 2 to 6 percent slopes	4	125

McLeod County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
920C2	Clarion-Storden-Estherville complex, 6 to 12 percent slopes, eroded	9	141
920D2	Clarion-Storden-Estherville complex, 12 to 18 percent slopes, eroded	15	125
921C2	Clarion-Storden complex, 6 to 12 percent slopes, eroded	9	131
944B	Lester-Storden-Estherville complex, 2 to 6 percent slopes	4	125
945B	Lester-Storden complex, 2 to 6 percent slopes	4	125
945C2	Lester-Storden complex, 6 to 12 percent slopes, eroded	8	151
956	Canisteo-Glencoe complex	1	102
960D2	Storden-Clarion complex, 12 to 18 percent slopes, eroded	15	125
960F	Storden-Clarion complex, 18 to 40 percent slopes	25	125
978	Cordova-Rolfe complex	1	102
1016	Udorthents, loamy	2	102
1030	Udorthents-Pits, gravel complex	10	26
1075	Klossner-Muskego complex, ponded	1	102
1080	Klossner-Okoboji-Glencoe complex, ponded	1	102
1084	Hanlon-Kalmarville complex, frequently flooded	1	102
1091	Klossner, sandy substratum-Harps-Mayer complex	1	102
1092	Harps-Glencoe complex	1	102
1095	Zook silty clay loam, frequently flooded	1	203
1204B	Cokato loam, 2 to 6 percent slopes	4	151
1207B	Cokato-Le Sueur complex, 1 to 6 percent slopes	4	151
1213B	Cokato-Storden complex, 2 to 6 percent slopes	4	151
1213C	Cokato-Storden complex, 6 to 12 percent slopes, eroded	9	125
1228	Hoopeston-Le Sueur complex	1	102
1229B	Cokato-Storden-Estherville complex, 2 to 6 percent slopes	4	151
1833	Coland clay loam, occasionally flooded	1	151
1834	Coland clay loam, frequently flooded	1	102
1901B	Lester-Le Sueur complex, 1 to 6 percent slopes	3	125
L13A	Klossner muck, 0 to 1 percent slopes	0	689
L34A	Cosmos silty clay, 0 to 2 percent slopes	1	102
L83A	Webster clay loam, 0 to 2 percent slopes	1	125
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	1	125
L85A	Nicollet clay loam, 1 to 3 percent slopes	2	125

McLeod County, Minnesota

musym muname		RUSLE2 slope factors	
		slope_%	slope_length_ft.
L107A	Canisteo-Glencoe, depressional complex, 0 to 2 percent slopes	1	125
L163A	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	1	125
L184A	Corvuso silty clay loam, 0 to 2 percent slopes	1	102
L185B	Strout-Arkton complex, 2 to 6 percent slopes	4	151
L200A	Klossner muck, firm substratum, depressional, 0 to 1 percent slopes	1	125
L205A	Blue Earth mucky silty clay loam, depressional, firm substratum, 0 to 1 percent slopes	1	102
M-W	Water, miscellaneous		0
W	Water		0