

Martin County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
8B	Sparta loamy fine sand, 1 to 6 percent slopes	4	203
27B	Dickinson fine sandy loam, 1 to 6 percent slopes	3	151
35	Blue Earth mucky silty clay loam	1	102
37B	Farrar fine sandy loam, 1 to 6 percent slopes	3	151
39B	Wadena loam, 1 to 6 percent slopes	4	177
41B	Estherville sandy loam, 1 to 6 percent slopes	3	125
41C	Estherville sandy loam, 6 to 12 percent slopes	8	151
84	Brownton silty clay	1	102
86	Canisteo clay loam	1	102
94B	Terril loam, 2 to 6 percent slopes	4	125
96	Collinwood silty clay	1	177
101B	Truman silt loam, 1 to 6 percent slopes	4	151
102B	Clarion loam, 2 to 6 percent slopes	3	98
106B	Lester loam, 2 to 6 percent slopes	4	151
106C	Lester loam, 6 to 12 percent slopes	9	125
112	Harps clay loam	1	102
113	Webster clay loam	1	102
114	Glencoe clay loam	1	102
118	Crippin loam	2	102
128B	Grogan silt loam, 1 to 6 percent slopes	3	177
130	Nicollet clay loam	2	151
134	Okoboji silty clay loam	1	102
136	Madelia silty clay loam	1	151
140	Spicer silty clay loam	1	125
181	Litchfield sandy loam	2	151
197	Kingston silt loam	1	151
227	Lemond sandy loam	1	177
229	Waldorf silty clay loam	1	203
247	Linder loam	1	151
255	Mayer loam	1	125
269	Millington clay loam, occasionally flooded	1	151
275B	Ocheyedan loam, 1 to 5 percent slopes	3	151

Martin County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
282	Hanska loam	1	102
313	Spillville loam, occasionally flooded	1	151
336	Delft loam	2	102
350	Canisteo clay loam, depressional	1	102
392	Biscay sandy clay loam	1	151
499	Hanska loam, depressional	1	125
548	Palms muck, sandy substratum	1	125
664	Zook silty clay loam, occasionally flooded	1	203
818	Lemond-Linder complex	2	102
886	Nicollet-Crippin complex	2	102
887B	Clarion-Swanlake loams, 2 to 6 percent slopes	4	151
909C	Truman-Bold silt loams, 6 to 12 percent slopes	9	125
909D2	Bold-Truman silt loams, 12 to 18 percent slopes, eroded	15	151
920B	Clarion-Estherville complex, 2 to 6 percent slopes	4	151
920C2	Clarion-Estherville-Storden complex, 6 to 12 percent slopes, eroded	9	125
920D2	Clarion-Estherville-Storden complex, 12 to 18 percent slopes, eroded	15	151
921B	Clarion-Storden loams, 2 to 6 percent slopes	4	151
921C2	Clarion-Storden loams, 6 to 12 percent slopes, eroded	9	125
956	Canisteo-Glencoe clay loams	1	102
960D2	Storden-Clarion loams, 12 to 18 percent slopes, eroded	15	125
960E	Storden-Clarion loams, 18 to 25 percent slopes	20	151
1029	Pits, gravel	10	26
1052	Palms and Okoboji soils, ponded	1	102
1090	Blue Earth silt loam	1	102
1356	Water, miscellaneous		0
1833	Coland loam, occasionally flooded	1	151
1834	Coland loam, frequently flooded	1	102
1852F	Terril-Swanlake loams, 18 to 40 percent slopes	25	102
1877	Fostoria clay loam	2	151
1907	Lakefield silt loam	1	151
L13A	Klossner muck, 0 to 1 percent slopes	0	689
L83A	Webster clay loam, 0 to 2 percent slopes	1	125

Martin County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	1	125
L85A	Nicollet clay loam, 1 to 3 percent slopes	2	125
L107A	Canisteo-Glencoe, depressional complex, 0 to 2 percent slopes	1	125
L163A	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	1	125
W	Water		0