

Murray County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
31F	Storden loam, 18 to 40 percent slopes	29	82
33B	Barnes loam, 2 to 4 percent slopes	3	125
33B2	Barnes loam, 3 to 6 percent slopes, eroded	5	125
36	Flom clay loam	1	125
51	La Prairie loam	1	125
70	Svea loam	1	125
86	Canisteo clay loam	1	125
94B	Terril loam, 2 to 8 percent slopes	5	125
96A	Collinwood silty clay, 0 to 2 percent slopes	2	125
96B	Collinwood silty clay, 2 to 6 percent slopes	4	125
102B	Clarion loam, 2 to 6 percent slopes	3	98
102B2	Clarion loam, 3 to 6 percent slopes, eroded	5	125
113	Webster clay loam	1	125
114	Glencoe silty clay loam	1	125
118	Crippin loam	1	125
127A	Sverdrup sandy loam, 0 to 2 percent slopes	1	125
127B	Sverdrup sandy loam, 2 to 6 percent slopes	4	125
127C	Sverdrup sandy loam, 6 to 12 percent slopes	9	125
130	Nicollet loam	1	125
140	Spicer silty clay loam	1	125
141A	Egeland sandy loam, 0 to 2 percent slopes	1	125
141B	Egeland sandy loam, 2 to 6 percent slopes	4	125
184	Hamerly loam	1	125
211	Lura silty clay	1	125
219	Rolfe silt loam	1	125
229	Waldorf silty clay	1	125
236	Vallers clay loam	1	125
246	Marysland loam	1	125
339A	Fordville loam, 0 to 2 percent slopes	1	125
339B	Fordville loam, 2 to 6 percent slopes	4	125
341A	Arvilla sandy loam, 0 to 2 percent slopes	1	125
341B	Arvilla sandy loam, 2 to 6 percent slopes	4	125

Murray County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
341C	Arvilla sandy loam, 6 to 12 percent slopes	9	125
344	Quam silty clay loam	1	125
359	Lamoure silty clay loam, frequently flooded	1	148
392	Biscay loam	1	125
402E	Sioux sandy loam, 2 to 40 percent slopes	21	98
418	Lamoure silty clay loam, occasionally flooded	1	148
506	Overly silty clay loam	1	125
562	Knoke silty clay loam	1	125
590	Moines clay loam	1	125
594	Jeffers clay loam	1	125
902C2	Barnes-Buse loams, 6 to 12 percent slopes, eroded	9	112
904B	Arvilla-Barnes-Buse complex, 2 to 6 percent slopes	4	125
904C	Arvilla-Barnes-Buse complex, 6 to 12 percent slopes	9	125
913D	Buse-Barnes loams, 12 to 18 percent slopes	15	98
917D	Buse-Sioux complex, 12 to 18 percent slopes	15	112
920C2	Storden-Clarion-Arvilla complex, 6 to 15 percent slopes , eroded	11	125
921C2	Clarion-Storden loams, 6 to 12 percent slopes, eroded	9	112
960D2	Storden-Clarion loams, 12 to 18 percent slopes, eroded	15	98
1024A	Havelock clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
1030	Pits, gravel-Udorthents complex	6	0
1051	Glencoe silty clay loam, ponded	1	203
GP	Pits, gravel-Udipsamments complex	3	0
J1A	Parnell silty clay loam, depressional, 0 to 1 percent slopes	1	125
J2A	La Prairie loam, 0 to 2 percent slopes, occasionally flooded	1	125
J7A	Sverdrup sandy loam, 0 to 2 percent slopes	1	148
J7B	Sverdrup sandy loam, 2 to 6 percent slopes	4	125
J8A	Egeland sandy loam, 0 to 2 percent slopes	1	125
J8B	Egeland sandy loam, 2 to 6 percent slopes	4	125
J11A	Vallers clay loam, 0 to 2 percent slopes	1	125
J12A	Marysland loam, 0 to 2 percent slopes	1	125
J17A	Quam silty clay loam, depressional, 0 to 1 percent slopes	1	125
J22A	Renshaw loam, 0 to 3 percent slopes	2	148

Murray County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
J23A	Lamoure silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
J26B	Darnen loam, 2 to 6 percent slopes	4	125
J31B	Arvilla-Sandberg complex, 2 to 6 percent slopes	4	125
J32A	Bigstone silty clay loam, depressional, 0 to 1 percent slopes	1	125
J42C	Sandberg-Arvilla complex, 6 to 12 percent slopes	10	125
J45F	Sandberg sandy loam, 12 to 40 percent slopes	20	89
J48A	Bigstone and Parnell soils, ponded, 0 to 1 percent slopes	1	125
J57A	Balaton loam, 1 to 3 percent slopes	2	125
J72B	Renshaw-Sandberg complex, 2 to 6 percent slopes	4	148
J73D2	Buse clay loam, 12 to 18 percent slopes, moderately eroded	16	125
J73F	Buse clay loam, 25 to 40 percent slopes	32	112
J75A	Fordville loam, 0 to 2 percent slopes	1	171
J75B	Fordville loam, 2 to 6 percent slopes	4	148
J77A	Lamoure silty clay loam, 0 to 2 percent slopes, frequently flooded	1	148
J78A	Lismore silty clay loam, 1 to 3 percent slopes	2	148
J79B	Vienna-Brookings complex, 1 to 4 percent slopes	2	148
J81C2	Renshaw-Barnes complex, 6 to 12 percent slopes, moderately eroded	7	148
J83F	Sandberg-Buse-Everts complex, 12 to 40 percent slopes	26	112
J85A	Trosky silty clay loam, 0 to 2 percent slopes	1	148
J86B	Vienna silty clay loam, 3 to 6 percent slopes	5	148
J90B	Kranzburg-Brookings complex, 1 to 4 percent slopes	3	148
J91B	Darnen loam, stratified substratum, 2 to 6 percent slopes	4	125
J92C2	Buse-Vienna complex, 6 to 12 percent slopes, moderately eroded	9	148
J93A	Hidewood-Badger complex, 0 to 2 percent slopes	1	148
J95F	Buse, stony-Wilno complex, 25 to 40 percent slopes	32	82
J96B	Barnes-Buse complex, 3 to 6 percent slopes	5	125
J96C2	Barnes-Buse complex, 6 to 12 percent slopes, moderately eroded	10	112
J99A	Lakepark clay loam, 0 to 3 percent slopes, overwash	2	125
J100D2	Buse, eroded-Wilno complex, 12 to 18 percent slopes	14	98
J101B	Hokans-Svea complex, 1 to 4 percent slopes	2	125
J104A	Svea loam, 1 to 3 percent slopes	2	125
J105A	Arvilla sandy loam, 0 to 2 percent slopes	1	148

Murray County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
J106B	Barnes-Buse-Svea complex, 1 to 6 percent slopes	4	125
J107A	Lakepark-Roliss-Parnell, depressional, complex, 0 to 3 percent slopes	2	125
J195B	Poinsett silty clay loam, 2 to 6 percent slopes	4	125
J196A	Forada loam, 0 to 2 percent slopes	1	125
J199A	Fulda silty clay, 0 to 2 percent slopes	1	125
J227D2	Buse, moderately eroded-Sandberg complex, 12 to 18 percent slopes	16	98
J232B	Barnes-Buse-Arvilla complex, 2 to 6 percent slopes	4	125
J235C2	Buse-Barnes-Arvilla complex, 6 to 12 percent slopes, moderately eroded	9	112
J236A	Highpoint Lake silty clay, 0 to 2 percent slopes	1	148
J256A	Waubay silty clay loam, 1 to 3 percent slopes	2	125
L139B	Wadena loam, 2 to 6 percent slopes	4	125
L142A	Jeffers clay loam, 0 to 2 percent slopes	1	125
L149A	Romnell clay loam, 0 to 3 percent slopes	2	125
L172D2	Storden, firm till-Annton complex, 12 to 18 percent slopes, moderately eroded	15	98
L173A	Moines clay loam, 1 to 3 percent slopes	2	82
L198A	North Twin-Walnut grove complex, 0 to 2 percent slopes	1	125
L198B	North Twin-Walnut grove complex, 1 to 4 percent slopes	2	125
L202A	Pell Creek-Romnell complex, 0 to 2 percent slopes	1	125
L207F	Belview-Ridgeton complex, 18 to 40 percent slopes, firm till substratum	23	82
L213A	Calco silty clay loam, 0 to 2 percent slopes, frequently flooded	1	148
L220A	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
L221A	Du Page loam, 0 to 2 percent slopes, occasionally flooded	1	125
L224A	Coland clay loam, 0 to 2 percent slopes, frequently flooded	1	148
L225B	Annton-North Twin complex, 3 to 6 percent slopes	5	125
L226C2	Annton-Storden, firm till complex, 6 to 12 percent slopes, moderately eroded	9	112
L229A	Romnell silty clay loam, depressional, 0 to 1 percent slopes	1	125
L241B	Dickinson fine sandy loam, firm till substratum, 1 to 6 percent slopes	4	125
L242B	Terril loam, firm till substratum, 2 to 6 percent slopes	4	125
L243A	Havelock-Zumbro complex, 0 to 3 percent slopes, frequently flooded	1	125
L246B	Dickman sandy loam, firm till substratum, 1 to 6 percent slopes	3	203
L247A	Moines-Walnut Grove complex, 1 to 3 percent slopes	2	125
L248B	Annton-Swanlake, firm till complex, 3 to 6 percent slopes	5	125

Murray County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
L249A	Knoke silty clay loam, firm till substratum, depressional, 0 to 1 percent slopes	1	125
M-W	Water, miscellaneous		0
P3A	Biscay silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
P4A	Calco silty clay loam, 0 to 2 percent slopes, frequently flooded	1	148
P5A	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
P8A	Cylinder loam, 0 to 2 percent slopes, occasionally flooded	1	148
P12B	Everly silty clay loam, 2 to 6 percent slopes	4	148
P12C2	Everly silty clay loam, 6 to 12 percent slopes, moderately eroded	9	148
P20B	Judson silt loam, 3 to 8 percent slopes	5	148
P28A	Ransom silty clay loam, 1 to 3 percent slopes	2	148
P29A	Rushmore silty clay loam, 0 to 2 percent slopes	1	148
P30B	Sac silty clay loam, 2 to 5 percent slopes	3	148
P33A	Spillco silt loam, 0 to 2 percent slopes, occasionally flooded	1	125
P37D	Talmo gravelly sandy loam, 6 to 35 percent slopes	21	125
P38C	Thurman sandy loam, 6 to 12 percent slopes	9	148
P42A	Whitewood silty clay loam, 0 to 2 percent slopes	1	148
P43A	Wilmonton silty clay loam, 1 to 3 percent slopes	2	171
P44E	Shindler clay loam, 15 to 45 percent slopes	30	112
P45E	Moneta clay loam, 15 to 45 percent slopes	30	112
P48A	Allendorf silty clay loam, 0 to 2 percent slopes	1	197
P48B	Allendorf silty clay loam, 2 to 6 percent slopes	4	148
P51C2	Everly-Moneta-Talmo complex, 6 to 12 percent slopes, moderately eroded	9	148
P52D2	Moneta-Everly-Talmo complex, 12 to 18 percent slopes, moderately eroded	16	112
P53C2	Everly-Moneta complex, 6 to 12 percent slopes, moderately eroded	9	148
P54D2	Moneta-Everly complex, 12 to 18 percent slopes, moderately eroded	16	112
P56A	Kanaranzi silt loam, 0 to 2 percent slopes	1	171
P56B	Kanaranzi silt loam, 2 to 6 percent slopes	4	148
W	Water		0