

Sibley County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
5B	Dakota loam, 1 to 6 percent slopes	4	177
27B	Dickinson loam, 2 to 6 percent slopes	2	102
35	Blue Earth mucky silt loam	1	102
86	Canisteo clay loam	1	102
94B	Terril loam, 2 to 6 percent slopes	4	203
102B	Clarion loam, 2 to 6 percent slopes	3	98
106B	Lester loam, 2 to 6 percent slopes	4	151
106C2	Lester loam, 6 to 12 percent slopes, eroded	9	125
109	Cordova clay loam	1	102
110	Marna silty clay loam	1	102
112	Harps clay loam	1	102
113	Webster clay loam	1	102
114	Glencoe clay loam	1	102
118	Crippin loam	2	102
130	Nicollet clay loam	2	151
134	Okoboji silty clay loam	1	102
222B	Lasa loamy fine sand, 2 to 8 percent slopes	5	125
239	Le Sueur clay loam	2	151
317	Oshawa silty clay loam, frequently flooded	1	102
329	Chaska loam, occasionally flooded	1	125
336	Delft clay loam	2	102
386	Okoboji mucky silty clay loam	1	102
463B	Minneiska loam, 1 to 4 percent slopes	3	151
525	Muskego soils, 0 to 1 percent slopes	0	689
743	Glencoe clay loam, stratified substratum	1	102
772F	Swanlake-Lasa complex, 18 to 65 percent slopes	40	151
887B	Clarion-Swanlake complex, 3 to 6 percent slopes	5	151
919	Canisteo-Mayer complex	1	102
920B	Clarion-Hawick complex, 3 to 6 percent slopes	5	125
920C2	Clarion-Hawick-Storden complex, 6 to 12 percent slopes, eroded	9	125
921C2	Clarion-Storden complex, 6 to 12 percent slopes, eroded	9	125
944B	Lester-Hawick complex, 2 to 6 percent slopes	4	125

Sibley County, Minnesota

musym muname

RUSLE2 slope factors
slope_% slope_length_ft.

musym	muname	slope_%	slope_length_ft.
944C2	Lester-Hawick-Swanlake complex, 6 to 12 percent slopes, eroded	10	151
945D2	Lester-Storden complex, 12 to 18 percent slopes, eroded	15	151
945F	Lester-Storden complex, 18 to 65 percent slopes	40	151
946	Nicollet-Linder complex	1	102
956	Canisteo-Glencoe complex	1	102
978	Cordova-Rolfe complex	1	102
1016	Udorthents, loamy	2	102
1030	Udorthents-Pits, gravel, complex	10	26
1075	Klossner and Muskego soils, ponded	1	102
1081	Minneiska-Abscota complex, occasionally flooded	1	151
1093	Webster-Biscay complex	1	151
1356	Water, miscellaneous		0
1833	Coland clay loam, occasionally flooded	1	151
1834	Coland clay loam, frequently flooded	1	151
1901B	Lester-Le Sueur complex, 1 to 6 percent slopes	4	125
1999	Minneiska-Kalmarville complex, frequently flooded	1	102
L13A	Klossner muck, 0 to 1 percent slopes	0	689
L83A	Webster clay loam, 0 to 2 percent slopes	1	125
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	1	125
L85A	Nicollet clay loam, 1 to 3 percent slopes	2	125
L107A	Canisteo-Glencoe, depressional complex, 0 to 2 percent slopes	1	125
L163A	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	1	125
W	Water		0