

Yellow Medicine County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
31E	Storden loam, 18 to 25 percent slopes	22	125
31F	Storden loam, 25 to 40 percent slopes	33	82
35	Blue Earth silt loam	1	125
85	Calco silty clay loam, occasionally flooded	1	148
86	Canisteo clay loam	1	125
94B	Terril loam, 2 to 6 percent slopes	4	125
94C	Terril loam, 6 to 12 percent slopes	9	125
108	McIntosh silt loam, 1 to 3 percent slopes	2	125
113	Webster clay loam	1	125
127A	Sverdrup fine sandy loam, 0 to 2 percent slopes	1	125
127B	Sverdrup fine sandy loam, 2 to 6 percent slopes	4	125
127C	Sverdrup sandy loam, 6 to 12 percent slopes	9	125
134	Okoboji silty clay loam	1	125
137	Dovray silty clay	1	125
140	Spicer silty clay loam	1	125
141A	Egeland loam, 0 to 2 percent slopes	1	125
141B	Egeland loam, 2 to 6 percent slopes	4	125
160	Fieldon fine sandy loam	1	125
210	Fulda silty clay	1	125
246	Marysland clay loam	1	125
276	Oldham silty clay loam	1	125
290B	Rothsay silt loam, 1 to 4 percent slopes	3	125
290B2	Rothsay silt loam, 3 to 6 percent slopes, eroded	5	125
319	Barbert silt loam	1	125
339A	Fordville loam, 0 to 2 percent slopes	1	125
339B	Fordville loam, 2 to 6 percent slopes	4	125
341A	Arvilla sandy loam, 0 to 2 percent slopes	1	125
341B	Arvilla sandy loam, 2 to 6 percent slopes	4	125
341C	Arvilla sandy loam, 6 to 12 percent slopes	9	125
347	Malachy loam	1	125

Yellow Medicine County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
371	Clontarf sandy loam, 1 to 3 percent slopes	2	125
402D	Sioux gravelly sandy loam, 2 to 40 percent slopes	21	98
421B	Ves loam, 1 to 4 percent slopes	3	125
423	Seaforth loam, 1 to 3 percent slopes	2	125
434	Perella silty clay loam	1	125
444	Canisteo silty clay loam	1	125
574	Du Page loam, occasionally flooded	1	125
575	Nishna silty clay, occasionally flooded	1	125
591B	Doland silt loam, 1 to 4 percent slopes	3	125
591B2	Doland silt loam, 3 to 6 percent slopes, eroded	5	125
597	Tara silt loam, 1 to 3 percent slopes	2	125
610	Calco silty clay loam, frequently flooded	1	148
878	Calco-Du Page complex	1	125
883	Zumbro-Du Page complex	1	125
923D	Copaston-Rock outcrop complex, 2 to 25 percent slopes	14	98
953C	Arvilla-Storden-Ves complex, 6 to 15 percent slopes	11	125
954B2	Ves-Storden loams, 3 to 6 percent slopes, eroded	5	125
954C2	Storden-Ves loams, 5 to 12 percent slopes, eroded	9	125
954D	Storden-Ves loams, 12 to 18 percent slopes	15	98
969B2	Zell-Rothsay silt loams, 2 to 6 percent slopes, eroded	4	125
969C2	Zell-Rothsay silt loams, 6 to 12 percent slopes, eroded	9	125
1003B	Udorthents (cut and fill land), 0 to 6 percent slopes	3	0
1016	Udorthents, loamy	3	0
1029	Pits, gravel		0
1053	Aquolls and Aquents, ponded	1	0
1852F	Terril-Swanlake loams, 18 to 70 percent slopes	29	82
1867	Zumbro-Calco complex	1	148
1868	Canisteo stony clay loam	1	125
1869	Du Page-McIntosh variant loams	1	125
1870	Burr-Calco silty clay loams	1	148

Yellow Medicine County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
GP	Pits, gravel-Udipsamments complex	25	0
J1A	Parnell silty clay loam, depressional, 0 to 1 percent slopes	1	125
J2A	La Prairie loam, 0 to 2 percent slopes, occasionally flooded	1	125
J7A	Sverdrup sandy loam, 0 to 2 percent slopes	1	148
J7B	Sverdrup sandy loam, 2 to 6 percent slopes	4	125
J11A	Vallers clay loam, 0 to 2 percent slopes	1	125
J12A	Marysland loam, 0 to 2 percent slopes	1	125
J23A	Lamoure silty clay loam, 0 to 2 percent slopes, occasionally flooded	1	148
J26B	Darnen loam, 2 to 6 percent slopes	4	125
J31B	Arvilla-Sandberg complex, 2 to 6 percent slopes	4	125
J32A	Bigstone silty clay loam, depressional, 0 to 1 percent slopes	1	125
J38B	Zell-Eckman complex, 2 to 6 percent slopes	4	125
J38C2	Zell-Eckman complex, 6 to 12 percent slopes, moderately eroded	10	125
J42C	Sandberg-Arvilla complex, 6 to 12 percent slopes	10	125
J45F	Sandberg sandy loam, 12 to 40 percent slopes	20	89
J48A	Bigstone and Parnell soils, ponded, 0 to 1 percent slopes	1	125
J57A	Balaton loam, 1 to 3 percent slopes	2	125
J75A	Fordville loam, 0 to 2 percent slopes	1	171
J75B	Fordville loam, 2 to 6 percent slopes	4	148
J77A	Lamoure silty clay loam, 0 to 2 percent slopes, frequently flooded	1	148
J80A	Lamoure-La Prairie complex, channeled, 0 to 2 percent slopes, frequently flooded	1	148
J95E	Buse, stony-Wilno complex, 18 to 25 percent slopes	22	82
J95F	Buse, stony-Wilno complex, 25 to 40 percent slopes	26	82
J96C2	Barnes-Buse complex, 6 to 12 percent slopes, moderately eroded	10	112
J100D2	Buse, eroded-Wilno complex, 12 to 18 percent slopes	16	98
J101B	Hokans-Svea complex, 1 to 4 percent slopes	3	125
J105A	Arvilla sandy loam, 0 to 2 percent slopes	1	148
J106B	Barnes-Buse-Svea complex, 1 to 6 percent slopes	4	125
J107A	Lakepark-Roliss-Parnell, depressional, complex, 0 to 3 percent slopes	1	125
J195B	Poinsett silty clay loam, 2 to 6 percent slopes	4	125

Yellow Medicine County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft.
J198C2	Rusklyn-Poinsett complex, 6 to 12 percent slopes, moderately eroded	9	112
J199A	Fulda silty clay, 0 to 2 percent slopes	1	125
J227D2	Buse, moderately eroded-Sandberg complex, 12 to 18 percent slopes	16	98
J227F	Buse-Sandberg complex, 18 to 40 percent slopes	24	89
J232B	Barnes-Buse-Arvilla complex, 2 to 6 percent slopes	5	125
J235C2	Buse-Barnes-Arvilla complex, 6 to 12 percent slopes, moderately eroded	10	112
J236A	Highpoint lake silty clay, 0 to 2 percent slopes	1	148
J237A	Brensall-Tress complex, 0 to 2 percent slopes	2	125
J237B	Brensall-Tress complex, 1 to 4 percent slopes	3	125
J238D2	Buse, firm till-Wilno complex, 12 to 18 percent slopes	14	98
J238E	Buse, firm till-Wilno complex, 18 to 25 percent slopes	22	82
J238F	Buse, firm till-Wilno complex, 25 to 40 percent slopes	28	82
J240B	Forman-Aastad complex, 3 to 6 percent slopes	2	125
J243A	Balaton clay loam, 1 to 3 percent slopes	2	125
J250C2	Forman-Buse complex, 6 to 12 percent slopes, moderately eroded	10	112
J251A	Parnell silty clay loam, firm till, 0 to 2 percent slopes	1	125
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes	1	125
L201A	Normania loam, 1 to 3 percent slopes	2	125
M-W	Water, miscellaneous		0
W	Water		0