

**Pipestone County Crop Productivity Index (CPI) by Map Unit Name**

Mapunit Symbol	Map Unit Name	CPI
P48A	Allendorf silty clay loam, 0 to 2 percent slopes	75
P48B	Allendorf silty clay loam, 2 to 6 percent slopes	74
J105A	Arvilla sandy loam, 0 to 2 percent slopes	44
J31B	Arvilla-Sandberg complex, 2 to 6 percent slopes	39
J69A	Athelwold silty clay loam, 0 to 2 percent slopes	80
Z289A	Athelwold silty clay loam, coteau, 0 to 2 percent slopes	80
J96B	Barnes-Buse complex, 3 to 6 percent slopes	88
J96C2	Barnes-Buse complex, 6 to 12 percent slopes, moderately eroded	80
J106B	Barnes-Buse-Svea complex, 1 to 6 percent slopes	88
J48A	Bigstone and Parnell soils, ponded, 0 to 1 percent slopes	5
J70A	Brandt silty clay loam, 0 to 2 percent slopes	80
Z181A	Brandt silty clay loam, coteau, 0 to 2 percent slopes	80
J71A	Brookings silty clay loam, 1 to 3 percent slopes	98
J73D2	Buse clay loam, 12 to 18 percent slopes, moderately eroded	63
J73E	Buse clay loam, 18 to 25 percent slopes	29
J73F	Buse clay loam, 25 to 40 percent slopes	24
J100D2	Buse, eroded-Wilno complex, 12 to 18 percent slopes	64
J95E	Buse, stony-Wilno complex, 18 to 25 percent slopes	26
J95F	Buse, stony-Wilno complex, 25 to 40 percent slopes	17
J92C2	Buse-Vienna complex, 6 to 12 percent slopes, moderately eroded	76
P4A	Calco silty clay loam, 0 to 2 percent slopes, frequently flooded	20
P5A	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	80
P8A	Cylinder loam, 0 to 2 percent slopes, occasionally flooded	65
J26B	Darnen loam, 2 to 6 percent slopes	99
J91B	Darnen loam, stratified substratum, 2 to 6 percent slopes	97
P11A	Dempster silt loam, 0 to 2 percent slopes	81
P11B	Dempster silt loam, 2 to 6 percent slopes	73
Z182A	Estelline silt loam, coteau, 0 to 2 percent slopes	75
Z182B	Estelline silt loam, coteau, 2 to 6 percent slopes	70
J74A	Estelline silty clay loam, 0 to 2 percent slopes	75
J74B	Estelline silty clay loam, 2 to 6 percent slopes	70
P12B	Everly silty clay loam, 2 to 6 percent slopes	93
P12C2	Everly silty clay loam, 6 to 12 percent slopes, moderately eroded	82
P14A	Flandreau silt loam, 0 to 2 percent slopes	86
P14B	Flandreau silt loam, 2 to 6 percent slopes	78
J75A	Fordville loam, 0 to 2 percent slopes	64
J75B	Fordville loam, 2 to 6 percent slopes	63
Z170A	Fordville loam, coteau, 0 to 2 percent slopes	64
Z170B	Fordville loam, coteau, 2 to 6 percent slopes	63
P16A	Graceville silt loam, 0 to 2 percent slopes	98
J93A	Hidewood-Badger complex, 0 to 2 percent slopes	92
J101B	Hokans-Svea complex, 1 to 4 percent slopes	98
P17A	Ihlen silty clay loam, 0 to 2 percent slopes	57
P17B	Ihlen silty clay loam, 2 to 6 percent slopes	53
P18B	Ihlen-Rock outcrop complex, 0 to 6 percent slopes	43

P18C	Ihlen-Rock outcrop complex, 4 to 35 percent slopes	26
P20B	Judson silt loam, 3 to 8 percent slopes	98
P56B	Kanaranzi silt loam, 2 to 6 percent slopes	54
J88B	Kranzburg silty clay loam, 3 to 6 percent slopes	93
J90B	Kranzburg-Brookings complex, 1 to 4 percent slopes	95
J2A	La Prairie loam, 0 to 2 percent slopes, occasionally flooded	91
Z162A	La Prairie loam, coteau, 0 to 2 percent slopes, occasionally flooded	91
J99A	Lakepark clay loam, 0 to 3 percent slopes, overwash	98
J107A	Lakepark-Roliss-Parnell, depressional, complex, 0 to 3 percent slopes	93
J77A	Lamoure silty clay loam, 0 to 2 percent slopes, frequently flooded	20
J23A	Lamoure silty clay loam, 0 to 2 percent slopes, occasionally flooded	78
Z152A	Lamoure silty clay loam, coteau, 0 to 1 percent slopes, occasionally flooded	78
J80A	Lamoure-La Prairie complex, channeled, 0 to 2 percent slopes, frequently flooded	20
Z262A	Lamoure-La Prairie complex, coteau, channeled, 0 to 2 percent slopes, frequently flooded	20
J89B	Lanona-Swenoda complex, 2 to 6 percent slopes	89
J78A	Lismore silty clay loam, 1 to 3 percent slopes	98
J12A	Marysland loam, 0 to 2 percent slopes	65
P24B	Moody silty clay loam, 2 to 5 percent slopes	95
J1A	Parnell silty clay loam, depressional, 0 to 1 percent slopes	86
J76A	Parnell silty clay loam, depressional, verdi, 0 to 1 percent slopes	87
J94A	Parnell-McIntosh complex, 0 to 3 percent slopes	93
GP	Pits, gravel-Udipsamments complex	0
P27A	Primghar silty clay loam, 1 to 3 percent slopes	99
P28A	Ransom silty clay loam, 1 to 3 percent slopes	99
J25A	Rauville silty clay loam, 0 to 1 percent slopes, frequently flooded	20
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	20
J22A	Renshaw loam, 0 to 3 percent slopes	54
Z172A	Renshaw loam, coteau, 0 to 2 percent slopes	54
J81C2	Renshaw-Barnes complex, 6 to 12 percent slopes, moderately eroded	54
J72B	Renshaw-Sandberg complex, 2 to 6 percent slopes	48
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	48
J82C	Rock outcrop-Ihlen complex, 6 to 12 percent slopes	28
P29A	Rushmore silty clay loam, 0 to 2 percent slopes	94
P30B	Sac silty clay loam, 2 to 5 percent slopes	95
J45F	Sandberg sandy loam, 12 to 40 percent slopes	20
J42C	Sandberg-Arvilla complex, 6 to 12 percent slopes	38
J83F	Sandberg-Buse-Everts complex, 12 to 40 percent slopes	23
P44E	Shindler clay loam, 15 to 45 percent slopes	21
P32A	Spillco silt loam, 0 to 2 percent slopes, frequently flooded	20
P33A	Spillco silt loam, 0 to 2 percent slopes, occasionally flooded	83
P34B	Splitrock silty clay loam, 2 to 5 percent slopes	91
P34C2	Splitrock silty clay loam, 5 to 9 percent slopes, moderately eroded	83
J84A	Strayhoss loam, 0 to 2 percent slopes	79
J84B	Strayhoss loam, 2 to 6 percent slopes	78
J104A	Svea loam, 1 to 3 percent slopes	99
J7A	Sverdrup sandy loam, 0 to 2 percent slopes	52
J7B	Sverdrup sandy loam, 2 to 6 percent slopes	49

J47A	Swenoda sandy loam, 1 to 3 percent slopes	95
P36A	Talcot silty clay loam, 0 to 2 percent slopes, occasionally flooded	66
P37B	Talmo gravelly sandy loam, 2 to 6 percent slopes	26
P37D	Talmo gravelly sandy loam, 6 to 35 percent slopes	21
P38B	Thurman sandy loam, 2 to 6 percent slopes	47
P46	Trent silty clay loam, 1 to 3 percent slopes	100
J85A	Trosky silty clay loam, 0 to 2 percent slopes	83
Z288A	Trosky silty clay loam, coteau, 0 to 2 percent slopes	83
1003B	Udorthents (cut and fill land), 0 to 6 percent slopes	0
Z177	Udorthents, coteau (gravel pits)	0
J86B	Vienna silty clay loam, 3 to 6 percent slopes	90
J79B	Vienna-Brookings complex, 1 to 4 percent slopes	94
W	Water	0
M-W	Water, miscellaneous	0
J87A	Waubay silty clay loam, loess deposit, 1 to 3 percent slopes	99
P42A	Whitewood silty clay loam, 0 to 2 percent slopes	94