

**Renville County Crop Productivity Index (CPI) by Map Unit Name**

Mapunit Symbol	Map Unit Name	CPI
1370B	Amiret loam, 2 to 5 percent slopes	98
1355B	Amiret-Swanlake complex, 2 to 6 percent slopes	92
1386B	Amiret-Swanlake-Hawick complex, 2 to 6 percent slopes	80
1261B	Bechyn loam, 2 to 6 percent slopes	31
1270D	Bechyn-Rock outcrop complex, 0 to 40 percent slopes	11
392	Biscay loam, 0 to 2 percent slopes	69
35	Blue Earth mucky silt loam, 0 to 1 percent slopes	77
610	Calco silty clay loam, 0 to 1 percent slopes, frequently flooded	20
85	Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded	81
1287	Calco silty clay loam, ponded, 0 to 1 percent slopes, frequently flooded	5
1802	Calcousta-Okobojo complex, depressional, 0 to 1 percent slopes	81
86	Canisteo clay loam, moderately fine substratum, 0 to 2 percent slopes	93
L107A	Canisteo-Glencoe, depressional complex, 0 to 2 percent slopes	91
956	Canisteo-Glencoe, depressional, complex, 0 to 2 percent slopes	91
817	Canisteo-Seaforth complex, 0 to 3 percent slopes	94
1267	Cedarrock silty clay loam, 0 to 2 percent slopes, frequently flooded	20
1285	Chetomba silty clay loam, 0 to 2 percent slopes	92
102B	Clarion loam, 2 to 6 percent slopes	95
920B	Clarion-Storden-Hawick complex, 2 to 6 percent slopes	72
887B	Clarion-Swanlake complex, 2 to 6 percent slopes	92
1834	Coland clay loam, 0 to 2 percent slopes, frequently flooded	20
1833	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	83
978	Cordova-Rolfe, depressional, complex, 0 to 2 percent slopes	86
810	Coriff-Fieldon complex, 0 to 2 percent slopes	79
L184A	Corvuso silty clay loam, 0 to 2 percent slopes	78
L179A	Corvuso-Lura, depressional, firm substratum complex, 0 to 2 percent slopes	80
L34A	Cosmos silty clay, 0 to 2 percent slopes	81
118	Crippin loam, moderately fine substratum, 1 to 3 percent slopes	100
1369A	Crooksford silt loam, 1 to 3 percent slopes	100
1369B	Crooksford silt loam, 3 to 5 percent slopes	100
1371B	Crooksford-Swanlake complex, 3 to 6 percent slopes	93
1958	Danube silty clay, 0 to 2 percent slopes	74
336	Delft loam, 1 to 3 percent slopes	94
27A	Dickinson loam, 0 to 2 percent slopes	60
27B	Dickinson loam, 2 to 6 percent slopes	60
327A	Dickman sandy loam, 0 to 2 percent slopes	49
327B	Dickman sandy loam, 2 to 6 percent slopes	49
327C	Dickman sandy loam, 6 to 12 percent slopes	40
574	Du Page loam, 0 to 2 percent slopes, occasionally flooded	90
1845A	Estherville loam, 0 to 2 percent slopes	44
1845B	Estherville loam, 2 to 6 percent slopes	44
156	Fairhaven silt loam, 0 to 2 percent slopes	78
128C2	Grogan silt loam, 6 to 15 percent slopes, eroded	92
1392B	Grogan silt loam, moderately wet, 1 to 4 percent slopes	96
1268	Hanlon loam, 1 to 3 percent slopes, rarely flooded	95

282	Hanska loam, 0 to 2 percent slopes	61
112	Harps clay loam, 0 to 2 percent slopes	90
899	Harps-Okoboji, depressional, complex, 0 to 2 percent slopes	89
927	Harps-Seaforth-Okoboji, depressional, complex, 0 to 3 percent slopes	90
1374	Havelock clay loam, 0 to 2 percent slopes, occasionally flooded	75
1389	Havelock silt loam, 0 to 2 percent slopes, frequently flooded	20
875C	Hawick-Estherville complex, 6 to 12 percent slopes	39
L33A	Kandiyohi clay, 0 to 2 percent slopes	90
L33B	Kandiyohi clay, 2 to 5 percent slopes	90
L187A	Klossner and Lura soils, ponded, firm substratum, 0 to 1 percent slopes	5
L13A	Klossner muck, 0 to 1 percent slopes	77
519	Klossner muck, depressional, calcareous, 0 to 1 percent slopes	77
L200A	Klossner muck, depressional, firm substratum, 0 to 1 percent slopes	76
1080	Klossner, okoboji, and glencoe soils, ponded, 0 to 1 percent slopes	5
1390	Leen silty clay loam, 0 to 2 percent slopes	90
1205	Leen-Okoboji, depressional, complex, 0 to 2 percent slopes	89
227	Lemond loam, 0 to 2 percent slopes	69
247	Linder loam, 0 to 2 percent slopes	60
1382	Louris silt loam, 1 to 3 percent slopes	90
1269	Lowlein silt loam, 0 to 2 percent slopes	89
L164A	Lura silty clay, depressional, firm substratum, 0 to 1 percent slopes	81
318	Mayer clay loam, depressional, 0 to 1 percent slopes	66
255	Mayer loam, 0 to 2 percent slopes	72
463B	Minneiska loam, 1 to 4 percent slopes, rarely flooded	65
463A	Minneiska silt loam, 0 to 2 percent slopes, occasionally flooded	65
1999	Minneiska-Rushriver complex, 0 to 2 percent slopes, frequently flooded	20
525	Muskego soils, 0 to 1 percent slopes	81
L166C2	Newlondon-Strout complex, 6 to 12 percent slopes, moderately eroded	77
L204C2	Newlondon-Strout-Hawick complex, 6 to 12 percent slopes, moderately eroded	67
130	Nicollet clay loam, 1 to 3 percent slopes	99
L85A	Nicollet clay loam, 1 to 3 percent slopes	99
1100	Nicollet silty clay loam, 1 to 3 percent slopes	100
1917	Nishna silty clay loam, 0 to 1 percent slopes, frequently flooded	20
575	Nishna silty clay, 0 to 2 percent slopes, occasionally flooded	71
446	Normania loam, 1 to 3 percent slopes	99
L201A	Normania loam, 1 to 3 percent slopes	99
386	Okoboji mucky silty clay loam, depressional, 0 to 1 percent slopes	86
L192A	Okoboji mucky silty clay loam, depressional, firm substratum, 0 to 1 percent slopes	83
134	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	86
L163A	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	86
1900	Okoboji-Canisteo complex, depressional, 0 to 1 percent slopes	86
1376C	Omsrud-Storden complex, 6 to 12 percent slopes, eroded	88
1373C	Omsrud-Storden-Hawick complex, 6 to 12 percent slopes, eroded	75
1030	Pits, gravel-Udipsamments complex	0
1286	Prinsburg silty clay loam, 0 to 2 percent slopes	91
423	Seaforth loam, 1 to 3 percent slopes	95
1262	Seaforth silt loam, 1 to 3 percent slopes	95

960D2	Storden-Omsrud complex, 12 to 18 percent slopes, eroded	65
960F	Storden-Omsrud complex, 18 to 50 percent slopes	18
1375D	Storden-Ves complex, 12 to 18 percent slopes, eroded	55
L185B	Strout-Arkton complex, 2 to 6 percent slopes	83
L206B	Strout-Arkton-Estherville complex, 2 to 6 percent slopes	77
595F	Swanlake loam, 18 to 50 percent slopes	10
1242F	Swanlake-Terril complex, 18 to 50 percent slopes	24
94C	Terril loam, 6 to 12 percent slopes	90
1388B	Terril loam, moderately wet, 2 to 6 percent slopes	99
954C2	Ves-Storden complex, 6 to 12 percent slopes, eroded	80
999C2	Ves-Storden-Hawick complex, 6 to 12 percent slopes, eroded	60
770C2	Ves-Terril complex, 6 to 15 percent slopes, eroded	85
39A	Wadena loam, 0 to 2 percent slopes	66
39B	Wadena loam, 2 to 6 percent slopes	65
W	Water	0
M-W	Water, miscellaneous	0
113	Webster clay loam, 0 to 2 percent slopes	93
L83A	Webster clay loam, 0 to 2 percent slopes	93
1101	Webster silty clay loam, moderately fine substratum, 0 to 2 percent slopes	93