

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AD: ADEL-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
AF: AGUA FRIA-----	90	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.12 0.01
AG: ALLUVIAL LAND, GRAVELLY-----	80	Not rated Not rated; pH Not rated; Taxonomic or texture class Depth to saturated zone Flooding Too sandy	1.00 1.00 1.00	Not rated Not rated; Taxonomic or texture class Not rated; pH Too sandy Depth to saturated zone Flooding	1.00 1.00 0.40	Not rated Not rated; Taxonomic or texture class Not rated; pH Depth to saturated zone Too sandy Flooding	1.00 1.00 1.00
AL: ALLUVIAL LAND-----	80	Not rated Not rated; pH Not rated; Taxonomic or texture class		Not rated Not rated; Taxonomic or texture class Not rated; pH		Not rated Not rated; Taxonomic or texture class Not rated; pH	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AL: continued ALLUVIAL LAND		Depth to saturated zone	1.00	Too sandy	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Depth to saturated zone	1.00	Too sandy	1.00
		Too sandy	1.00	Flooding	0.40	Flooding	1.00
AM: ALLUVIAL LAND-----	85	Not rated		Not rated		Not rated	
		Not rated; pH		Not rated; Taxonomic or texture class		Not rated; Taxonomic or texture class	
		Not rated; Taxonomic or texture class		Not rated; pH		Not rated; pH	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
An: ANCHO-----	90	Flooding	1.00	Flooding	0.40	Flooding	1.00
		Not limited		Not limited		Not limited	
Ao: ANCHO-----	90	Very limited		Very limited		Very limited	
		Salinity	1.00	Salinity	1.00	Salinity	1.00
AP: APACHE-----	90	Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to saturated zone	0.07
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Content of large stones	0.05	Content of large stones	0.05	Content of large stones	1.00
						Slope	1.00
						Gravel content	0.01

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BA: BADLAND-----	95	Not rated Not rated; pH		Not rated Not rated; Surface clay percent or taxonomic class		Not rated Not rated; Ksat or taxonomic class	
		Not rated; Unified		Not rated; % surface sand or clay		Not rated; Unified	
		Not rated; Surface clay percent or taxonomic class		Not rated; Taxonomic or texture class		Not rated; % surface sand or clay	
		Not rated; Ksat or taxonomic class		Not rated; Ksat or taxonomic class		Not rated; Surface clay percent or taxonomic class	
		Not rated; % surface sand or clay		Not rated; Unified		Not rated; Taxonomic or texture class	
BD: BASALT ROCK LAND----	100	Not rated Not rated; pH		Not rated Not rated; Surface clay percent or taxonomic class		Not rated Not rated; Ksat or taxonomic class	
		Not rated; Unified		Not rated; % surface sand or clay		Not rated; Unified	
		Not rated; Surface clay percent or		Not rated; Taxonomic or texture class		Not rated; % surface sand or clay	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BD: continued BASALT ROCK LAND		taxonomic class Not rated; Ksat or taxonomic class		Not rated; Ksat or taxonomic class		Not rated; Surface clay percent or taxonomic class	
		Not rated; % surface sand or clay		Not rated; Unified		Not rated; Taxonomic or texture class	
Be: BLUEWING-----	90	Somewhat limited Too sandy	0.76	Somewhat limited Too sandy	0.76	Somewhat limited Too sandy	0.76
Bf: BLUEWING-----	90	Very limited Flooding	1.00	Very limited Salinity	1.00	Very limited Salinity	1.00
		Salinity	1.00	Too sandy	0.76	Too sandy	0.76
Bf: BLUEWING		Too sandy	0.76	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Depth to saturated zone	0.39				
Bg: BLUEWING-----	90	Very limited Gravel content	1.00	Very limited Gravel content	1.00	Very limited Gravel content Slope	1.00 0.12
BH: BLUEWING-----	90	Very limited Gravel content	1.00	Very limited Gravel content	1.00	Very limited Gravel content Slope	1.00 0.12

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BM: BOBTAIL-----	90	Very limited Slope Restricted permeability	1.00 0.99	Very limited Slope Restricted permeability	1.00 0.99	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.99 0.42
BO: BOBTAIL-----	60	Very limited Slope Restricted permeability	1.00 0.99	Very limited Slope Restricted permeability	1.00 0.99	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.99 0.42
BO: ROCK OUTCROP-----	25	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Surface Fragments > 75mm Not rated; Unified Not rated; Surface clay percent or taxonomic class		Not rated Not rated; Surface Fragments > 75mm Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class		Not rated Not rated; Ksat or taxonomic class Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BR: BORREGO-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Restricted permeability	1.00
CA: CALABASAS-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.88 0.50
CB: CALABASAS-----	95	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope	1.00
		Slope	0.16	Slope	0.16	Dusty	0.50
CC: CAPILLO-----	80	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Gravel content	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Slope	1.00
		Gravel content	0.18	Gravel content	0.18	Restricted permeability	0.96
CE: CAPILLO-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Gravel content	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Slope	1.00
		Gravel content	0.18	Gravel content	0.18	Restricted permeability	0.96
ROCK OUTCROP-----	25	Not rated Not rated; pH		Not rated Not rated; Surface		Not rated Not rated; Ksat or taxonomic	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CE: ROCK OUTCROP		Not rated; Sieve size, 3 to 10", > 10"		Fragments > 75mm Not rated; Surface clay percent or taxonomic class		class Not rated; Surface Fragments > 75mm	
		Not rated; Surface Fragments > 75mm		Not rated; % surface sand or clay		Not rated; Sieve size, 3 to 10", > 10"	
		Not rated; Unified		Not rated; Taxonomic or texture class		Not rated; Unified	
		Not rated; Surface clay percent or taxonomic class		Not rated; Ksat or taxonomic class		Not rated; % surface sand or clay	
Cf: CERRILLOS-----	90	Not limited		Not limited		Somewhat limited Slope	0.12
CG: CERRILLOS-----	90	Not limited		Not limited		Somewhat limited Slope	0.12
Ch: CERRILLOS-----	95	Not limited		Not limited		Very limited Slope	1.00
CM: CHIMAYO-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Content of large stones	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Content of large stones	1.00	Content of large stones	1.00	Depth to bedrock	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CO: CLOVIS-----	80	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
CU: CUEVA-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Content of large stones	1.00
		Too clayey	0.50	Too clayey	0.50	Slope	1.00
		Restricted	0.45	Restricted	0.45	Gravel content	0.59
		permeability		permeability		Too clayey	0.50
		Content of large stones	0.42	Content of large stones	0.42	Restricted permeability	0.45
CV: CUNDIYO-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Gravel content	0.01	Gravel content	0.01	Gravel content	1.00
						Content of large stones	0.32
DP: DEAN-----	70	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope	0.88
						Dusty	0.50
						Gravel content	0.06
PASTURA-----	20	Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan	1.00
		Dusty	0.50	Dusty	0.50	Slope	0.88
						Dusty	0.50
						Content of large stones	0.01

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ec: EL RANCHO-----	90	Not limited		Not limited		Not limited	
Ed: EL RANCHO-----	90	Not limited		Not limited		Not limited	
Ee: EL RANCHO-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
Eh: EL RANCHO VARIANT---	90	Not limited		Not limited		Not limited	
EL: EL RANCHO-----	65	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
FRUITLAND-----	25	Not limited		Not limited		Somewhat limited Slope	0.50
EN: ENCIERRO-----	90	Very limited Depth to bedrock Restricted permeability Slope	1.00 0.41 0.16	Very limited Depth to bedrock Restricted permeability Slope	1.00 0.41 0.16	Very limited Depth to bedrock Slope Content of large stones Restricted permeability Gravel content	1.00 1.00 0.84 0.41 0.11

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fe: FIVEMILE-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty Slope	0.50 0.12
FF: FIVEMILE-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty Slope	0.50 0.12
FG: FORTWINGATE VARIANT-	85	Very limited Slope Gravel content	1.00 0.36	Very limited Slope Gravel content	1.00 0.36	Very limited Slope Gravel content Content of large stones	1.00 1.00 0.01
Fn: FRUITLAND-----	90	Not limited		Not limited		Not limited	
Fr: FRUITLAND-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
Fs: FRUITLAND-----	90	Not limited		Not limited		Not limited	
Ft: FRUITLAND-----	90	Not limited		Not limited		Not limited	
GG: GALISTEO-----	70	Very limited Flooding Dusty Restricted permeability	1.00 0.50 0.41	Somewhat limited Dusty Restricted permeability Flooding	0.50 0.41 0.40	Very limited Flooding Dusty Restricted permeability	1.00 0.50 0.41

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GG: GULLIED LAND-----	15	Not rated Not rated; pH		Not rated Not rated; Surface clay percent or taxonomic class		Not rated Not rated; Sieve size, 3 to 10", > 10"	
		Not rated; Sieve size, 3 to 10", > 10"		Not rated; % surface sand or clay		Not rated; Unified	
		Not rated; Unified		Not rated; Taxonomic or texture class		Not rated; % surface sand or clay	
		Not rated; Surface clay percent or taxonomic class		Not rated; Unified		Not rated; Surface clay percent or taxonomic class	
		Not rated; % surface sand or clay		Not rated; Sieve size, 3 to 10", > 10"		Not rated; Taxonomic or texture class	
GL: GUAJE-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Gravel content	1.00
		Gravel content	0.50	Gravel content	0.50	Slope	1.00
HA: HAGERMAN-----	85	Somewhat limited Restricted permeability	0.44	Somewhat limited Restricted permeability	0.44	Somewhat limited Restricted permeability	0.44
						Slope	0.12
						Depth to bedrock	0.01
HC: HARVEY-----	80	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope	0.88
						Dusty	0.50

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HD: HARVEY-----	60	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.88 0.50
DEAN-----	30	Very limited Depth to cemented pan Dusty Restricted permeability	1.00 0.50 0.41	Very limited Depth to cemented pan Dusty Restricted permeability	1.00 0.50 0.41	Very limited Depth to cemented pan Slope Dusty Restricted permeability Gravel content	1.00 0.88 0.50 0.41 0.06
HP: HARVEY-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty Slope	0.50 0.12
PENISTAJA-----	35	Not limited		Not limited		Somewhat limited Slope	0.12
HR: HARVEY-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
CERRILLOS-----	30	Not limited		Not limited		Somewhat limited Slope	0.12

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LB: LA BRIER-----	90	Very limited Flooding Dusty Restricted permeability	1.00 0.50 0.45	Somewhat limited Dusty Restricted permeability	0.50 0.45	Somewhat limited Dusty Restricted permeability	0.50 0.45
Lf: LA FONDA-----	95	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
Lg: LAPORTE-----	65	Not rated Not rated; Sieve size, 3 to 10", > 10" Not rated; Surface Fragments > 75mm Depth to bedrock Slope	1.00 1.00	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Depth to bedrock Slope	1.00 1.00	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Depth to bedrock Slope	1.00 1.00
Lg: ROCK OUTCROP-----	25	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Surface Fragments > 75mm		Not rated Not rated; Surface Fragments > 75mm Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay		Not rated Not rated; Ksat or taxonomic class Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10"	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lg: continued ROCK OUTCROP		Not rated; Unified		Not rated; Taxonomic or texture class		Not rated; Unified	
		Not rated; Surface clay percent or taxonomic class		Not rated; Ksat or taxonomic class		Not rated; % surface sand or clay	
LH: LAPORTE-----	65	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Content of large stones	0.02	Content of large stones	0.02	Content of large stones	1.00
						Gravel content	0.86
Lh: ROCK OUTCROP-----	25	Not rated		Not rated		Not rated	
		Not rated; pH		Not rated; Surface Fragments > 75mm		Not rated; Ksat or taxonomic class	
		Not rated; Sieve size, 3 to 10", > 10"		Not rated; Surface clay percent or taxonomic class		Not rated; Surface Fragments > 75mm	
		Not rated; Surface Fragments > 75mm		Not rated; % surface sand or clay		Not rated; Sieve size, 3 to 10", > 10"	
		Not rated; Unified		Not rated; Taxonomic or texture class		Not rated; Unified	
		Not rated; Surface clay		Not rated; Ksat or taxonomic		Not rated; % surface sand or	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lh: continued ROCK OUTCROP		percent or taxonomic class		class		clay	
LL: LAS LUCAS-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.88 0.50
LS: LOS ALAMOS-----	55	Not limited		Not limited		Somewhat limited Slope	0.88
SILVER-----	35	Somewhat limited Dusty Restricted permeability	0.50 0.41	Somewhat limited Dusty Restricted permeability	0.50 0.41	Somewhat limited Slope Dusty Restricted permeability Content of large stones	0.88 0.50 0.41 0.03
LU: LUNCH VARIANT-----	90	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone Slope Gravel content	0.39 0.12 0.06
MA: MAJADA-----	90	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones Gravel content	1.00 0.99 0.01

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MC: MCVICKERS VARIANT---	90	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.96	Restricted permeability	0.96	Slope	1.00
		Slope	0.84	Slope	0.84	Restricted permeability	0.96
						Content of large stones	0.01
MD: MIRABAL-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Content of large stones	1.00
		Content of large stones	0.08	Content of large stones	0.08	Slope	1.00
						Depth to bedrock	0.95
ME: MIRABAL-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.08	Content of large stones	0.08	Content of large stones	1.00
						Depth to bedrock	0.95
MF: MIRABAL-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.08	Content of large stones	0.08	Content of large stones	1.00
						Depth to bedrock	0.95

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MF: continued ROCK OUTCROP-----	30	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Surface Fragments > 75mm Not rated; Unified Not rated; Surface clay percent or		Not rated Not rated; Surface Fragments > 75mm Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class		Not rated Not rated; Ksat or taxonomic class Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay	
MG: MONTOSO-----	90	Very limited Slope Dusty Gravel content	1.00 0.50 0.22	Very limited Slope Dusty Gravel content	1.00 0.50 0.22	Very limited Gravel content Slope Dusty Content of large stones	1.00 1.00 0.50 0.01
MH: MONTOSO-----	90	Very limited Slope Dusty Gravel content	1.00 0.50 0.22	Very limited Slope Dusty Gravel content	1.00 0.50 0.22	Very limited Slope Gravel content Dusty Content of large stones	1.00 1.00 0.50 0.01

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MO: MORIARTY-----	90	Very limited Flooding Too clayey	1.00 0.50	Somewhat limited Too clayey Restricted permeability	0.50 0.41	Very limited Flooding Too clayey	1.00 0.50
		Restricted permeability	0.41	Flooding	0.40	Restricted permeability Slope	0.41 0.12
NA: NAMBE-----	90	Very limited Slope Gravel content	1.00 0.01	Very limited Slope Gravel content	1.00 0.01	Very limited Slope Gravel content Content of large stones	1.00 1.00 0.20
NB: NAMBE-----	90	Very limited Slope Content of large stones	1.00 0.68	Very limited Slope Content of large stones	1.00 0.68	Very limited Content of large stones Slope Gravel content	1.00 1.00 0.01
NE: NAMBE-----	90	Very limited Slope Content of large stones	1.00 0.68	Very limited Slope Content of large stones	1.00 0.68	Very limited Content of large stones Slope Gravel content	1.00 1.00 0.01

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NM: NAMBE-----	65	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Content of large stones	1.00
		Content of large stones	0.68	Content of large stones	0.68	Slope	1.00
						Gravel content	0.01
ROCK OUTCROP-----	25	Not rated Not rated; pH		Not rated Not rated; Surface Fragments > 75mm		Not rated Not rated; Ksat or taxonomic class	
		Not rated; Sieve size, 3 to 10", > 10"		Not rated; Surface clay percent or taxonomic class		Not rated; Surface Fragments > 75mm	
		Not rated; Surface Fragments > 75mm		Not rated; % surface sand or clay		Not rated; Sieve size, 3 to 10", > 10"	
		Not rated; Unified		Not rated; Taxonomic or texture class		Not rated; Unified	
		Not rated; Surface clay percent or taxonomic class		Not rated; Ksat or taxonomic class		Not rated; % surface sand or clay	
NR: NAMBE-----	65	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Content of large stones	1.00
		Content of large stones	0.68	Content of large stones	0.68	Slope	1.00
						Gravel content	0.01

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NR: continued ROCK OUTCROP-----	25	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Surface Fragments > 75mm Not rated; Unified Not rated; Surface clay percent or taxonomic class		Not rated Not rated; Surface Fragments > 75mm Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class		Not rated Not rated; Ksat or taxonomic class Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay	
OG: ORTIZ-----	90	Very limited Slope Dusty Restricted permeability Gravel content	1.00 0.50 0.45 0.04	Very limited Slope Dusty Restricted permeability Gravel content	1.00 0.50 0.45 0.04	Very limited Gravel content Slope Dusty Restricted permeability Depth to bedrock	1.00 1.00 0.50 0.45 0.42
OP: OTERO-----	40	Not limited		Not limited		Somewhat limited Slope Gravel content	0.88 0.05

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OP: continued PALMA-----	40	Not limited		Not limited		Somewhat limited Slope	0.88
Pa: PANKY-----	90	Somewhat limited Restricted permeability	0.05	Somewhat limited Restricted permeability	0.05	Somewhat limited Slope Restricted permeability	0.12 0.05
PB: PANKY-----	90	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability	0.30	Somewhat limited Restricted permeability Slope	0.30 0.12
PC: PENA-----	85	Somewhat limited Slope Content of large stones	0.84 0.50	Somewhat limited Slope Content of large stones	0.84 0.50	Very limited Content of large stones Slope	1.00 1.00
PD: PENISTAJA-----	90	Not limited		Not limited		Somewhat limited Slope	0.12
PE: PENITENTE-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Content of large stones Gravel content	1.00 0.84 0.26

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PH: PERSAYO-----	60	Very limited Depth to bedrock Slope Restricted permeability Gravel content	1.00 0.96 0.44 0.11	Very limited Depth to bedrock Slope Restricted permeability Gravel content	1.00 0.96 0.44 0.11	Very limited Depth to bedrock Gravel content Slope Restricted permeability Content of large stones	1.00 1.00 1.00 0.44 0.01
SHALE ROCK LAND-----	30	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; Ksat or taxonomic class Not rated; Taxonomic or texture class		Not rated Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class Not rated; Unified Not rated; Sieve size, 3 to 10", > 10" Not rated; pH		Not rated Not rated; Ksat or taxonomic class Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; Taxonomic or texture class Not rated; pH	
PK: POJOAQUE-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
PANKY-----	35	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Slope Dusty	0.88 0.50

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PK: continued PANKY						Restricted permeability	0.05
Pm: POJOAQUE-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
ROUGH BROKEN LAND---	40	Very limited Slope Dusty Restricted permeability	1.00 0.50 0.45	Very limited Slope Dusty Restricted permeability	1.00 0.50 0.45	Very limited Slope Dusty Restricted permeability Depth to bedrock Content of large stones	1.00 0.50 0.45 0.10 0.08
PN: POJOAQUE-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
ROUGH BROKEN LAND---	40	Very limited Slope Dusty Restricted permeability	1.00 0.50 0.45	Very limited Slope Dusty Restricted permeability	1.00 0.50 0.45	Very limited Slope Dusty Restricted permeability Depth to bedrock Content of large stones	1.00 0.50 0.45 0.10 0.08
PR: PREWITT-----	90	Very limited Flooding Salinity	1.00 0.50	Somewhat limited Salinity	0.50	Somewhat limited Salinity Slope	0.50 0.12

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RD: REDNUN-----	90	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Slope Dusty Restricted permeability	0.88 0.50 0.05
RE: REDNUN-----	50	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Slope Dusty Restricted permeability	0.88 0.50 0.05
PENA-----	30	Somewhat limited Slope Content of large stones Restricted permeability limiting features	0.84 0.08 0.05	Somewhat limited Slope Content of large stones Restricted permeability limiting features	0.84 0.08 0.05	Very limited Content of large stones Slope Gravel content limiting features Restricted permeability	1.00 1.00 0.73 0.05
RG: REDNUN-----	60	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Slope Restricted permeability	0.50 0.12 0.05

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RG: continued TRAVESSILLA-----	30	Very limited Depth to bedrock Dusty Restricted permeability	1.00 0.50 0.45	Very limited Depth to bedrock Dusty Restricted permeability	1.00 0.50 0.45	Very limited Depth to bedrock Slope Dusty Restricted permeability	1.00 1.00 0.50 0.45
RH: RIVERWASH, SANDY----	90	Not rated Not rated; pH Not rated; Taxonomic or texture class Depth to saturated zone Flooding Too sandy	1.00 1.00 1.00	Not rated Not rated; Taxonomic or texture class Not rated; pH Too sandy Depth to saturated zone Flooding	1.00 1.00 0.40	Not rated Not rated; Taxonomic or texture class Not rated; pH Depth to saturated zone Too sandy Flooding	1.00 1.00 1.00
BLUEWING-----	10	Very limited Gravel content	1.00	Very limited Gravel content	1.00	Very limited Gravel content Slope	1.00 0.12
RK: ROCK OUTCROP-----	100	Not rated Not rated; pH Not rated; Unified		Not rated Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic		Not rated Not rated; Ksat or taxonomic class Not rated; Unified	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RK: continued ROCK OUTCROP		Not rated; Ksat or taxonomic class Not rated; Taxonomic or texture class Gravel content	1.00	class Not rated; Unified Not rated; pH Gravel content	1.00	Not rated; Taxonomic or texture class Not rated; pH Gravel content	1.00
RL: ROCK OUTCROP-----	70	Not rated Not rated; pH Not rated; Unified Not rated; Surface clay percent or taxonomic class Not rated; Ksat or taxonomic class Not rated; % surface sand or clay		Not rated Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class Not rated; Unified		Not rated Not rated; Ksat or taxonomic class Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class Not rated; Taxonomic or texture class	
CHIMAYO-----	20	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RL: continued CHIMAYO		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
						Content of large stones	0.68
						Gravel content	0.04
RO: ROCK SLIDES-----	100	Not rated		Not rated		Not rated	
		Not rated; pH		Not rated; Taxonomic or texture class		Not rated; Taxonomic or texture class	
		Not rated; Taxonomic or texture class		Not rated; pH		Not rated; pH	
		Slope	1.00	Slope	1.00	Content of large stones	1.00
		Content of large stones	1.00	Content of large stones	1.00	Slope	1.00
						Gravel content	0.73
RU: ROUGH BROKEN LAND---	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
						Depth to bedrock	0.10
SF: SANTA FE-----	45	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Gravel content	0.99
						Restricted	0.45

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SF: continued SANTA FE						permeability Content of large stones	0.20
LA FONDA-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
Sk: SANTA FE-----	65	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.45	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.45	Very limited Depth to bedrock Slope Gravel content Restricted permeability Content of large stones	1.00 1.00 0.99 0.45 0.20
ROCK OUTCROP-----	25	Not rated Not rated; pH Not rated; Unified Not rated; Ksat or taxonomic class Not rated; Taxonomic or texture class Depth to bedrock	1.00	Not rated Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class Not rated; Unified Not rated; pH Depth to bedrock	1.00	Not rated Not rated; Ksat or taxonomic class Not rated; Unified Not rated; Taxonomic or texture class Not rated; pH Content of large stones	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SM: SANTA FE-----	65	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.45	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.45	Very limited Depth to bedrock Slope Gravel content Restricted permeability Content of large stones	1.00 1.00 0.99 0.45 0.20
ROCK OUTCROP-----	25	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; Surface clay percent or taxonomic class Not rated; Ksat or taxonomic class		Not rated Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class Not rated; Unified		Not rated Not rated; Ksat or taxonomic class Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SP: SILVER-----	50	Somewhat limited Dusty Restricted permeability	0.50 0.30	Somewhat limited Dusty Restricted permeability	0.50 0.30	Somewhat limited Dusty Restricted permeability Slope Content of large stones	0.50 0.30 0.12 0.03
POJOAQUE-----	30	Not limited		Not limited		Very limited Slope	1.00
SR: SILVER-----	90	Somewhat limited Dusty Restricted permeability	0.50 0.30	Somewhat limited Dusty Restricted permeability	0.50 0.30	Somewhat limited Slope Dusty Restricted permeability Content of large stones	0.88 0.50 0.30 0.03
ST: STONY ROCK LAND-----	80	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified		Not rated Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or		Not rated Not rated; Ksat or taxonomic class Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ST: continued STONY ROCK LAND		Not rated; Surface clay percent or taxonomic class		texture class Not rated; Ksat or taxonomic class		Not rated; % surface sand or clay	
		Not rated; Ksat or taxonomic class		Not rated; Unified		Not rated; Surface clay percent or taxonomic class	
ROCK OUTCROP-----	20	Not rated Not rated; pH		Not rated Not rated; Surface clay percent or taxonomic class		Not rated Not rated; Ksat or taxonomic class	
		Not rated; Sieve size, 3 to 10", > 10"		Not rated; % surface sand or clay		Not rated; Sieve size, 3 to 10", > 10"	
		Not rated; Unified		Not rated; Taxonomic or texture class		Not rated; Unified	
		Not rated; Surface clay percent or taxonomic class		Not rated; Ksat or taxonomic class		Not rated; % surface sand or clay	
		Not rated; Ksat or taxonomic class		Not rated; Unified		Not rated; Surface clay percent or taxonomic class	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SU: SUPERVISOR-----	90	Very limited Slope Gravel content	1.00 0.08	Very limited Slope Gravel content	1.00 0.08	Very limited Slope Gravel content Depth to bedrock Content of large stones	1.00 1.00 0.42 0.03
SV: SUPERVISOR-----	65	Very limited Slope Gravel content	1.00 0.08	Very limited Slope Gravel content	1.00 0.08	Very limited Slope Gravel content Depth to bedrock Content of large stones	1.00 1.00 0.42 0.03
ROCK OUTCROP-----	25	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; Surface clay percent or taxonomic class Not rated; Ksat or taxonomic class		Not rated Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class Not rated; Unified		Not rated Not rated; Ksat or taxonomic class Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TA: TAPIA-----	50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty Slope	0.50 0.12
DEAN-----	30	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty Slope Gravel content	0.50 0.12 0.06
TB: TRAVESSILLA-----	50	Very limited Depth to bedrock Restricted permeability	1.00 0.45	Very limited Depth to bedrock Restricted permeability	1.00 0.45	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.88 0.45
BERNAL-----	30	Very limited Depth to bedrock Restricted permeability	1.00 0.05	Very limited Depth to bedrock Restricted permeability	1.00 0.05	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.88 0.05
TR: TRAVESSILLA-----	50	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.84 0.45	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.84 0.45	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.45

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TR: continued ROCK OUTCROP-----	25	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; Surface clay percent or taxonomic class Not rated; Ksat or taxonomic class		Not rated Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class Not rated; Ksat or taxonomic class Not rated; Unified		Not rated Not rated; Ksat or taxonomic class Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class	
TU: TUFF ROCK LAND-----	90	Not rated Not rated; pH Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified		Not rated Not rated; Surface clay percent or taxonomic class Not rated; % surface sand or clay Not rated; Taxonomic or texture class		Not rated Not rated; Ksat or taxonomic class Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TU: continued TUFF ROCK LAND		Not rated; Surface clay percent or taxonomic class Not rated; Ksat or taxonomic class		Not rated; Ksat or taxonomic class Not rated; Unified		Not rated; % surface sand or clay Not rated; Surface clay percent or taxonomic class	
W: WATER-----	95	Not rated		Not rated		Not rated	
		Not rated; Slope		Not rated; Surface Fragments > 75mm		Not rated; Ksat or taxonomic class	
		Not rated; pH		Not rated; Surface clay percent or taxonomic class		Not rated; Surface Fragments > 75mm	
		Not rated; Sieve size, 3 to 10", > 10"		Not rated; % surface sand or clay		Not rated; Sieve size, 3 to 10", > 10"	
		Not rated; Surface Fragments > 75mm		Not rated; Taxonomic or texture class		Not rated; Slope	
		Not rated; Unified		Not rated; Slope		Not rated; Slope	
WC: WILCOXSON VARIANT---	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table REC-1.--Recreation

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WL: WILLARD-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
WN: WITT-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty Slope	0.50 0.12
ZU: ZUNI VARIANT-----	85	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)